


Specification Summary

Name	Specifications
CCL150	<ul style="list-style-type: none"> Aluminum Extruded Body Construction CrestCoat Powder Coating Technology Aluminum Cabinets Multiplex Electrical System Flush Mount Windows CrestClean Antimicrobial Coating



Sales Options by Category

Base

Name/Description	Quantity
TYPE III - CCL150	1.00
TYPE III - CCL150	1.00
68in Interior Headroom	1.00
68 inch Interior Headroom	1.00
KKK-A-1822F	1.00
KKK-A-1822F - USA Government Federal Specification for a Star-of-Life Ambulance	1.00

Chassis

Name/Description	Quantity
Ford E350 Cutaway Van	1.00
Ford E350 DRW Gas V8 Cutaway 4X2 138 7.3L V8 Premium Gasoline Engine Wheelbase 138" (3505 mm) GVWR (Gross vehicle weight rating) 11,500 Lbs / 5,216 Kg.	1.00
Anti-theft	1.00
Anti-theft security system	1.00

High Idle	1.00
High Idle system	
OEM chassis mirrors	1.00
OEM chassis mirrors	
Running Boards	1.00
Diamond-plate aluminum running boards with grip strut	
E-series/G-series chrome wheel simulators	1.00
Chrome wheel simulators	
Chassis door check straps	1.00
Chassis door check straps	
Hidden front grille door unlock switch	1.00
Hidden front grille door unlock switch	
Conversion doors auto-unlock	1.00
Conversion doors auto-unlock	

Drivers Compartment

Name/Description	Quantity
Recessed cab into module	1.00
Recessed cab into module, allowing cab seats to recline	
Manual adjustment seat	1.00
OEM manually adjustable chassis seats.	
Talk-through with sliding window	1.00
Cab to module talk-through opening with sliding window	
Two coat hooks	1.00
Two coat hooks on chassis side of bulkhead	
Narrow center console	1.00
Narrow center console	
Chassis voltmeter and conversion voltmeter	1.00
OEM chassis voltmeter. Digital conversion voltmeter on driver's console.	
Patient status indicator lights	1.00
Patient status indicator lights (Red/Yellow/Green) on driver's console	
Door indicator light	1.00
"Door ajar" and "Compartment" indicator light on driver's console	
Two USB charging outlets	1.00
Two USB charging outlets on driver's console	
Floor mount console without lid	1.00
Floor mount console with strap and two cup holders	
Passenger reading light	1.00
Ceiling mount red/white LED reading light centered over passenger seat	
Driver's reading light	1.00
One (1) additional ceiling mount red/white LED reading light centered over driver seat	

Conversion

Name/Description	Quantity
C1 Compartment, ALS Access and Battery Compartment	1.00
C1 Compartment - ALS inside/outside access with a sealed battery storage area	
C2 Side Entrance Door	1.00
C2 - Side entrance door with tinted flush mount window	
Dual step entry with step well light	1.00
Two-step interior access with LED step well light	
C3 Compartment, Equipment Storage	1.00
Open storage in C3 Compartment	
C3 - Backboard storage	1.00

Dual backboard storage with straps, two adjustable shelves for equipment bags, and stair chair storage in C3 Compartment.	
S1 Compartment - Main Oxygen Storage	1.00
Main oxygen storage in S1 Compartment	
S2 Compartment - ECC	1.00
Electrical Control Center (ECC) with lower equipment storage in S2 Compartment	
ECC cover	1.00
Aluminum panel in ECC compartment to cover and protect electrical from water and debris	
S3 Compartment, Inside/Outside Equipment Storage	1.00
Equipment storage with upper inside/outside access in S3 Compartment	
Two adjustable shelves	1.00
Two adjustable shelves in S3 Compartment	
50/50 Rear doors	1.00
50/50 Split rear entry doors with flush mounted tinted windows	
Black rubber fenderettes	1.00
Flexible black rubber fenderettes over rear wheels	
Rear kick plate with no text	1.00
Rear kick plate with no text	
Aluminum rub-rails on each side	1.00
Aluminum rub-rails on each side of conversion	
Undercoating protection	1.00
Undercoating protection	
Rear mudguard	1.00
Rear mudguard	
Rear bumper underbody	1.00
Rear bumper underbody	
Module front corner stone guard	1.00
Module front corner stone guard aluminum checker-plate protection	
Stainless steel fuel fill protector	1.00
Stainless steel protection plate below fuel fill housing	
Flush license plate with LED light	1.00
Flush license plate with LED light	

Exterior Lighting

<i>Name/Description</i>	<i>Quantity</i>
Clearance lights	1.00
Clearance lights - Seven amber and seven red LED marker lights	
Two 3/4 inch red LED mid-body side lights at rear	1.00
Two 3/4 inch red LED mid-body side lights at rear to be marker top with turn signal below	
Two red LED brake/tail lights	1.00
Two red LED brake/tail lights	
Two amber LED turn lights	1.00
Two amber LED turn lights	
Two white LED reverse lights	1.00
Two white LED reverse lights	
High center mounted brake light feature	1.00
High center mounted brake light feature	

Emergency Systems

<i>Name/Description</i>	<i>Quantity</i>
Chrome bezels	24.00

Standard Series chrome bezels	
Colored lens	1.00
Emergency lights to have colored lenses	
Two Whelen 900-Series and three 700-Series lights	1.00
Two Whelen 900-Series and three 700-Series lights (Red / Red / White \ Red \ Red) on front of conversion	
Two Whelen 700-Series red lights, one each side	1.00
Two Whelen 700-Series red intersection lights, one each side of chassis	
Two Whelen 500-Series red lights	1.00
Two Whelen 500-Series red lights in grille	
Four Whelen 900-Series red lights (two each side)	1.00
Four Whelen 900-Series red lights (two on each side of conversion)	
Four Whelen 900-series LED scene lights	1.00
Four Whelen 900-series LED scene lights (two on each side of conversion)	
Mid Body 700 Series above rear wheel	1.00
Two Whelen 700-Series red lights above rear wheel, one each side	
Two Whelen 900-Series and one 700-Series lights	1.00
Two Whelen 900-Series and one 700-Series lights (Red / Amber \ Red) on rear of conversion	
Two Whelen 600 series LED load lights	1.00
Two Whelen 600-Series LED load lights on rear of conversion	
Two Whelen 900-Series red lights at window height	1.00
Two Whelen 900-Series red lights at window height on rear of conversion	
Siren amplifiers (100 watt)	1.00
100 Watt Siren amplifier with 4 tones and public address (P/A) microphone	
Two siren speakers in front grille	1.00
Two siren speakers in front grille	

Interior Curbside Configuration

<i>Name/Description</i>	<i>Quantity</i>
Two (2) position squad bench, 6-point harness	1.00
Two position squad bench with 6-point harness system. Provides ability for second patient transport using backboard. Includes recessed waste and sharps container at head of squad bench.	
Squad safety net	1.00
Safety restraint net installed forward of curbside seating	
ALS Compartment	1.00
Front ALS compartment with two adjustable shelves	
Drug cabinet	1.00
Drug cabinet above ALS compartment	

Interior Streetside Configuration

<i>Name/Description</i>	<i>Quantity</i>
CPR seat with 6-point harness system	1.00
CPR seat with 6-point harness system	
Fixed frames	1.00
Fixed frames with sliding polycarbonate doors	
Aluminum countertop	1.00
Aluminum countertop - Powder coated with antimicrobial coating	

Attendant Seat

<i>Name/Description</i>	<i>Quantity</i>
Child safety device	1.00
Rear-facing EVS seamless vinyl seat with child safety device and 3-point seatbelt	

Two position swivel seat base	1.00
Two position swivel seat base	

Cot Configuration

<i>Name/Description</i>	<i>Quantity</i>
Stryker universal floor plate only	1.00
Stryker universal floor plate only	
Pre-wire Power-LOAD	1.00
Pre-wire Power-LOAD	
Center mount cot configuration	1.00
Center mount cot configuration	

Oxygen

<i>Name/Description</i>	<i>Quantity</i>
Quick disconnect style outlet	1.00
Quick disconnect style outlet	
Universal vertical holder	1.00
Universal vertical holder for oxygen cylinder	
Cylinder changing wrench	1.00
Cylinder changing wrench with footman loop assembly in oxygen compartment	
Manual oxygen regulator (50PSI)	1.00
Manual oxygen regulator (50PSI)	
One oxygen outlet in Action Area	1.00
One oxygen outlet in Action Area	
One oxygen outlet on curbside wall	1.00
One oxygen outlet on curbside wall	
Two D/E cylinder brackets on side of ALS	1.00
Two D/E portable tank brackets on side of ALS in pass through	

Electrical

<i>Name/Description</i>	<i>Quantity</i>
Multiplex system	1.00
Multiplex electrical system using toggle switches with LED backlit pictogram.	
Rear speaker volume control	1.00
Rear speaker volume control at Action Area	
Temperature control with automatic setting	1.00
Temperature control with automatic setting at Action Area.	
Patient status indicator lights	1.00
Patient status indicator lights (Red/Yellow/Green) at Action Area.	
On/off LED reading light	1.00
On/off LED reading light above Action Area.	
Four antenna ports with pre-wiring	1.00
Four antenna ports with pre-wiring for antenna RG 58 A/U	
Two OEM batteries	1.00
Two OEM batteries	
Back up alarm	1.00
Back-up alarm (97db)	
Round LED compartment lighting	1.00
Round LED compartment lighting	
Six LED dome lights	1.00
Six LED dome lights with multiple intensity settings	
Driver intention indicator lights	1.00
Driver intention indicator lights in rear ceiling of conversion	
Xantrex Freedom XC pure sine-wave inverter/charger	1.00

Xantrex Freedom XC pure sine-wave inverter/charger	
Auto Eject - Yellow 20 amps	1.00
Auto-eject shoreline outlet - 120V 20 amp assembly with a yellow waterproof cover	
Shoreline light	1.00
Indicator light above the shoreline plug to show power connection	
1 120V GFCI outlet in Action Area	1.00
One Hospital-grade 120 VAC GFCI dual outlet with indicator light in Action Area	
1 120V outlet with 2 USB ports in Action Area	1.00
One Hospital-grade 120 VAC dual outlet with indicator light and 2 USB ports in Action Area	
1 120V outlet in lower ALS area	1.00
One Hospital-grade 120 VAC dual outlet with indicator light in lower ALS area	
1 120V outlet on lower curbside wall	1.00
One Hospital-grade 120 VAC dual outlet with indicator light on lower curbside wall	
1 120V outlet in upper ALS area	1.00
One Hospital-grade 120 VAC dual outlet with indicator light in upper ALS area	
One 12 VDC outlet in lower ALS area	1.00
One 12 VDC outlet in lower ALS area	
One 12 VDC outlet in Action area	1.00
One 12 VDC outlet in Action area	
Camera monitor in cab	1.00
Camera monitor in cab	
Back-up camera	1.00
Back-up camera	
Rico RS4X disposable suction system	1.00
Rico RS4X disposable suction system in Action Area	

HVAC

<i>Name/Description</i>	<i>Quantity</i>
Combo heat and AC	1.00
Combo heat and air conditioning with exhaust fan for contaminated air	

Accessories

<i>Name/Description</i>	<i>Quantity</i>
Three glove box holder above side entry door	1.00
Three glove box holder above side entry door	
Analog clock above rear entry doors	1.00
Analog clock mounted above rear entry doors	
5lb fire extinguisher with bracket in cab	1.00
5lb fire extinguisher with heavy duty bracket installed in chassis cab	
5lb fire extinguisher with bracket in S3	1.00
5lb fire extinguisher with heavy duty bracket installed in S3 compartment	
L-shaped yellow grab bar on side entry door	1.00
L-shaped yellow grab bar on side entry door	
L-shaped yellow grab bars on rear entry doors	1.00
L-shaped yellow grab bars on rear entry doors	
One 61in ceiling mounted grab rail	1.00
One 61in ceiling mounted yellow grab rail	
Four clip style IV hangers with strap	1.00
Four clip style IV hangers with strap (2 curbside wall, 2 streetside wall)	
Spare plastic trash liners	1.00
Twelve spare plastic trash liners	

Finish and Trim

<i>Item Number</i>	<i>Name/Description</i>	<i>Quantity</i>
	Interior powdercoated white Cabinets, wall panels and ceiling are white powder-coated aluminum	1.00
	Black upholstery Black vinyl upholstery with yellow head bolster pads on entry doors	1.00
	Floor : Slip resistant, rolled-up 5 in. (127mm) Floor : Slip resistant, rolled-up 5 in. (127mm)	1.00
	Lonplate II Midnight #443TXM Lonplate II Midnight #443TXM flooring	1.00
	Clear anti-slip spray Clear anti-slip spray applied to side entry steps	1.00
Paint and Graphics		
	Powdercoat module white Powdercoat entire module white to match the chassis	1.00