



#604301

| PART NO | S | DESCRIPTION | QTY | ID | REF. NO |
|---------|---|--|-----|-----|---------|
| | | == WC Transit - 1.004 03/26/21 == | | REV | |
| | | | 1 | | |
| | | | 1 | | |
| | | WARRANTY | | | |
| | | WC, Warranty, Conversion, 12 Month | 1 | | |
| | | WC, Warranty, Limited Electrical | 1 | | |
| | | WC, Warranty, Cabinet Construction | 1 | | |
| | | CERTIFICATIONS REQUIRED | | | |
| | | VN, This unit built in accordance with KKK-A-1822F CN 10 Cabinet Requirements | 1 | | |
| | | This unit as specified meets all requirements of KKK-A1822-F Change notice 10. | | | |
| | | All cabinets shall be labeled as to their capacity Rating. | | | |
| | | VAN CHASSIS | | | |
| S | | WC, 2023 Ford, AWD Transit 350, Gas 3.5L EcoBoost V6, 148" WB High Roof 23-3 (1) OEM Alternator Includes dual batteries 12V OEM outlet in dash Engine Hour meter in OEM Gauge Cluster includes OEM Back up camera option ALL WHEEL DRIVE with steel wheels | 1 | | |
| | | HIGH IDLE | | | |
| | | -- VN, High Idle Controls, 2021+ Transit, Webasto | 1 | | |
| | | -- VN, Tire Pressure Monitoring System, OEM. Light in Dash | 1 | | |
| | | BASE CONVERSION | | | |
| | | -- VN, Conversion, 2023, Transit High Roof, Gas 22-3 CONVERSION | 1 | | |
| | | - Install anti-slip decal on curbside and rear stainless steel thresholds, STD | | | |

- INCLUDES THE FOLLOWING, STANDARD
- (1) Antenna pre-wire located behind Driver's Seat, run to roof antenna plate
 - 12V protection Blade style breakers with Manual reset
 - Static air intake and Power exhaust
 - Back up alarm without cutoff switch
 - R-11 Reflective insulation Insulation
 - Street side and Curbside Perco I. V. Hooks with Velcro straps (Standard locations)
 - Handles, Door, 7" Chrome metal plated, Through bolted on OEM Doors
 - 60 square inches of Red/White reflective material on each door.
- SHIP LOOSE (1) 5 lb ABC Fire Extinguisher

VAN TOPS

- |-- VN, Top, High Roof Transit OEM -700 Series 1
- |-- VN, Housings, Cast, Rear Door LH/RH Warning Lts, High Roof Transit 1
- To Be Installed On Upper Rear Doors- 9x7 lights
- Drivers Side - LH79225-1
- Passengers Side - LH79226-1
- |-- VN, Light Valance, Rear, Interior, for 500 Series lights, Transit 1
- will contain (2) red, (1) amber, (2) load lights R-C-A-C-R
- |-- VN, Whelen, Light, TIR6, LED, Red, w/flg, Valance Only 2
- Mounted outboard on ABS Housing inside rear doors
- Primary/Secondary, when rear doors are opened, flash pattern, per Engineering
- |-- VN, Whelen, Light, TIR6, LED, Amber, w/flg, Valance Only 1
- Mounted on center of ABS Housing inside rear doors
- Primary/Secondary, when rear doors are opened, flash pattern, per Engineering
- |-- VN, Scene Lighting, 5L, #50C000ZR, w/Flange, Valance Only 2
- (2) mounted on ABS housing inside rear doors
- |-- VN, Driver's side Light on Rear 1
- |-- VN, Light, Whelen 900, Single Row LED, Red, Clear Lens, 90R02SCR 1
- |-- VN, Scene Lighting, LED, Whelen, Clear, #9SC0ENZR, 24 LED 1
- |-- VN, Passengers's side Light on Rear
- |-- VN, Light, Whelen 900, Single Row LED, Red, Clear Lens, 90R02SCR

|-- VN, Scene Lighting, LED, Whelen, Clear, #9SC0ENZR,
 24 LED
 |-- VN, Whelen, Lights, Pair, Wide Angle ION Amber LED,
 Chrome Housing
 |-- VN, Housings, Cast, (4) Side Warning/Scene Lights, High
 Roof Transit
 (1) 9L Warning Light & (1) 7 Series Scene Light will
 fit in each housing.

Drivers Side Front - LH79227-1
 Drivers Side Rear-LH79228-1
 Passengers Side Front-LH79228-1
 Passengers Side Rear-LH79227-1

| | |
|--|---|
| -- VN, Front Light on Driver's side | |
| -- VN, Light, Whelen 900, Single Row LED, Red, Clear Lens, 90R02SCR | |
| -- VN, Scene Lighting, 7H 9-32, 70K000ZB | 1 |
| -- VN, Rear Light on Driver's side | 1 |
| -- VN, Light, Whelen 900, Single Row LED, Red, Clear Lens, 90R02SCR | 1 |
| -- VN, Scene Lighting, 7H 9-32, 70K000ZB | |
| -- VN, Front Light on Passenger's side | |
| -- VN, Light, Whelen 900, Single Row LED, Red, Clear Lens, 90R02SCR | |
| -- VN, Scene Lighting, 7H 9-32, 70K000ZB | 1 |
| -- VN, Rear Light on Passenger's side | 1 |
| -- VN, Light, Whelen 900, Single Row LED, Red, Clear Lens, 90R02SCR | 1 |
| -- VN, Scene Lighting, 7H 9-32, 70K000ZB | |
| -- VN, Lightbar, Whelen, Inner Edge. Solo Mode, Red & White LEDS Installed in the upper section of the front windshield. <i>r/r/r/c/c/c c/c/c/r/r/r</i> Red to be Pri/Sec and white to be Primary Only | |

INTERIOR CABINETS

|-- VN, Cabinet Package, Transit, High Roof, Aluminum, O2 at
 CS Rear
 White Painted Aluminum Cabinets

| | |
|--|---|
| -- WC ,Painted Aluminum Cabinets, MultiSpec White/White #99-6285 Aluminum cabinets painted inside and out with aluminum trim painted to match | 1 |
|--|---|

| | |
|---|---|
| -- VN, Cabinet, HR Transit, Alum Bulk Head Wall, Pass-thru Only - Front bulk head will be a solid wall with a window (pass through) approximately 17"H x 10.5" wide off center toward driver's side. | 1 |
|---|---|

| | |
|--|---|
| -- VN, RF Cabinet, Aluminum, HR Transit, CS Rear O2 Cabinet, No BB, Version "B" L1- Open with one adjustable shelf L2 - Enclosed cabinet- 15.25" H x 23.75" W x 14.50" D With Drop down door facing rear. L3 - to accommodate (2) Portable O2 bottles L4 - 11"H x 38.5" W x 22.25" D Open slot for Stair chair storage- Open to CS Door | 1 |
|--|---|

| PART NO | S | DESCRIPTION | QTY | ID | REF. NO |
|------------|---|---|-----|-----|----------|
| 05-21-8016 | | -- VN, Latch, M1, 3/4" Material, 2" round, Non Locking, Chrome-CN 10 Certified L2 | 1 | REV | 10411247 |
| | | -- VN, O2 Cylinder Holder, Single, Cast, Strapless Duramount "D", CN 10 Certified | 2 | | |
| | | -- VN, Squad Bench Cabinet, Transit, Aluminum, Drop in Bio waste at head - Sharps and trash under separate lid at head of Bench with access holes - Single squad bench Lid, - with 60# Gas Strut Style Hold Open (ECN1816) | 1 | | |
| | | -- VN, Lids, Hinged, Red Engraved Sharps and Trash (M371553 & M371555) Wheeled Coach Logo. | 1 | | |
| | | 5.25" x 8.375"- Waste 4.5" x 4.5" -Sharps | | | |
| | | -- VN, Latch, M1, 3/4" Material, 2" round, Non Locking, Chrome-CN 10 Certified Bio waste at head of squad bench | 1 | | |
| | | -- VN, Squad bench Latches, Transit, Trimark handles (2) | 1 | | |
| | | -- VN, Cabinet, Vertical O2, Foot of Squad Bench, HR Transit, Zico Rack , M Cyl. Vertical storage & Zico QRMV O2 cylinder rack at foot of squad bench Hinged solid door with latch. | 1 | | |
| | | -- VN, Cabinet, Aluminum Base wall, Transit, High Roof - Three Glove storage at rear, Rear hinged Lexan access | 1 | | |
| | | -Backboard storage slot accessed from rear access doors under "D1" and "D2" | | | |
| | | - Cabinet "A" - 24.25" H x 28.5" W x 9" D. Sliding Poly carbonate Doors. | | | |
| | | - Cabinet "B" - 24.25" H x 28.5" W x 9" D. Sliding Poly carbonate Doors. | | | |
| | | - Cabinet "C" - 24.25" H x 28.5" W x 9" D. Sliding Poly carbonate Doors. | | | |
| | | - Cabinet "D1" - 24.25" H x 28.5" W x 11.5" D. Sliding Poly carbonate Doors. | | | |
| | | - Cabinet "D2" - 24.25" H x 28.5" W x 11.5" D. Sliding Poly carbonate Doors. | | | |
| | | - Cabinet "M" Drug box -10.75" H x 11.5" W x 8" D with hinged Solid Door | | | |
| | | Must label weight limit on doors and drawers for CN 10 certification | | | |
| | | -- VN, Latch, M1, 3/4" Material, 2" round, Non Locking, Chrome-CN 10 Certified Cabinet M | 1 | | |

| PART NO | S | DESCRIPTION | QTY | ID | REF. NO |
|---------|---|---|-----|-----|---------|
| | | VAN HVAC SYSTEMS | | REV | |
| | | - VN, Heat/AC System, Transit Gas, Webasto (Alum Cabinets) with thermostat in action area | 1 | REV | |
| | | Located above cab area/Attendant seat | | | |
| | | FRONT END ALIGNMENT | | | |
| | | Front End Alignment, None- QC Check -Standard | 1 | | |
| | | CAB INTERIOR OPTIONS | | | |
| | | VN, Door Panels, Transit Entry Doors, Vacuum Formed- Std | 1 | | |
| | | DOOR REFLECTORS & FLASHERS | | | |
| | | VN, Reflective Material, rear patient Doors, Sprinter/Transit | 1 | | |
| | | - Rear doors to have 60 sq inches of 3M reflective material, 6" red | | | |
| | | REAR BUMPER AND REAR STEP CONSTRUCTION | | | |
| | | VN, Rear Bumper, Step, OEM, Transit | 1 | | |
| | | - VN, Rear Step Cover, Embossed Diamond Plate, Transit | 1 | | |
| | | INSULATION | | | |
| | | VN, Insulation, Walls and Ceiling, Reflectix Foil Lined Bubble Wrap | 1 | | |
| | | VN, Mud Flaps, Front & Rear, Transit, Molded, No Logo | 1 | | |
| | | CAB TO PATIENT AREA ACCESS | | | |
| | | FLOORING | | | |
| | | VN, Flooring, Lonplate II, Gunmetal #424 | 1 | | |
| | | Ceiling Grab Rail - Center | | | |
| | | VN, Ceiling Grab Rail, 72", Handicap Style, Anti-Microbial Yellow, Footless | 1 | | |
| | | - Yellow Powder Coat Finish | | | |
| | | GRAB HANDLES | | | |
| | | VN, Grab Handles (2) Black Molded, 18", Wall mounted | 1 | | |
| | | (1) CS Wall at head of squad bench | | | |
| | | (1) Street side Rear wall by rear doors | | | |
| | | SEAT BELTS/ SAFETY NETS | | | |
| | | VN, Squad Bench, Seatbelt, Assy, (4 Point), Per4Max, Yellow, (2) Each | 1 | | |
| | | - Two above the squad bench lid mounted seat belts | | | |
| | | - No lap belts | | | |
| | | - (3) Black Restraints for secondary patient | | | |
| | | VN, Head of Squad Bench, Safety Net, Yellow, Transit | 1 | | |
| | | ATTENDANT SEAT | | | |
| | | VN, Attendant's Seat, EVS 1860 Fold up w/child seat on CBPED (R) Base, Black | 1 | | |
| | | Yellow 3 Point seat belt | | | |
| | | Seat base CBPED (offset Right) | | | |
| | | UPHOLSTERY | | | |
| | | VN, Upholstery, Black Seamless | | | |
| | | VN, Poly carbonate, Gray | 5 | | |
| | | 1/4" poly carbonate | | | |
| | | - VN, Sliding doors with latching handles | 5 | | |
| | | 1/4" poly carbonate sliding doors with Spring loaded latching handles | | | |
| | | VN, Strap, Two Inch Seatbelt style | 2 | | |
| | | (1) across Backboard slot opening | | | |
| | | (1) across Stair chair storage opening | | | |

07 - ELECTRICAL 12 VOLT DC

VN, 12 Volt Electrical System, Van, RelayPlex System
Transit - Circuit board located in lower section of the base wall toward
the front. 1

POWER SOURCES

VN, Power Source, 12VDC, 20A, Battery Switch/Ignition Hot
Radio Power #1

|-- Power Source Location, Behind Driver's seat 1

VN, Power Source, 12VDC, 20A, Battery Switch/Ignition Hot
Radio Power #2 1

|-- Power Source Location, Behind Driver's seat

VOLTMETER

VN, Voltmeter, Smart with Low Voltage Alarm, Audio/Visual
Light and Buzzer in cab console.

BATTERY SYSTEM

VN, Battery Switch, RelayPlex Electronic w/5 min Timer 1
- Activated thru OEM ignition switch, timer function upon
ignition "off".
- Momentary rocker switch, on driver's side of cab console,
to function as timer shutoff and also reactivate timer.
- (2) OEM batteries under hood
- ONLY conversion power is turned on/off.
- Chassis power is NOT turned off.

VN, Battery Charger, Converter, Iota, 15 Amp
VN, Power Outlet, Power Point Style, (2), in A/A 1
- (2) in Action Area
Ignition Hot

VN, Power Outlet, Kussmaul, USB Dual Port, 5VDC, 4.8 Amp, 1
switch panel Style
Location in the Engine cover console switch panel.
Ignition Hot

VN, Console, Drivers Switch & Radio, Cab, Transit, Aluminum, 1
2020, CN 11
- With Cup holder and Map Box
- Black Rubber coated Aluminum.
- Angled Area: Switches
- Flat Area: Siren and Radio area

|-- VN, Drivers Control Panel, Transit, Switches in OEM Console 1

|-- VN, Action Area Switch Panel, Eaton Esport switches, 1
Relocate CS Wall

DRIVER'S CONTROL PANEL

ATTENDANT CONTROL PANEL

SIREN ELECTRONIC - CONTROL HEADS / AMPS

VN, Siren Electronic, Whelen, WS-295-SLSA1

SIREN SPEAKERS

VN, Speakers, Cast, Black Powder
coat,SAP3825-20Transit-6BW,SAP3826-20Transit-6B

BACK-UP ALARMS

VN, Back-up Alarm, Auto Reset, 97 dBA, No Cutoff Switch

VN, Switch, Emergency Master, Non Sequenced

WARNING LIGHT FLASHERS

Flash Pattern- Quad Flash 75 - Per KKK

| PART NO | S | DESCRIPTION | QTY | ID | REF. NO |
|---------|---|--|-----|-----|---------|
| | | <p>WARNING LIGHTS -WHELEN MICRON</p> <p>VN, Whelen, Micron, Red w/chrome Flange, Internal Flasher - (2) in grille; wired thru RelayPlex, standard. install in Chrome flange. Primary Only</p> | 2 | REV | |
| | | <p>VN, Whelen, Light, LIN3, LED-Red, RSRO2ZCR as intersection lights Primary Only</p> | 2 | | |
| | | <p>VN, Scene Lighting, CS, Activate on Opening of CS Entry Door</p> | 1 | | |
| | | <p>11 - INTERIOR LIGHTING</p> <p>VN, Dome Lights, LED, Whelen, White Flange, (6), STD, Sprinter/Transit NOTE: NO VISABLE FASTENERS OR HOLES.</p> <p>(3) Street side (3) Curbside - Transit</p> | 1 | | |
| | | <p>ATTENDANT LIGHT</p> <p>VN, Attendant Light, Action Area, Grote LED Strip</p> | 1 | | |
| | | <p>12 - ELECTRICAL 125 VOLT AC SHORELINE INLET</p> <p>VN, Shoreline, Twistlock, 20 A - driver's side, standard location - (2) outlets std, in A/A</p> | 1 | | |
| | | <p>VN, Inverter, Pre wire, Vanner LifeSine, Plug In - With Lugs, Clips and Remote Switch</p> | 1 | | |
| | | <p>AUXILIARY ENVIRONMENTAL SYSTEMS</p> <p>VN, Exhaust Fan, Single 12V Blower with cowl vent on exterior.</p> | 1 | | |
| | | <p>COT MOUNTING PROVISIONS</p> <p>Cot Mounts</p> <p>Cot Mounts, Install After Unit is Sold (Stock & Demos Only) Do not cut mounting holes in the floor or flooring - Installation instructions to be provided at time of install</p> | 1 | | |
| | | <p>OXYGEN AND AIR SYSTEMS</p> <p>VN, O2 Wrench, Tether in Oxygen Cabinet</p> | 1 | | |
| | | <p>VN, O2 Regulator, Preset 50PSI</p> | 1 | | |
| | | <p>VN, O2 System, Storage Rear Vertical Cabinet, Ohio Style, (2) A/A, (1) Liner - Ohio Style - (2) O2 Outlet in A/A - (1) O2 Outlet in C/S Liner @ Head of S/B</p> | 1 | | |
| | | <p>SUCTION SYSTEM</p> <p>VN, Suction Pump, Electric, SSCOR 90206</p> | 1 | | |
| | | <p>VN, Suction System, SSCOR Disposable with Canister Clip deletes the Ohio style vacuum outlet - plumb hose from SSCOR canister through hole in AA wall panel Meets SAE J3043 Requirements</p> | 1 | | |
| | | <p>PAINT AND FINISH</p> <p>Van, Paint, Single Color, OEM White Ford white: FA91:YZ</p> | 1 | | |
| | | | 1 | | |