

North Eastern Rescue Vehicles, Inc. Bob Reilly

North Eastern Rescue Vehicles, Inc 10 Dwight Park Drive Syracuse, NY 13209

			Page
	DESCRIPTION	QTY	
	WARRANTY		
	WC, Warranty, Conversion, 12 Month	1	
	WC, Warranty, Limited Electrical	1	
	WC, Warranty, Cabinet Construction	1	
	CERTIFICATIONS REQUIRED		
	VN, This unit built in accordance with KKK-A-1822F CN 10	1	
	Cabinet Requirements		
	This unit as specified meets all requirements of KKK-A1822	2-F	
	Change notice 10.		
	All cabinets shall be labeled as to their capacity Rating.		
	VAN CHASSIS		
S	WC, 2024 Ford, Transit 250, Gas 3.5L EcoBoost V6, 148"	1	
	WB Medium Roof 23-3		
	(1) OEM Alternator		
	Includes dual batteries		
	12V OEM outlet in dash		
	Engine Hour meter in OEM Gauge Cluster		
	includes OEM Back up camera option		
	Rear wheel drive with steel wheels		
	HIGH IDLE		
	VN, High Idle Controls, 2023+ Transit, Relay Plex	1	
	VN, Tire Pressure Monitoring System, OEM. Light in	1	
	Dash		
	BASE CONVERSION		
	VN, Conversion, 2023, Transit Medium Roof, Gas -23-1	1	
	CONVERSION		
	- Install anti-slip decal on		
	curbside and rear stainless steel thresholds, STD		
	INCLUDES THE FOLLOWING, STANDARD		
	- (1) Antenna pre-wire located behind Driver's Seat, run to		
	roof antenna plate		
	-12V protection Blade style breakers with Manual reset		

Page 2

					Page 2
	SCRIPTION	QTY	ID	REF. N	0
- Static air intake and Po	wer exhaust				
Pook up olorm without	outoff owitch				
- Back up alarm without					
- R-11 Reflective insulati	on Insulation				
- Street side and Curbsic	e Perco I. V. Hooks with Velcro strap	s			
		3			
- 60 square inches	of Red/White reflective material of	n			
each door.					
N N	AN TOPS				
	of Transit OEM- 700 Series.	1			
	, Rear Door LH/RH Warning Lts,	1			
Medium Roof Transit	,	-			
	Rear Doors- 3x7 lights side by side				
	in a second contraction of the second s				
I VN. Light Valance	e, Rear, Interior, for 500 Series	1			
lights, Transit	,				
	nber, (2) load lights R-C-A-C-R				
	, ( , ) 3				
I VN, Whelen, Li	ght, TIR6, LED, Red, w/flg,	2			
Valance Only					
	S Housing inside rear doors				
	en rear doors are opened,				
flash pattern	,				
VN, Whelen, Li	ght, TIR6, LED, Amber, w/flg,	1			
Valance Only					
- Mounted on center of AB	S Housing inside rear doors				
	en rear doors are opened,				
flash pattern	· · · ·				
VN, Scene Ligh	ting, 5L, #50C000ZR, w/Flange,	2			
Valance Only	<b>3</b> , , , , , , , , , , , , , , , , , , ,				
- (2) mounted on ABS hou	sing inside rear doors				
VN, Driver's side		1			
	en 700 LED, Red, Clear Lens,	1			
70R02SCR					
	ting, 7L, #7SC0ENZR, LED	1			
VN, Passengers's		1			
VN, Light, Whe	en 700 LED, Red, Clear Lens,	1			
70R02SCR					
	ting, 7L, #7SC0ENZR, LED	1			
	ts, Pair, Wide Angle ION Amber	2			
LED, Chrome Housing					
IATS					
(2) on rear doors					
These lights are to be on v	vith drive and if emergency				
lights are on in park.					
(1) INLINE FROM THE TO					
side Red 7L light. Left side					
(1) INLINE FROM THE TO	P OF THE Rear				

|--|

DESODIDION	OTV		Page 3
DESCRIPTION	QTY	ID	REF. NO
Passenger side Red 7L light . Right side of the light			
VN, Housings, Cast, (4) Side Warning/Scene Lights,	1		
Medium Roof Transit			
(1) 7x3 Warning Light & (1) 7 Series Scene Light will			
fit in each housing.			
Drivers Side Front - LH37245-1			
Drivers Side Rear-LH37247-1			
Passengers Side Front-LH37246-1			
Passengers Side Rear-LH37248-1			
I VN, Front Light on Driver's side	1		
VN, Light, Whelen 700 LED, Red, Clear Lens,	1		
70R02SCR			
VN, Scene Lighting, 7L, #7SC0ENZR, LED	1		
	1		
VN, Rear Light on Driver's side			
VN, Light, Whelen 700 LED, Red, Clear Lens,	1		
70R02SCR			
VN, Scene Lighting, 7L, #7SC0ENZR, LED	1		
VN, Front Light on Passenger's side	1		
VN, Light, Whelen 700 LED, Red, Clear Lens,	1		
70R02SCR			
	1		
VN, Scene Lighting, 7L, #7SC0ENZR, LED	1		
VN, Rear Light on Passenger's side	1		
VN, Light, Whelen 700 LED, Red, Clear Lens,	1		
70R02SCR			
VN, Scene Lighting, 7L, #7SC0ENZR, LED	1		
VN, Front Housing, MR, Whelen for (6) 700 size	1		
Warning lights- Transit			
ABS cowl to hold lighting.			
Abs cowi to hold lighting.			
VN, Front Upper, Driver outboard position #1	1		
VN, Light, Whelen 700 LED, Red, Clear Lens,	1		
70R02SCR			
VN, Front Upper, Driver inboard position #2	1		
VN, Light, Whelen 700 LED, Red, Clear Lens,	1		
70R02SCR			
VN, Front Upper, Driver Center position #3	1		
	1		
VN, Light, Whelen 700 LED, Clear, 70C02SCR			
VN, Front Upper, Passenger Center position #4	1		
VN, Light, Whelen 700 LED, Clear, 70C02SCR	1		
VN, Front Upper, Passenger inboard position #5	1		
VN, Light, Whelen 700 LED, Red, Clear Lens,	1		
70R02SCR			
VN, Front Upper, Passenger outboard position #6	1		
VN, Light, Whelen 700 LED, Red, Clear Lens,	1		
	1		
70R02SCR			
INTERIOR CABINETS			
VN, Cabinet Package, Transit, Medium Roof, Aluminum,	1		
O2 at CS Rear			
White Multi-spec Painted Aluminum Cabinets			
WC ,Painted Aluminum Cabinets, MultiSpec	1		
White/White #99-6285			
	im		
Aluminum cabinets painted inside and out with aluminum tr			
painted to match			
VN, Cabinet, MR Transit, Bulk Head Wall, Pass-thru	1		
Only			
- Front bulk head will be a solid wall with a window (pass			

Page 4

			Page 4
DESCRIPTION	QTY	l ID	REF. NO
through) approximately 17"H x 10.5" wide off center towa	ard		
driver's side.			
VN, RF Cabinet, Aluminum, MR Transit, CS Rear O2		1	
Cabinet, No BB, Version "B"			
L1- Open with one adjustable shelf			
L2 - Enclosed cabinet- 15.25" H x 23.75" W x 14.50" D			
With Drop down door facing rear.			
L3 - to accommodate (2) Portable O2 bottles			
L4 - 11"H x 22.25" W x 38.5" D Open slot for Stair chair storage	e		
VN, Latch, Southco, Lever, Locking, Black, CN 10		1	
Certified 5 Lb.		•	
- State Location: Cabinet "M"			
VN, O2 Cylinder Holder, Single, Cast, Strapless		2	
		2	
Duramount "D", CN 10 Certified		1	
VN, Squad Bench Cabinet, Transit, Aluminum, Drop in		1	
Bio waste at head			
- Sharps and trash under separate lid at head of Bench wit	th		
access holes			
- Single squad bench Lid,			
- with 60# Gas Strut Style Hold Open			
VN, Lids, Hinged, Red Engraved Sharps and Trash		1	
Wheeled Coach Logo.			
5.25" x 8.375"- Waste			
4.5" x 4.5" -Sharps			
VN, Squad bench Latches, Transit, Trimark handles		1	
(2)			
VN, Cabinet, Vertical O2, Foot of Squad Bench, MR		1	
Transit, Zico Rack , M Cyl.		•	
Vertical storage & Zico QRMV O2 cylinder rack at foot of squa	ad		
bench	au		
Hinged solid door with latch.			
\/N Cobinat Aluminum Base well Transit Med Deef		1	
VN, Cabinet, Aluminum Base wall, Transit, Med Roof		1	
- Three Glove storage at rear, Rear hinged Lexan access			
-Backboard storage slot accessed from rear access door	'S		
under "D1" and "D2"			
- Cabinet "A" - 19.75" H x 28.5" W x 9" D. Sliding Po	ly		
carbonate Doors.			
With one (1) adjustable shelf			
- Cabinet "B" - 19.75" H x 28.5" W x 9" D. Sliding Po	oly		
carbonate Doors.			
With one (1) adjustable shelf			
- Cabinet "C" - 19.75" H x 28.5" W x 9" D. Sliding Po	olv		
carbonate Doors.	.,		
With one (1) adjustable shelf			

	DESCRIPTION	OTV	ID	Page 5
		QTY	U	REF. NO
	- Cabinet "D1" - 19.75" H x 28.5" W x 11.5" D. Sliding P carbonate Doors.	oly		
	With one (1) adjustable shelf			
	- Cabinet "D2" - 19.75" H x 28.5" W x 11.5" D. Sliding P carbonate Doors. With one (1) adjustable shelf	òly		
	- Cabinet "M" Drug box -10.75" H x 11.5" W x 8" D with hing Solid Door	ged		
	Must label weight limit on doors and drawers for CN 1 certification	0		
	VN, Poly carbonate, Gray ,MR 1/4" poly carbonate	1		
	<ul> <li>  VN, Sliding doors with latching handles</li> <li>1/4" poly carbonate sliding doors with Spring loaded latchir handles</li> </ul>	5 ng		
	Pick QTY Needed			
	VN, Latch, Southco, Lever, Non Locking, Black, CN 10 Certified 5 Lb.	2		
	VAN HVAC SYSTEMS   VN, Heat/AC System, Transit Gas, Webasto (Alum Cabinets) with thermostet on CS Well	1		
	with thermostat on CS Wall Located above cab area/Attendant seat			
	FRONT END ALIGNMENT			
	Front End Alignment, None- QC Check -Standard	1		
	VN, Third (3rd) Brake light, Transit OEM on roof CAB INTERIOR OPTIONS	1		
	VN, Door Panels, Transit Entry Doors, Vacuum Formed- Std DOOR REFLECTORS & FLASHERS	1		
	VN, Reflective Material, rear patient Doors, Sprinter/Transit - Rear doors to have 60 sq inches of 3M reflective material,	1 6"		
	red			
U		1		
	Item # 2 Install reflective tape to cover Rear door panel holes and inst Ford OEM Decal for door opening knob	tall		
	- Reflective tape to cover ALL OEM holes in the interior panels the rear entry doors ILOS	of		
	- 24/7 to Provide (2) "SLIDE TO OPEN" decals to right re inside release door. Installed by production.	ar		
	<b>REAR BUMPER AND REAR STEP CONSTRUCTION</b> VN, Rear Bumper, Step, OEM, Transit	1		

		Page 6
DESCRIPTION	QTY	
VN, Rear Bumper, Diamond Plate with Grip strut insert	1	
INSULATION	1	
VN, Insulation, Walls and Ceiling, Reflectix Foil Lined Bubble	1	
Wrap SPLASH GUARDS AND RUNNING BOARDS		
VN, Mud Flaps, Front & Rear, Transit, Molded, No Logo	1	
FLOORING		
VN, Flooring, Lonplate II, Midnight #443TX	1	
Ceiling Grab Rail - Center	-	
VN, Ceiling Grab Rail, 72", Handicap Style, Anti-Microbial	1	
Yellow, Footless		
- Yellow Powder Coat Finish		
GRAB HANDLES		
U Grabhandles, (1) 12" Yellow Wall Mounted	3	
(1) Curbside Rear wall by rear doors		
(1) Streetside Rear wall by rear doors		
(1) CS wall at head of squad bench		
IV FLUID HANGERS	2	
VN, IV Hook, Perco, W/Straps Each	2	
(1) CS Wall centered (1) SS Wall centered		
(1) SS Waii Centered		
SEAT BELTS/ SAFETY NETS		
VN, Squad Bench, Seatbelt, Assy, (4 Point), Per4Max,	1	
Yellow, (2) Each		
- Two above the squad bench lid mounted seat belts		
VN, Head of Squad Bench, Safety Net, Yellow, Transit	1	
ATTENDANT SEAT		
VN, Attendant's Seat, EVS 1860 Fold up w/child seat on	1	
CBPED (R) Base, Black		
Yellow 3 Point seat belt		
Seat base CBPED (offset Right)		
UPHOLSTERY	1	
VN, Upholstery, Black Seamless	1	
VN, Strap, Two Inch Seatbelt style	2	
(1) across Backboard slot opening (1) across Stair chair storage opening		
CAMERAS		
U Camera, Patient Compartment	1	
Hanscom kit HK 7211.		
Mount monitor to the left of the steering wheel.		
Bracket .		
In the patient compartment mount the camera on the		
rear headliner next to the StreetSide cabinets facing the cot.		
Trigger camera display on with Master Switch.		
mggor camera display on with Master Owitch.		
07 - ELECTRICAL 12 VOLT DC		
VN, 12 Volt Electrical System, Van, RelayPlex System	1	
Transit - Circuit board located in lower section of the base w		

DESCRIPTION	QTY	Page
toward the front.		
POWER SOURCES		
VN, Power Source, 12VDC, 20A, Battery Switch/Ignition Hot Radio Power #1-	1	
Radio Powei #1-		
Power Source Location, Behind Driver's seat	1	
VN, Power Source, 12VDC, 20A, Battery Switch/Ignition Hot	1	
Radio Power #2-		
Power Source Location, Behind Driver's seat	1	
<b>VOLTMETER</b> VN, Voltmeter, Smart with Low Voltage Alarm, Audio/Visual	1	
Light and Buzzer in cab console.	1	
BATTERY SYSTEM		
VN, Battery Switch, RelayPlex Electronic w/5 min Timer	1	
- Activated thru OEM ignition switch, timer function upon		
ignition "off".		
- Momentary rocker switch, on driver's side of cab console,		
to function as timer shutoff and also reactivate timer. - (2) OEM batteries		
- ONLY conversion power is turned on/off.		
- Chassis power is NOT turned off.		
VN, Power Outlet, Power Point Style, (2), in A/A	1	
- (2) in Action Area		
VN Rower Outlet Rower Roint Style Fach	1	
VN, Power Outlet, Power Point Style, Each - Ignition Hot IATS at head end of Squad Bench	1	
- ignition not into at nead end of oquad bench		
VN, Power Outlet, Kussmaul, USB Dual Port, 5VDC, 4.8	1	
Amp, switch panel Style		
Location in the Engine cover console switch panel.		
VN, Console, Drivers Switch & Radio, Cab, Transit,	1	
Aluminum, 2020, CN 11 - With Map box		
- Black Rubber coated Aluminum.		
- Angled Area: Switches		
- Flat Area: Siren and Radio area		
VN, Drivers Control Panel, Transit, Switches in OEM	1	
Console	1	
VN, Action Area Switch Panel, Eaton Esport switches, Relocate CS Wall	1	
SIREN ELECTRONIC - CONTROL HEADS / AMPS		
VN, Siren Electronic, Whelen, WS-295-SLSA1	1	
SIREN SPEAKERS		
VN, Speakers, Cast, Black Powder	1	
coat,SAP3825-20Transit-6BW,SAP3826-20Transit-6B		
BACK-UP ALARMS		
VN, Back-up Alarm, Auto Reset, 97 dBa, No Cutoff Switch	1	
VN, Switch, Emergency Master, Non Sequenced WARNING LIGHTS -WHELEN MICRON		
VN, Whelen, Micron, Red w/chrome Flange, Internal Flasher	4	
(2) in grille; Mounted in upper section of Grille- set to steady b		
- wired thru external flasher, .		
(2) in grille; Internal Flasher -Mounted in lower section of Gr	le-	

Page 8

BEOODIDTION	071	15	Page 8
DESCRIPTION	QTY	ID	REF. NO
set to steady burn - wired thru external flasher			
VN, Whelen, Light, LIN3, LED-Red, RSRO2ZCR	6		
(2) as front intersection lights	Ŭ		
Install (2) Whelen LIN3 Red LEDs with clear lenses one eac	h		
side of chassis forward of OEM rear Brake lights.			
These lights are to be located at the same height as FRON	Г		
INTERSECTIONS and 12" from front edge of taillights to cent			
of Whelen LIN3 LED. Wired on w/Emergency lights primar			
	y		
only.			
Install (2) Whelen LIN3 Red LEDs with clear lenses rear of u	nit		
mounted one each side just above rear Brake lights (Se	e		
provided photos for locations). Wired on w/Emergency light			
primary only.	-		
printary only.			
VN, Scene Lighting, CS, Activate on Opening of CS Entry	1		
Door			
11 - INTERIOR LIGHTING			
VN, Dome Lights, LED, Whelen, White Flange, (6), STD,	1		
Sprinter/Transit			
NOTE: NO VISABLE FASTENERS OR HOLES.			
NOTE. NO VIOABELTAGTENENO OKTIOLEO.			
(2) Street side (2) Curbaide Transit			
(3) Street side (3) Curbside - Transit			
VN, Timer, Momentary Switch, 15 Minute, Constant Hot	1		
Mount switch on C/S wall at the head of the squad bench in the	e		
standard location. Switch to allow activation and als	0		
deactivation. Wire to street side dome lights in liner on high.			
5 5			
ATTENDANT LIGHT			
VN, Attendant Light, Action Area, Grote LED Strip	1		
	1		
VN, Shoreline, Twistlock, 20 A	1		
- driver's side, standard location			
- (2) outlets std, in A/A			
VN, Inverter/Charger, Vanner LifeSine, LSC12-1100	1		
AUXILIARY ENVIRONMENTAL SYSTEMS			
VN, Exhaust Fan, Single 12V Blower	1		
with cowl vent on exterior.	1		
VN, Thermostat, Manual, Wabasto	1		
Cot Mounts			
VN, Cot Mount, Stryker, 6392 Performance load w/Floor	1		
Plate, No Inductive Charge			
Side Mount	1		
OXYGEN AND AIR SYSTEMS			
VN, O2 Wrench, Tether in Oxygen Cabinet	1		
	1		
VN, O2 Regulator, Preset 50PSI			
VN, O2 System, Storage Rear Vertical Cabinet, Ohio Style,	1		
(2) A/A, (1) Liner			
- Ohio Style			
- (2) O2 Outlet in A/A			
- (1) O2 Outlet in C/S Liner @ Head of S/B			
(, , = = = = = = = = = = = = = = = = = =			

		Page 9
DESCRIPTION	QTY	
SUCTION SYSTEM VN, Suction Pump, Electric, SSCOR 90206 VN, Suction System, SSCOR Disposable with Canister Clip deletes the Ohio style vacuum outlet - plumb hose from SSCC	1	
Canister through hole in AA wall panel Meets SAE J3043 Requirements PAINT AND FINISH		
Van, Paint, Single Color, OEM White Ford white: FA91:YZ	1	