



QUOTATION

NERV Demo
 Bob Reilly
 10 Dwight Park Drive
 Syracuse, NY 13209

North Eastern Rescue Vehicles, Inc
 Bob Reilly
 10 Dwight Park Drive
 Syracuse, NY 13209

Job/Order No: 623480

WO#: 623480

Page 1

DESCRIPTION	QTY		
INFORMATION			
WARRANTY			
WC, Warranty, Conversion, 12 Month			
WC, Warranty, Paint, 60 month Prorated, Standard			
WC, Warranty, Structural, 20 Years, Std., Mods			
WC, Warranty, Limited Electrical			
WC, Warranty, Cabinet Construction			
CERTIFICATIONS REQUIRED			
< This unit built in accordance with KKK-A-1822-F in effect on			
the date of order with exceptions as noted herein.			
< MD, This unit built in accordance with KKK-A-1822F CN			
10 Cabinet Requirements			
This unit as specified meets all requirements of			
KKK-A1822-F Change notice 10.			
All cabinets shall be labeled as to their capacity Rating.			
01- CHASSIS REQUIREMENTS			
FORD CHASSIS			
S < > CM, 2025 Ford E350, 7.3L, Gasoline,Cutaway, 138"WB	1		
Auto throttle OEM Ford			
(1) OEM Alternator			
Includes 2nd battery			
Cab Headliner Vinyl			
W/ Ford CO-Pilot 360			
SUSPENSION			

DESCRIPTION	QTY		
Rear Suspension, OEM Springs	1		
HIGH IDLE			
High Idle Controls, OEM	1		
FRONT END ALIGNMENT			
Front End Alignment, None- QC Check -Standard	1		
OUTSIDE REAR VIEW MIRRORS			
Mirrors, Sail Mount, OEM Mirrors	1		
WHEEL COVERS			
CM, Wheel Covers, Phoenix #NF12, Installed,E-Series with Air Max Valve Extenders	1		
BASE CONVERSION			
CM, Conversion, Type 3, 148 Module, Ford - 23-1	1		
CAB EXTENSION			
CM, 8" Cab Extension, Ford, CitiMedic E350	1		
MODULE BODIES:			
CM, Interior Headroom, 68 Inches	1		
CM, Module, Type 3, 148" Body Length, 90" wide, Duraseam Doors, Cutaway 148" L x 90" W	1		
CM, Aisle Space, 49", CityMedic Plus (48-49" actual)	1		
EXTERIOR MODULE CONSTRUCTION			
> CM, Stone Guard, Front, Diamond Plate, Type 3,	1		
FUEL FILLS & SPLASH PLATE			
CM, Housing Fuel Fill, Cast, Type III	1		
REAR KICKPLATE			
CM, Rear Kick plate,Under-Ride Bumper, w/ Tag recess, No lights, CM+	1		
SUB-FLOOR SYSTEM			
CM, Flooring, 3/4" Marine Grade Plywood, Type 3/7/9	1		
MODULE ENTRANCE			
MODULE DOORS, HANDLES & HOLD OPENS			
< CM, Duraseam Hinged Doors with Hidden Jambs - Magnetic door switches	1		
< > CM, Hold Open Rear Entry Doors, (2) 5.5" Cast Grabber - Installed so doors will open as wide as possible - Mount at Bottom of doors.	1		
CM, Hold Open, Gas Strut, Curb Side Entry Door, 35#	1		
< CM, Patient Entry Door Handles, Trimark Black/Chrome Pull Handle w/"Push Button" With Round Push button Emergency release top and bottom of interior door panels.	1		
> CM, Rear Entry Door Trailing Latch, Side release Paddle	1		
> CM, Electrical Feed to Required Doors, Spring Protector (Per Door)	7		
POWER DOOR LOCKS			
< > CM, Power Door Locks, All Module doors (except Batt) Wiring to Module Compartment and Access Doors (except Battery) for electric locks, wiring to CS wall for Switch.	1		

DESCRIPTION	QTY		
Includes the Tie in to the Cab door lock switches.			
< CM, Switch, Stealth, for Power Door Locks In grille on passenger's side.	1		
< > CM, Relay Control Circuit, Power Door Locks	1		
CM, Circuit, OEM Door Lock to activate Mod Doors	1		
ENTRY DOOR INNER PANELS			
< CM, Entry Panels, Stainless Steel, w/ Chevrons Upper and Lower door panels Stainless Steel Center lock box aluminum with white/DOT BLUE reflective tape	1		
SIDE DOOR STEP			
CM, Side Entry Step Well, Type III, Aluminum Diamond Plate	1		
CM, Light, Side Entry Step well, LED, 2", Whelen	1		
WINDOWS			
< CM, Window, Upper, CS/Slider ,Rr/Fixed, Privacy Tint, PAN Curbside window with lower slider section Rear windows fixed Privacy Tint	1		
REAR BUMPER AND REAR STEP CONSTRUCTION			
< CM, Rear Bumper, Ford Cutaway, w/LED Lights with Gator Grip on flip up step. Lights in side of bumper pod Steady burn with lights on	1		
CM, BLACK Polyurethane Coating, Rear Bumper Supports	1		
INSULATION			
CM, Insulation, Fiberglass, Un faced	1		
RUB RAIL AND FENDER RINGS			
CM, Rub Rails, Skirt Line, Extruded "C" channel (E-one Style), 148"	1		
CM, Tape, Reflective, White, For Extruded Skirt rails	1		
CM, Fender Flare, Bright Finish	1		
SPLASH GUARDS AND RUNNING BOARDS			
CM, Mud Flaps, Rear, w/ Wheeled Coach Logo	1		
CM, Running Boards, Ford Cutaway, w/Gator Grip,	1		
CAB TO MODULE ACCESS			
< CM, Bulkhead Cabinet, Type 3, walk-thru w/8" Cab extension - with 8" extended cab area - With walk thru door	1		
< CM, Bulkhead, Door, Sliding w/Sliding Window with sliding Lexan window	1		
LICENSE PLATE HOLDER			
< CM, License Plate Holder, Cast LP0002, for Under ride Bumper in rear kick plate, centered License holder comes with (2) LED lights.	1		

DESCRIPTION	QTY		
EXTERIOR COMPARTMENT CONSTRUCTION			
< CM, Compartments, Std, Floor Drop Down Compartment #2 - 2.5" drop Compartment #4 - 4" drop Compartment #6 (5.5" for spare tire)	3		
< CM, Compartments, Sweep out Compartments #1 & #8 are standard sweep out	2		
CM, Door Sill Protector, Stainless, All Comps	1		
< > CM, Compartments, Diamond Plate Finish Per Comp	4		
> CM, Exterior Battery Compartment, Diamond Plate Finish	1		
EXTERIOR COMPARTMENT DOORS			
> CM, Compartment Comp Handle, Trimark, Oval Pull Handle, Black/Chrome	6		
COMPARTMENT DOOR HOLD OPEN			
< CM, Hold Open, Gas Strut, Ext Comp, 60lb Compartment "#4", standard	1		
< CM, Hold Open, Gas Strut, Ext Comp, 30lb. Compartments "#6", "#1", & "#2"	3		
CM, Hold Open, Gas Strut, RF Comp, 30lb	1		
COMPARTMENT LIGHTING			
< CM, Compartment Light, 4" Optronic,#BUL43-CBK, LED, Each Compartment	6		
<p style="color: red;">1 - Access Panel Wall 1 and O2 light in ceiling 2 - Wall #1 4 - Ceiling 6 - Wall #3 8- Wall #2 in access panel</p>			
COMPARTMENT #1 - STREETSIDE FWD			
CM, Compartment #1, 3/4 High, CitiMedic.	1		
COMPARTMENT #2 - STREETSIDE FWD WHEELWELL			
< CM, Compartment #2, Citimedic , Type 3 Mount the inverter on the ceiling of compartment.	1		
< CM, Compartment #2, Shelf, ADP, Fixed for Electrical storage Screw in shelf that extends from wall 1 to the recessed suction and wall 2 to flush with the face of the suction dogleg	1		
Add Dogleg in Comp #2 for Recessed Suction in Face of A/A	1		
COMPARTMENT #4 - STREETSIDE AFT			
< CM, Compartment #4, Full Height, Dual Depth, Citimedic - Full height backboard storage on the #4 compartment	1		

DESCRIPTION		REF. NO
	door. - The upper section is 8" D due to dogleg for interior cabinetry. Bottom section is 15" deep.	
	Floor drop of 4" for the entire compartment	
<	CM, Compartment #4, Strap, Seat Belt Style, Each (1) on comp #4 door for Backboards	2
	(1) from wall #1 to Wall #3 about 6" from wall 2 for the Stair chair.	
< >	CM, Compartment #4, Bracket, Backboard Mount on Door Diamond plate "C-style boxes mounted to the door of	1
	one at top and bottom to allow backboards or scoop stretcher to be slid in from the outboard side.	
COMPARTMENT #6 - CURBSIDE AFT		
<	CM, Compartment #6, Spare Tire, With special Drop pan for spare tire. Do NOT install spare tire bracket.	1
	CM, Compartment #6, Shelf, Custom, Adjustable, First Shelf	1
U <	Shelves, All Ext. Compartment, Delete Stanpro, Round Edges of Shelves	1
	No sharp edges on shelves !	
COMPARTMENT #8 - CURBSIDE UPPER FORWARD		
<	CM, Compartment #8/8.5, Split Doors, 8" Cab Extension, Upper compartment, with inside /outside access	1
	Lower compartment for (2) battery	
<	CM, Compartment #8, Shelf, Adjustable, First Shelf RF Comp "8"/cabinet "U8" area - centered top to bottom.	1
<	CM, Compartment #8, Shelf, Additional, Adjustable, Each RF Comp "8"/cabinet "L8" area centered top to bottom.	1
INTERIOR TRIM AND FEATURES		
>	CM, Interior Cabinets, Duralite Construction, Wood	1
< >	CM, Cabinet Shelf, Interior, Wood, Adjustable, First shelf (1) Cabinet U4 (1) U6 (1) C6	3
<	CM, Cabinet Shelf, Interior, Wood, Additional, Adjustable Cabinet U4	1

DESCRIPTION	QTY		
< CM, Cabinet Shelf Track ("C" channel/exterior shelf style track)	3		
HEADLINER			
> CM, Headliner, Flat, PVC, Hinged trough cover, Std	1		
FLOORING			
CM, Flooring, Lonplate II, Gunpowder Gray #424TX	1		
< > CM, Flooring, Roll up, 3-4" Approx....., No Toe Kick The roll up is not recessed it is installed on the cabinet wall and Squad bench.	1		
CM, Floor, Thresholds, .063 Aluminum, Painted w/Black Poly-urea coating	1		
GRAB RAILS			
Rear Entry Door Grab Handles			
< CM, Entry Door Grab Handles (3), "L" Shape, 1", Yellow	1		
Yellow Powder Coat Finish Stainless Steel Grab Handles			
ILOS			
Ceiling Grab Rail - Center			
< CM, Ceiling Grab Rail, Overhead, 84", 1" Diameter Handicap Style, Yellow Yellow Powder Coat Finish	1		
IV FLUID HANGERS			
< CM, IV Hangers, Perco (1), W/Straps Each	2		
Location: CS Between domes 1 and 2 SS Between domes 4 and 5			
BASEWALL CABINET:			
< > CM, Cabinet, Base wall, 8" ext, CPR Seat, w/Telemetry Area, Recessed suction Telemetry Tray, Poured Black	1		
Cabinet L3.5			
< CM, Cabinet, Street side Upper, 148 Module, w/CPR Seat , 68" HR U2 Poly Slider U1 wood door	1		
< CM, Street side rear, with side seat, 68" HR Cabinet U4 with (2) adjustable shelves Cabinet U3.5	1		
CM, Tray, A/A, Std Aisle No Bio waste, Poured, Black	1		
< > CM, Door, U1 Hinged Wood U1 cabinet will be used as a locking drug cabinet.	1		

DESCRIPTION	QTY		
CM, Door, U2 Gray Poly carbonate Slider, CN 10 Compliant	1		
Interior Street side #3 - CPR Seat			
CM, CPR side seat, Fixed Backrest	1		
CM, CPR, Lid, Hinged Flip Up With Trimark Latch	1		
CM, Door, U3.5, OHO Top Hinged Gray Poly carbonate (CWTG) CN 10 Complia	1		
CM, Door, L3.5, OHO Bottom Hinged Gray Poly carbonate, (CWBD) CN 10 Comp	1		
CM, Door, U4, OHO Dual Hinged Gray Poly carbonate (CWDX) CN 10 Compliant	1		
< CM, CPR Seat, "U" Barrier Bar, Padded, 1.5" SS, Gunmetal Mounted at the front of the CPR side seat vertically in line with the Padded head cushion on the "L" cabinets.	1		
CM, Telemetry Tray, Poured, Black	1		
SQUAD BENCH AREA			
< > CM, Cabinet, Squad Bench, CM+, w/ Bio waste With Bio waste at the head of the squad bench cabinet.	1		
< CM, Lid, Squad Bench, Single W/Bio-Waste Must use M1 latch for CN 10 on bio waste door Lift up lid ONLY over storage area	1		
CM, Squad Bench, Handle, Trimark, STD	1		
CM, Strut, Gas, 30 LB, Installed	1		
CM, Strut, Gas, 60 LB, Installed	1		
CM, CPR, Handle, Trimark, STD	1		
CM, Bio-waste Cover, Etched Red Plastic	1		
SEAT BELTS/ SAFETY NETS			
< CM, CPR Seat, Seatbelt, Assy, (4 Point), Per4Max, Yellow, (1) Each, CN-8 Above the lid	1		
< > CM, Squad Bench, Seatbelt, Assy, (4 Point) Per4Max, Yellow, (2) Each Above the lid On squad bench	1		
CM, Patient Restraint Belts, Squad Bench (3)	1		
< CM, Safety Net, Head of Squad Bench, 2" Straps, Yellow attached to floor at head of squad bench, CS wall and overhead liner with removable latches.	1		
CURBSIDE REAR			
< CM, Cabinet, Curbside Rear, In Rear wall, U6,C6 Gray OHO doors (1) adjustable shelf in cabinet U6 (1) adjustable shelf in cabinet C6	1		
BIOHAZARD-			
< > CM, Glove Butler-Cabinet, (3),Above C/S door Must use M1 latches for KKK Change notice 10 certification	1		

DESCRIPTION		QTY
CURBSIDE RIGHT STACK STORAGE #8		
<	Hasp, Installed on U1 Cabinet IATS	1
	CM, RF ALS, Split Upper/Lower, HVAC at Top	1
	CM, Doors, RF, U8, Dual Gen III OHO, Poly carbonate Doors, Gray	1
	CM, Doors, RF, L8, Dual Gen III OHO, Poly carbonate Doors, Gray	1
ATTENDANT SEAT		
	CM, Attendant's Seat, EVS 1880, Comfort, Hi-Back Child Safety w/Per4Max	1
>	CM, Color, Gunmetal, Per4Max Belt, Yellow	1
>	CM, Door, Diamond Plate, EVS Seat Base, M1 Latch	1
< >	CM, Attendant's Seat Base, EVS CBS Box Style	1
	Box opening to be toward CURBSIDE access door ""TO BE MOUNTED AS FAR FORWARD AS POSSIBLE TO MAXIMIZE KNEE ROOM""	
INTERIOR COLORS		
	CM, Mica, Dove Gray (Matte)	1
UPHOLSTERY		
	CM, Upholstery, Seamless, Gunmetal	1
>	CM, Backrest Cushion, EVS, Gunmetal, w/ WC Logo, Each	3
CABINET KICK PANELS		
	CM, Kick plate, Brushed SS, Face of S/B & Base wall, 148 CM	1
CABINET LATCHES- INTERIOR		
< >	CM, Latch, M1, 3/4" Material, 2" round, Non Locking, Chrome-CN 10 Certified Sharps/Waste	1
< >	CM, Latch, Southco M1, 2" S/S, (3/8" Door) Non-Locking, CN 10-Rated 10lb (self latching) Flush Mount. Non-Locking Glove Butler	1
06 - ELECTRICAL GENERAL		
< >	CM, 12V Electrical system, RelayPlex system Flash Pattern- Quad Flash 75 - Per KKK	1
U <	Pre-wire Momentary Button Switches for Street Eagle System	1
	-Pre-wire (2) momentary push button switches for Street Eagle monitor system. (1) switch to be located interior of module curbside wall foot end of squad bench. (1) switch located exterior of module above streetside taillights.	

DESCRIPTION		QTY
	Urtone UR123 Momentary push button switch TO BE INSTALLED!!!!, PW terminate at T1- POS 15, 16, 17, 18	
U <	Camera, Patient Compartment and Back Up SR#221095F Item#15	1
	Camera, Patient Compartment	
	Mount monitor to the left of the steering wheel. Bracket Part #10130864	
	In the module mount the camera on the headliner next to the StreetSide cabinets.Trigger camera display on with Master Switch. #HC IR250 rear back up camera with #HC20M video cable, Mount camera exterior on rear of module, off center toward driver's side. Triggered when units placed in reverse gear.	
COMMUNICATION		
<	CM, Coax Cable, RG58/U, Each, Terminate: CS Dome #2 to behind pass seat with 6' pigtails S/Side From Dome #4 to behind the drivers seat with 6' pigtails S/Side From Dome #5 to behind the pass seat with 6' pigtails	3
<	CM, Light, in Circuit Board Area, for Electrical Troubleshooting - with integral switch; wired constant hot.	1
POWER SOURCES		
<	CM, Power Source, 12VDC, 20A, Ignition/Shoreline Hot (1) pre-wire coil and tagged in action area (1) pre-wire coil and tagged behind driver's seat.	2
<	CM, Power Source, 12VDC, 40A, Constant Hot (1)Install a 40Amp Power and ground wired CONSTANT hot to a Buss bar inside the center console (1)Install a 40Amp Power and ground wired IGNITION hot to a Buss bar inside the center console	2
< >	CM, Buss Bar Assembly (+/-), 5 Position, (1) Power and (1) Ground Location: Front chassis cab console	2
VOLTMETER		
<	CM, Alarm, Low Voltage, Audio/Visual Light in cab console and Buzzer in cab.	1
BATTERY SYSTEM		
<	CM, Battery Switch, RelayPlex Electronic w/5 min Timer, Ford T3, Gasoline - Activated thru OEM ignition switch, timer function upon ignition "off".	1

DESCRIPTION	QTY		
<ul style="list-style-type: none"> - Momentary rocker switch, on driver's side of cab console, to function as timer shutoff and also reactivate timer. - ONLY Module power is turned on/off. - Chassis power is NOT turned off. 			
12VDC OUTLETS			
<ul style="list-style-type: none"> < CM, Power Outlet, Power Point Style, (2), (1) Action Area (1) RF ALS Cabinet on standard 20-amp ignition hot circuit. - (1) outlet in action area - (1) in RF Cabinet "U8", wall #2, upper right 	1		
<ul style="list-style-type: none"> < CM, Power Outlet, Power Point Style, Each Ignition sw hot (1) Above squad bench, 18" up from the top deck of the squad bench, 3" over from the edge of the foot of squad bench wall. (1) in RF Cabinet L8, wall #2, upper right (1) battery hot front bulkhead wall 	3		
<ul style="list-style-type: none"> < CM, Power Outlet, Kussmaul, USB Dual Port, 5VDC, 4.8 Amp, switch panel Ignition Hot (1) Located in the cab switch panel passenger side. (1) located top left of console face. (1) located top right of console face. 	3		
<ul style="list-style-type: none"> < CM, Power Outlet, Kussmaul, USB Dual Port, 5VDC, 4.8 Amp, switch panel, Addition Location in the Action area outlet panel. Ign Hot 	1		
FRONT CONSOLE			
<ul style="list-style-type: none"> < CM, Console, Drivers Switch & Radio, Center, Aluminum, Black, Ford cutaway Black polyurethane coated .125 Aluminum 	1		
<ul style="list-style-type: none"> < > CM, Double Blank Panel 2 and 3 Position 	1		
<ul style="list-style-type: none"> < > CM, Cup Holder Panel (No Handle Notch) First Position 	1		
ATTENDANT CONTROL PANEL			
<ul style="list-style-type: none"> CM, Action Area Switch Panel, Eaton Esport switches, Relocate CS Wall 	1		
SIREN ELECTRONIC - CONTROL HEADS / AMPS			
<ul style="list-style-type: none"> CM, Siren Electronic, Whelen, WS-295-SLSA1 	1		
SIREN SPEAKERS			
<ul style="list-style-type: none"> CM, Speakers, (2), Cast, SAD4319/SAP4319, In Bumper, Ford Cutaway 	1		
<ul style="list-style-type: none"> CM, Switch, Siren/Horn Thru Horn Ring 	1		
BACK-UP ALARMS			
<ul style="list-style-type: none"> CM, Back-Up Alarm, No Cutoff Switch 	1		
<ul style="list-style-type: none"> CM, Switch, Emergency Master, Non Sequenced 	1		
WARNING LIGHT FLASHERS			

DESCRIPTION	QTY		
< > CM, Steady Burn Light Kit, (1) Each -Rear of module red 9L Reds T/Windows.	1		
WARNING LIGHTS			
U < LED Beacon, Whelen L31HAF, Installed Top of Module No switch Module roof, centered 16" inboard from rear of module, Beacon will be on anytime Ign is on and units in gear.	1		
LED Series - 900 (Flange Separate)			
< > CM, Light, Whelen 900 LED, Red, Clear Lens, 90RR5SCR, External Flasher (4) 2 each side standard location (2) Rear upper outer corner's Pri/Sec (2) Front 1 each side of center white light (Cool bar) Pri only (2) angled ends of cool bar Pri only (2) Rear just below upper outer ILOS lights ILO rear window lights Pri/Sec thru Relayplex- Quad Flash W/Brake override	12		
< > CM, Light, Whelen 900 LED, Amber, Clear Lens, 90AA5SCR, External Flasher on center rear Pri/Sec	1		
< > CM, Light, Whelen 900 LED, Clear, 90CC5SCR, External Flasher Front center (Cool bar)	1		
CM, Flange, Super 900 LED, #90FLANGC	14		
LED Series - 700 (Flange Separate)			
< > CM, Light, Whelen 700 LED, Red, Clear Lens, 70R02SCR (2)Front intersection lights (4) on front in upper outer corners, (2) each side Pri/Sec -(2) as rear intersections over rear wheel wells. Pri/Sec	8		
WHELEN FLANGES 7 SERIES LIGHTS (Flange Separate)			
< CM, Flange, Whelen, For 7E lights (1), Mods	8		
WARNING LIGHTS -WHELEN TIR3/LIN3 (Flange Separate)			
< > CM, Light, Whelen, LIN3, LED-Red, RSRO2ZCR w/Flg (2) Upper front grille lights (2) Lower front grille lights	4		

DESCRIPTION	QTY		
CM, Flange, Whelen, Chrome, For LIN3, Each	4		
EXTERIOR AUTOMOTIVE LIGHTING			
< CM, Taillight Pkg, Whelen, LED Stop/Tail, Turn & LED Backup, w/WC logo - Brake- Steady Burn - Turn Arrow – sequential arrow - 700 LED Backup Clear lens over all three lights	1		
ICC/MARKER LIGHTS			
< CM, Light, Red, 2", Marker, LED, Each in bumper	1		
< CM, Marker/Clearance Lights, Red, LED (3) On rear as clearance lights.	3		
< CM, Light, Clearance, Amber LED (3) On Front of module as clearance lights.	3		
< CM, Corner Cap Lts, Multi, LED, (2) Amber (2) Red w/Flashers - High intensity flashers;Primary/Secondary- As marker lights with headlights	1		
FLOOD AND LOAD SYSTEMS			
< CM, Light, LED, Whelen, Clear, #9SC0ENZR, 24 LED, (1) w/ Chrome Flange (2) each side as scene lights (2) on rear as load lights	6		
< CM, Scene Lights, C/S, Activated with C/S Door Master Hot.	1		
11 - INTERIOR LIGHTING			
< CM, Dome Lights, LED, Whelen,White Flange,(3)S/S,(3)C/S, CM+ Three (3) street side in liner and three (3) curbside in liner equally spaced	1		
Each side controlled by separate switch in action area standard. High/Off/Low			
NOTE: NO VISABLE FASTENERS OR HOLES.			
< CM, Timer, Momentary Switch, 15 Minute, Constant Hot Mount switch on C/S wall at the head of the squad bench in the standard location. Switch to allow activation and also deactivation. Wire to street side dome lights in liner on high.	1		
WC, No Lighting Recessed into Trough Cover	1		
SPOTLIGHTS / HANDHELD LIGHTS			
CM, Handheld Spotlight, Novatech, Nighthawk 2000, 100,000 CP	1		
ATTENDANT LIGHT			
CM, Light, Intertek ZY-PIR38 12v, LED, In A/A	1		
SHORELINE INLET			
< CM, Super Auto Eject, 20A, White Cover above comp "#2"	1		
OUTLETS - 125VAC			

DESCRIPTION	QTY		
< CM, Outlets, 125 VAC, Duplex, (1) Action Wall, (1) Right Front Cabinet - (1) outlet in action area - (1) outlet in the RF Cabinet "U8", wall #2, upper right.	1		
< > CM, Outlet, 125 VAC, Duplex, Additional, Each (1)Interior CS above foot end of squad bench mounted approx. 14" up and over 3" from rear wall. (1) telemetry area, wall 2 near wall 1, down low cab side, bulkhead cabinet, below pass through window.	3		
BLOCKHEATERS			
< Block Heater - With OEM Plug This option does not include a switch.	1		
< > CM, Inverter/Charger, Vanner LifeSine Mounted on the ceiling of compartment 2	1		
< CM, Exhaust Fan, Single 12V Blower with "clamshell" vent on exterior rear of unit.	1		
CITIMEDIC HVAC SYSTEM			
CM, Generation I, Steel Cool Bar cover	1		
CM, Thermostat, Manual, Wabasto	1		
< > CM, Heat/AC, F3, Combo, w/Coolbar with thermostat in action area.	1		
12vdc External Condenser, in Coolbar mounted on front of module. Painted to match front of module.			
CM, Air Conditioning Face Plate, Brushed Stainless Steel with WC Logo	1		
COT MOUNTING PROVISIONS			
Safety Hooks			
CM, Cot Mount, Stryker, Rear Safety Hook Installed	1		
Cot Mounts			
< CM, Stryker Performance/Power Load, Add Floor Structure Plates & Wiring for Fu Additional floor structure for future installation of a Stryker Power Load or Performance Load w/ inductive charging System.	1		
Includes pre-wire which will terminate under the module head of cot.			
CM, Cut Floor and Install Stryker Floor Plate, 6390-700-001A	1		
CM, Power source for Induction Charging, 12V, 10 Amp constant hot	1		
Center Mount	1		
OXYGEN AND AIR SYSTEMS			
< CM, O2 Cylinder Wrench, Tethered in oxygen compartment.	1		

DESCRIPTION	QTY		
< CM, Rack, Multiversal, Zico #QR-MV, W/ Straps For M Cylinder			
CM, Track, Unistrut for Oxygen Rack	1		
CM, Manual, O2 System	1		
CM, O2 Regulator, Preset 50PSI	1		
< CM, O2 System, Ohio Style, (2 AA, 1 Vac Port, 1 Liner, 1 C/S)	1		
Ohio style outlets			
(2) oxygen outlets in action area			
(1) vacuum port in recessed suction area			
(1) oxygen outlet in liner at head of cot			
(1) oxygen outlet curbside wall at head of squad bench			
CM, Lexan Flap, w/Hinge	1		
SUCTION SYSTEM			
< CM, Suction Pump, SSCOR 90206 mounted in compartment "2"	1		
< > CM, Suction Holder, SSCOR 23002 with w/Canister Clip & Regulator Conforms to J3043 requirements	1		
< WC, Suction Outlet and Container located in Action area recess in recessed pocket	1		
MISC MEDICAL			
< CM, Fire Extinguisher, Additional, 5 LB. ABC, Ship Loose, Each HD Amerex Bracket #861H with Amerex 5LB fire extinguisher.	1		
PAINT AND FINISH			
WC, Wheeled Coach Paint Process	1		
< CM, Module Paint, Single Color, OEM White Ford white: FA91:YZ	1		
Cab Paint - Single Color, OEM White	1		
PAINT STRIPING DESIGN			
Paint Belt, None			
GRAPHICS AND LETTERING DECALS AND NOMENCLATURE			
SHIP LOOSE ITEMS			
CM, Bracket, Spare Tire Mounting, Ship Loose	1		
	1		

