



QUOTATION

North Eastern Rescue Vehicles, Inc.
Bob Reilly
10 Dwight Park Drive
Syracuse, NY 13209

North Eastern Rescue Vehicles, Inc
Bob Reilly
10 Dwight Park Drive
Syracuse, NY 13209

Job/Order No: 629072

WO#: 629072

Page 1

DESCRIPTION	QTY		
	1		
INFORMATION	1		
WARRANTY			
WC, Warranty, Conversion, 12 Month	1		
WC, Warranty, Paint, 60 month Prorated, Standard	1		
WC, Warranty, Structural, 20 Years, Std., Mods	1		
WC, Warranty, Limited Electrical	1		
WC, Warranty, Cabinet Construction	1		
== WC- Type 1 CitiMedic Gen2 148"			
This unit built in accordance with KKK-A-1822-F in effect on the date of order with exceptions as noted herein.	1		
MD, This unit built in accordance with KKK-A-1822F CN 10 Cabinet Requirements This unit as specified meets all requirements of KKK-A1822-F Change notice 10.	1		
All cabinets shall be labeled as to their capacity Rating.			
FORD CHASSIS			
2024 Ford F350, 4x4, 6.7L ,169" WB 2022-8	1		
Auto throttle OEM Ford Dual Alternators OEM Ford Mirrors, OEM, Heated/Remote Cab seats OEM 40/20/40 split bench (Center removed)			
Enhanced voice recognition communication and entertainment system 8" LCD Capacitive Touch screen in center stack w/swipe Capability Pinch to Zoom capability AppLink 911 assist Apple carPlay and Android Auto Smart-charging USB-C Ports (2)			
Domestic Chassis	1		
ALTERNATORS			

DESCRIPTION	QTY		
Alternator - Standard OEM	1		
SUSPENSION			
Rear Suspension, OEM Springs	1		
HIGH IDLE			
High Idle Controls, OEM	1		
FRONT END ALIGNMENT			
Front End Alignment, None- QC Check	1		
CAB EXTERIOR OPTIONS			
CM, Wheeled Coach Stainless Grille Logo, with Red Reflective backing	1		
Red reflective behind cut out.			
OUTSIDE REAR VIEW MIRRORS			
Mirrors, OEM-STD	1		
WHEEL COVERS			
CM, Wheel Covers, Phoenix, Ford Type 1, Installed with Air Max Valve Extenders	1		
BASE CONVERSION			
CM, Conversion, Type 1, 148 Module, F350 4x4 - 23-1	1		
MODULE BODIES:			
CM, Interior Headroom, 68 Inches	1		
CM, Module, Type 1, 148" Body Length, 90" Wide, Duraseam Doors,	1		
148" L x 90" W			
CM, Aisle Space, 49", CityMedic Plus (48-49" actual)	1		
EXTERIOR MODULE CONSTRUCTION			
CM, Stone Guard, Front, Diamond Plate, Type 1, Standard Height 3" drop skirt	1		
DROP SKIRTS			
CM, Drop Skirt both sides, 3" forward of rear wheels	1		
FUEL FILLS & SPLASH PLATE			
CM, Housing Fuel Fill, Cast, Type 1	1		
CM, DEF Fill, Housing, For Ford F series	1		
REAR KICKPLATE			
CM, Rear Kick plate, Under-Ride Bumper, w/ Tag recess, No lights, CM+	1		
SUB-FLOOR SYSTEM			
CM, Flooring, 3/4" Marine Grade Plywood, Type 1	1		
MODULE DOORS, HANDLES & HOLD OPENS			
CM, Duraseam Hinged Doors with Hidden Jambs - Magnetic door switches	1		
CM, Hold Open Rear Entry Doors, (2) 5.5" Cast Grabber - Installed so doors will open as wide as possible - Mount at Bottom of doors.	1		
CM, Hold Open, Gas Strut, Curb Side Entry Door, 35#	1		
CM, Patient Entry Door Handles, Trimark Black/Chrome Pull Handle w/"Push Button" With Round Push button Emergency release top and bottom of interior door panels.	1		

DESCRIPTION	QTY		
CM, Rear Entry Door Trailing Latch, Side release Paddle	1		
CM, Electrical Feed to Required Doors, Spring Protector (Per Door)	8		
POWER DOOR LOCKS			
CM, Power Door Lock, Trimark, Each Entry Door	2		
Module entry doors.			
CM, Power Door Lock, Trimark, Each Compartment Door All module compartments(except battery comp) .	5		
CM, Power Door Locks, All Module doors (except Batt) Wiring to Module Compartment and Access Doors (except Battery) for electric locks, wiring to CS wall for Switch.	1		
Includes the Tie in to the Cab door lock switches.			
CM, Switch, Stealth, for Power Door Locks In grille on passenger's side.	1		
CM, Intermotive CAN module for 2017+ Ford F-series	1		
CM, Relay Control Circuit, Power Door Locks	1		
ENTRY DOOR INNER PANELS			
CM, Entry Door Panels, Durasafe, S/S, w/ Chevrons & Blue Reflective Logo	1		
- Durasafe Design			
- Aluminum Center Panels covered: white/blue reflective tape			
- Logo to be cut in the lower entry door panel with a Blue reflective 3M material (to match the chevron on the lock box) attached to an aluminum panel behind the logo.			
SIDE DOOR STEP			
CM, Side Entry Step Well, Type I, Aluminum Diamond Plate	1		
CM, Double Step Well	1		
CM, Light, Side Entry Step well, LED, 2", Whelen #TOCACCCR	1		
WINDOWS			
CM, Window, Upper, CS/Slider ,Rr/Fixed, Privacy Tint, PAN Curbside window with lower slider section	1		
CAB TO MODULE			
CM, Bellows, Crawl-thru, Cab Height, Ford Type 1,	1		
REAR BUMPER AND REAR STEP CONSTRUCTION			
CM, Rear Bumper, Ford Type 1, w/LED Lights with Gator Grip on flip up step. Lights in side of bumper pod Steady burn with lights on	1		
CM, BLACK Polyurethane Coating, Rear Bumper Supports	1		
INSULATION			
CM, Insulation, Fiberglass, Un faced	1		
RUB RAIL AND FENDER RINGS			
CM, Rub Rails, Skirt Line, Extruded "C" channel (E-one Style), 148"	1		
CM, Tape, Reflective, White, For Extruded Skirt rails	1		
CM, Fender Flare, Black Rubber	1		
SPLASH GUARDS AND RUNNING BOARDS			

S	DESCRIPTION	QTY		
	CM, Mud Flaps, Rear, w/ Wheeled Coach Logo	1		
	CM, Running Boards, Ford Type 1, w/Gator Grip,	1		
	CAB TO PATIENT AREA ACCESS			
	CM, Bulkhead, Cabinet, Crawl-Thru, Type 1	1		
	CM, Bulkhead, Door, Sliding w/Sliding Window with sliding Lexan window	1		
	LICENSE PLATE HOLDER			
	CM, License Plate Holder, Cast LP0002, for Under ride Bumper in rear kick plate, centered License holder comes with (2) LED lights.	1		
	EXTERIOR COMPARTMENT CONSTRUCTION			
	CM, Compartments, Std, Floor Drop Down	3		
	Compartment #6 (more than 2.5" for spare tire)			
	Compartment #2 -2.5" drop-down			
	Compartment #4, 4" drop-down			
	CM, Compartments, Sweep out	2		
	Compartments #1 & #8 are standard sweep out			
	CM, Door Sill Protector, Stainless, All Comps	1		
	CM, Compartments, Diamond Plate Finish Per Comp	4		
	Machine stamped louvers located above the floor line for venting.			
	Comp #2,4,6			
	Comp #1 to have Baffle vent			
	CM, Exterior Battery Compartment, Diamond Plate Finish	1		
	EXTERIOR COMPARTMENT DOORS			
	CM, Compartment Comp Handle, Trimark, Oval Pull	5		
	Handle, Black/Chrome			
	COMPARTMENT DOOR HOLD OPEN			
	CM, Hold Open, Gas Strut, Ext Comp, 30lb.	3		
	Compartments "#6", "#1", & "#2"			
	CM, Hold Open, Gas Strut, Comp Door Only, 110 Degree, 30lb,	1		
	Comp #4 to allow easier access to the Stair chair.			
	CM, Hold Open, Gas Strut, RF Comp, 30lb	1		
	COMPARTMENT LIGHTING			
	CM, Oxygen Light, 3" Surface mount Whelen LED, Clear Mounted in Oxygen Compartment on ceiling.	1		
	CM, Compartment Light, 4" Optronix, #BUL43-CBK, LED, Each	5		
	Compartment			
	1 - Access Panel Wall 1			
	2 - Wall #1			
	4 - Ceiling			
	6 - Wall #3			
	8- Wall #3 in access panel			

DESCRIPTION	QTY		
COMPARTMENT #1 - STREETSIDE FWD			
CM, Compartment #1, 3/4 High, CitiMedic.	1		
COMPARTMENT #2 - STREETSIDE FWD WHEELWEL			
CM, Compartment #2, Citimedic, Type 1	1		
Mount the inverter on the ceiling of compartment.			
CM, Compartment #2, Shelf, ADP, Fixed for Electrical storage	1		
Screw in shelf that extends from wall 1 to the recessed suction and wall 2 to flush with the face of the suction dogleg			
Add Dogleg in Comp #2 for Recessed Suction in Face of A/A	1		
COMPARTMENT #4 - STREETSIDE AFT			
CM, Compartment #4, Full Height, Dual Depth, Citimedic	1		
- Full height backboard storage on the #4 compartment door.			
- The upper section is 8" D due to dogleg for interior cabinetry. Bottom section is 15" deep.			
Floor drop of 4" for the entire compartment			
CM, Compartment #4, Strap, Seat Belt Style, Each (1) on comp #4 door for Backboards	2		
(1) from wall #1 to Wall #3 about 6" from wall 2 for the Stair chair.			
CM, Compartment #4, Bracket, Backboard Mount on Door Diamond plate "C-style boxes mounted to the door of Comp #4	1		
one at top and bottom to allow backboards or scoop stretcher to be slid in from the outboard side.			
COMPARTMENT #6 - CURBSIDE AFT			
CM, Compartment #6, Spare Tire,	1		
With special Drop pan for spare tire.			
Do NOT install spare tire bracket.			
COMPARTMENT #8 - CURBSIDE UPPER FORWARD			
CM, Compartment #8/8.5, Single Door, Type 1	1		
Single door with inside /outside access, upper area.			
Outside access only to lower aluminum area.			
Battery storage, under hood.			
CM, Compartment #8, Shelf, Adjustable, First Shelf RF Comp "8"/cabinet "U8" area	1		
- centered top to bottom.			
CM, Compartment #8, Shelf, Additional, Adjustable, Each RF Comp "8"/cabinet "L8" area	1		
centered top to bottom.			
INTERIOR TRIM AND FEATURES			
CM, Interior Cabinets, Duralite Construction, Wood	1		

DESCRIPTION	QTY		
CM, Cabinet Shelf, Interior, Wood, Adjustable, First shelf (2)Cabinet U4,	2		
CM, Cabinet Shelf Track, #HA24663, Upgrade, CN 10 ("C" channel/exterior shelf style track)	1		
Cabinet U4			
HEADLINER			
CM, Headliner, Flat, PVC, Hinged trough cover, Std	1		
FLOORING			
CM, Flooring, Lonplate II, Gunpowder Gray #424TX	1		
CM, Flooring, Roll up, 3-4" Approx....., No Toe Kick	1		
The roll up is not recessed it is installed on the cabinet wall and Squad bench.			
CM, Floor, Thresholds, .063 Aluminum, Painted w/Black Poly-urea coating	1		
Rear Entry Door Grab Handles			
CM, Entry Door Grab Handles (3), "L" Shape, 1", Yellow Yellow Powder Coat Finish	1		
Ceiling Grab Rail - Center			
CM, Ceiling Grab Rail, Overhead, 84", 1" Diameter Handicap Style, Yellow Yellow Powder Coat Finish	1		
IV FLUID HANGERS			
CM, IV Hangers, Perco (1), W/Straps Each (1) CS wall centered between seats (1) SS Forward of U3.5	2		
BASEWALL CABINET:			
CM, Cabinet, Base wall, Type 1, CPR Seat, w/Telemetry Area, Recessed suction Telemetry area to have Poured black surface Cabinet L3.5	1		
CM, Cabinet, Street side Upper, 148 Module, w/CPR Seat , 68" HR Cabinet U2, U1 wood door .	1		
CM, Street side rear, with side seat, 68" HR Cabinet U4 with (2) adjustable shelves Cabinet U3.5	1		
CM, Tray, A/A, Std Aisle No Bio waste, Poured, Black	1		
CM, Door, U1 Hinged Wood hinged on right. U1 cabinet will be used as a locking drug cabinet.	1		
CM, Door, U2 Gray Poly carbonate Slider, CN 10 Compliant Interior Street side #3 - CPR Seat	1		
CM, CPR side seat, Fixed Backrest	1		

DESCRIPTION	QTY		
CM, CPR, Lid, Hinged Flip Up With Trimark Latch	1		
CM, Door, U3.5, OHO Top Hinged Gray Poly carbonate (CWTG) CN 10 Complia	1		
CM, Door, L3.5, OHO Bottom Hinged Gray Poly carbonate, (CWBD) CN 10 Comp	1		
CM, Door, U4, OHO Dual Hinged Gray Poly carbonate (CWDX) CN 10 Compliant	1		
CM, CPR Seat, "U" Barrier Bar, Padded, 1.5" SS, Gunmetal Mounted at the front of the CPR side seat vertically in line with the Padded head cushion on the "L" cabinets.	1		
CM, Telemetry Tray, Poured, Black	1		
SQUAD BENCH AREA			
CM, Cabinet, Squad Bench, CM+, w/ Bio waste	1		
With Bio waste at the head of the squad bench cabinet.			
CM, Lid, Squad Bench, Single W/Bio-Waste Must use M1 latch for CN 10 on bio waste door Lift up lid ONLY over storage area	1		
CM, Squad Bench, Handle, Trimark, STD	1		
CM, Strut, Gas, 60 LB, Installed	1		
CM, CPR, Handle, Trimark, STD	1		
CM, Bio-waste Cover, Etched Red Plastic	1		
SEAT BELTS/ SAFETY NETS			
CM, CPR Seat, Seatbelt, Assy, (4 Point), Per4Max, Yellow, (1) Each, CN-8 Above the lid	1		
CM, Squad Bench, Seatbelt, Assy, (4 Point) Per4Max, Yellow, (2) Each Above the lid On squad bench	1		
CM, Patient Restraint Belts, Squad Bench (3)	1		
CM, Safety Net, Head of Squad Bench, 2" Straps, Yellow attached to floor at head of squad bench, CS wall and overhead liner with removable latches.	1		
CURBSIDE REAR			
CM, Cabinet, Curbside Rear, In Rear wall, U6,C6 Gray OHO doors (1) adjustable shelf in cabinet U6 (1) adjustable shelf in cabinet C6	1		
BIOHAZARD-			
CM, Glove Butler-Cabinet, (3),Above C/S door Must use M1 latches for KKK Change notice 10 certification	1		
CURBSIDE RIGHT STACK STORAGE #8			
CM, RF ALS, Split Upper/Lower, HVAC at Top	1		
CM, Doors, RF, U8, Dual Gen III OHO, Poly carbonate Doors, Gray	1		
CM, Doors, RF, L8, Dual Gen III OHO, Poly carbonate Doors, Gray	1		

DESCRIPTION	QTY		
ATTENDANT SEAT			
CM, Attendant's Seat, EVS 1880, Comfort, Hi-Back Child Safety w/Per4Max	1		
CM, Color, Gunmetal, Per4Max Belt, Yellow	1		
CM, Door, Diamond Plate, EVS Seat Base, M1 Latch	1		
CM, Attendant's Seat Base, EVS CBS Box Style	1		
Box opening to be toward CURBSIDE access door			
""TO BE MOUNTED AS FAR FORWARD AS POSSIBLE TO MAXIMIZE KNEE ROOM""			
INTERIOR COLORS			
CM, Mica, Dove Gray (Matte)	1		
UPHOLSTERY			
CM, Upholstery, Seamless, Gunmetal	1		
CM, Backrest Cushion, EVS, Gunmetal, w/ WC Logo, Each	2		
CM, Backrest Cushion, EVS, Gunmetal, w/ WC Logo, Each	1		
CM, Marine Hasp, for Padlock Installed on U-1 cabinet	1		
CABINET KICK PANELS			
CM, Kick plate, Brushed SS, Face of S/B & Base wall, 148 CM	1		
CABINET LATCHES- INTERIOR			
CM, Latch, M1, 3/4" Material, 2" round, Non Locking, Chrome-CN 10 Certified	1		
U1			
CM, Latch, Southco M1, 2" S/S, (1/4" Door) Locking, CN 10-Rated 10lb	1		
(self latching) Flush Mount. Non-Locking			
Attendant seat base door			
CM, Latch, Southco M1, 2" S/S, (3/8" Door) Non-Locking, CN 10-Rated 10lb	2		
(self latching) Flush Mount. Non-Locking			
Glove box, Sharps/ waste			
06 - ELECTRICAL GENERAL			
CM, 12V Electrical system, RelayPlex system	1		
Flash Pattern- Quad Flash 75 - Per KKK			
COMMUNICATION			
CM, Coax Cable, RG58/U, Each, Terminate:	3		
CS Dome #2 to behind pass seat with 6' pigtails			
S/S Dome #4 to behind the drivers seat with 6' pigtails			
S/S Dome #5 to behind the pass seat with 6' pigtails			
CM, Light, in Circuit Board Area, for Electrical Troubleshooting	1		
- with integral switch; wired constant hot.			
POWER SOURCES			
CM, Power Source, 12VDC, 20A, Ignition/Shoreline Hot	1		
20amp 12 volt DC circuit routed to two locations, (1) pre-wire coil and tagged in action area and (1) pre-wire coil and tagged behind driver's seat.			
CM, Power Source, 12 VDC, 15 Amp (+-)	1		
- Ignition hot, terminating in cab console			
- with 6 foot tails (hot and ground).			

DESCRIPTION	QTY		
VOLTMETER			
CM, Voltmeter, Smart with Alarm, Audio/Visual With additional light on Cab Console for visual alarm.	1		
BATTERY SYSTEM			
CM, Battery Switch, RelayPlex Electronic w/5 min Timer, Ford T1, Batt under Hood	1		
- Activated thru OEM ignition switch, timer function upon ignition "off".			
- Momentary rocker switch, on driver's side of cab console, to function as timer shutoff and also reactivate timer.			
- (2) OEM batteries			
- ONLY Module power is turned on/off.			
- Chassis power is NOT turned off.			
12VDC OUTLETS			
CM, Power Outlet, Power Point Style, (2), (1) Action Area (1) RF ALS Cabinet on standard 20-amp ignition hot circuit.	1		
- (1) outlet in action area			
- (1) in RF Cabinet "U8", wall #2, upper right			
CM, Power Outlet, Power Point Style, Each Ignition sw hot	3		
(1) Above squad bench, 18" up from the top deck of the squad			
bench, 3" over from the edge of the foot of squad bench wall.			
(1) in RF Cabinet L8, wall #2, upper right			
(1) battery hot front bulkhead wall			
CM, Power Outlet, Kussmaul, USB Dual Port, 5VDC, 4.8 Amp, switch panel	3		
Ignition Hot			
(1) Located in the cab switch panel passenger side.			
(1) located top left of console face.			
(1) located top right of console face.			
CM, Power Outlet, Kussmaul, USB Dual Port, 5VDC, 4.8 Amp, switch panel, Addition	1		
Location in the Action area outlet panel Ign Hot			
FRONT CONSOLE			
CM, Console, Drivers Switch & Radio, Center, Aluminum, Black, Type1 Ford	1		
Black polyurethane coated .090 Aluminum			
Configuration 2			
CM, Single Blank Panel	1		
CM, 9" deep Glove Box Panel	1		
CM, Cup Holder Panel (No Handle Notch)	1		
ATTENDANT CONTROL PANEL			
CM, Action Area Switch Panel, Eaton Esport switches, Relocate CS Wall	1		
CM, Switch, Momentary, Rocker, (1)	1		
- Wired To: (1) Right rear entry door, interior lower panel, in top left corner. For power door locks.			
SIREN ELECTRONIC - CONTROL HEADS / AMPS			

DESCRIPTION	QTY		
CM, Siren Electronic, Whelen, WS-295-SLSA1	1		
SIREN SPEAKERS			
CM, Siren Speakers, Cast SAD3833/SAP3834-23FSD-1, 2023 F-Series w/fog Lts. Thru Front Bumper	1		
CM, Switch, Siren/Horn Thru Horn Ring	1		
BACK-UP ALARMS			
CM, Back-Up Alarm, No Cutoff Switch	1		
CM, Switch, Emergency Master, Non Sequenced	1		
LED Series - 900 (Flange Separate)			
CM, Light, Whelen 900 LED, Red, Clear Lens, 90RR5SCR, External Flasher	12		
MODULE SIDES LIGHTING			
Street side Body - Upper Forward			
Street side Body - Upper Rear			
Curbside Body - Upper Forward			
Curbside Body - Upper Rear			
Pri/Sec			
MODULE REAR LIGHTING			
Rear Body - Upper Street side Corner			
Rear Body - Upper Curbside Corner			
Pri/Sec			
FRONT UPPER BODY LIGHTING			
Front Body - Upper Curbside Outer (Angled portion of Coolbar)			
Front Body - Upper Curbside Inner (on Coolbar)			
Front Body - Upper Street side Inner (on Coolbar)			
Front Body - Upper Street side Outer (Angled portion of Coolbar)			
Pri only			
MODULE UPPER REAR WINDOW LIGHTING			
Rear Body - Upper Street side Window			
Rear Body - Upper Curbside Window			
Pri/Sec W/Brake override			
CM, Light, Whelen 900 LED, Amber, Clear Lens, 90AA5SCR, External Flasher	1		
MODULE REAR LIGHTING			
Rear Body - Upper Center on cool bar			
Pri/Sec			
CM, Light, Whelen 900 LED, Clear, 90CC5SCR, External Flasher	1		
FRONT UPPER BODY LIGHTING			
Front Body - Upper Center			
Primary only			
CM, Flange, Super 900 LED, #90FLANGC	14		
LED Series - 700 (Flange Separate)			
CM, Light, Whelen 700 LED, Red, Clear Lens, 70R02SCR	4		
Mounted Front Upper Outer corners of Mod stacked			
(2)Front Body - Upper Curbside Corner			
(2)Front Body - Upper Street side Corner			
CM, Flange, Whelen, For 7E lights (1), Mods For 7 Series Lights	4		

DESCRIPTION	QTY		
CM, Light, Whelen, LINZ6R, LED-Red, W/Chrome Flange	4		
FRONT GRILL LIGHTING			
Grille - LH Upper Corner			
Grille - RH Upper Corner			
FRONT FENDER INTERSECTION LIGHTING			
Front Fender Warning - Intersectors - LH Side			
Front Fender Warning - Intersectors - RH Side			
wired thru external flasher, std.			
Primary Only.			
EXTERIOR AUTOMOTIVE LIGHTING			
CM, Taillight Pkg, Whelen, LED Stop/Tail, Turn & LED Backup, w/WC logo	1		
- Brake- Steady Burn			
- Turn Arrow – sequential arrow			
- Replace backup with 700 LED			
ICC/MARKER LIGHTS			
CM, Light, Red, 2", Marker, LED, Each in bumper	2		
CM, Marker/Clearance Lights, Red, LED (3) On rear as clearance lights.	3		
CM, Light, Clearance, Amber LED (3) On Front of module as clearance lights.	3		
CM, Corner Cap Lts, Multi, LED, (2) Amber (2) Red w/Flashers	1		
- High intensity flashers;Primary/Secondary- As marker lights with headlights			
FLOOD AND LOAD SYSTEMS			
CM, Light, LED, Whelen, Clear, #9SC0ENZR, 24 LED, (1) w/ Chrome Flange	6		
(2) each side as scene lights			
(2) on rear as load lights			
CM, Scene Lights, C/S, Activated with C/S Door Master Hot.	1		
11 - INTERIOR LIGHTING			
CM, Dome Lights, LED, Whelen,White Flange,(3)S/S,(3)C/S, CM+	1		
Three (3) street side in liner and three (3) curbside in liner equally spaced			
Each side controlled by separate switch in action area standard. High/Off/Low			
NOTE: NO VISABLE FASTENERS OR HOLES.			
CM, Timer, Momentary Switch, 15 Minute, Constant Hot Mount switch on C/S wall at the head of the squad bench in the standard location. Switch to allow activation and also deactivation. Wire to street side dome lights in liner on high.	1		
WC, No Lighting Recessed into Trough Cover	1		

DESCRIPTION	QTY		
SPOTLIGHTS / HANDHELD LIGHTS			
CM, Handheld Spotlight, Novatech, Nighthawk 2000, 100,000 CP	1		
ATTENDANT LIGHT			
CM, Light, Intertek ZY-PIR38 12v, LED, In A/A	1		
SHORELINE INLET			
CM, Super Auto Eject, 20A, White Cover above comp "#2"	1		
OUTLETS - 125VAC			
CM, Outlets, 125 VAC, Duplex, (1) Action Wall, (1) Right Front Cabinet	1		
- (1) outlet in action area			
- (1) outlet in the RF Cabinet "U8", wall #2, upper right.			
CM, Outlet, 125 VAC, Duplex, Additional, Each	3		
(1) Interior CS above foot end of squad bench mounted approx. 14" up and over 3" from rear wall.			
(1) telemetry area, wall 2 near wall 1, down low			
(1) SS of walk through down low facing RF cabinet window.			
BLOCKHEATERS			
Block Heater - With OEM Plug	1		
This option does not include a switch.			
CM, Inverter/Charger, Vanner LifeSine	1		
Mounted in compt. #2 on ceiling			
CM, Exhaust Fan, Single 12V Blower	1		
with "clamshell" vent on exterior rear of unit.			
CITIMEDIC HVAC SYSTEM			
CM, Generation I, Steel Cool Bar cover	1		
CM, Thermostat, Manual, Wabasto	1		
CM, Heat/AC, F1, Combo, w/Coolbar	1		
with thermostat in action area.			
12vdc External Condenser, in Coolbar mounted on front of module. Painted to match front of module.			
CM, Air Conditioning Face Plate, Brushed Stainless Steel with WC Logo	1		
Safety Hooks			
CM, Cot Mount, Stryker, Rear Safety Hook Installed	1		
Ship loose with unit			
Cot Mounts			
CM, Stryker Performance/Power Load, Add Floor Structure Plates & Wiring for Fu	1		
Additional floor structure for future installation of a Stryker Power Load or Performance Load w/ inductive charging System.			
Includes pre-wire which will terminate under the module head of cot.			

DESCRIPTION	QTY		
CM, Power source for Induction Charging, 12V, 10 Amp constant hot	1		
Do NOT cut Floor for Main Cot Mount Floor plate	1		
Center Mount	1		
OXYGEN AND AIR SYSTEMS			
CM, O2 Cylinder Wrench, Tethered in oxygen compartment.	1		
CM, Rack, Multiversal, Zico #QR-MV, W/ Straps	1		
M sized cylinder			
CM, Track, Unistrut for Oxygen Rack	1		
CM, Manual, O2 System	1		
CM, O2 Regulator, Preset 50PSI	1		
CM, O2 System, Ohio Style, (2 AA, 1 Vac DISS, 1 Liner, 1 C/S)	1		
Ohio style outlets			
(2) oxygen outlets in action area			
(1) vacuum Diss Outlet in action area			
(1) oxygen outlet in liner at head of cot			
(1) oxygen outlet curbside wall at head of squad bench			
CM, Lexan Flap, w/Hinge	1		
SUCTION SYSTEM			
CM, Suction Pump, SSCOR 90206 mounted in compartment "2"	1		
CM, Suction Holder, SSCOR 23002 with w/Canister Clip & Regulator	1		
WC, Suction Outlet and Container located in Action area recess in recessed pocket	1		
PAINT AND FINISH			
WC, Wheeled Coach Paint Process	1		
MM & CM, Module Paint, Single Color, OEM White	1		
Ford white: FA91:YZ			
Cab Paint - Single Color, OEM White	1		
PAINT STRIPING DESIGN			
Paint Belt, None	1		
	1		
SHIP LOOSE ITEMS			
CM, Bracket, Spare Tire Mounting, Ship Loose	1		
	1		

