

Specification Summary

North Eastern Rescue Vehicles
 Bob Reilly
 10 Dwight Park Drive
 Syracuse, NY 13209

North Eastern Rescue Vehicles, Inc.
 Robert Reilly
 10 DWIGHT PARK DRIVE
 SYRACUSE, NY 13209
 UNITED STATES

Name

CCL150



Specifications

- Aluminum Extruded Body Construction
- CrestCoat Powder Coating Technology
- Aluminum Cabinets
- Multiplex Electrical System
- Flush Mount Windows

Sales Options by Category

Base

Name/Description	Quantity
TYPE I - CCLP150	1.00
TYPE I - CCLP150	
72in Interior Headroom	1.00
72in Interior Headroom	
KKK-A-1822F	1.00
KKK-A-1822F - USA Government Federal Specification for a Star-of-Life Ambulance	

Chassis

Name/Description	Quantity
GM CK3500 chassis cab 4x4 gas	1.00
Chevrolet 3500HD Gas Chassis Cab 4X4Engine VORTEC SFI 6.6L Gas V8Wheelbase 171" (4318 mm)GVWR (Gross vehicle weight rating) 14,000 Lbs / 6,350 Kg	

Anti-theft	1.00
Anti-theft security system	
High Idle	1.00
High Idle system	
OEM chassis mirrors	1.00
OEM chassis mirrors	
Wheel alignment	1.00
Wheel alignment completed at the factory	
Running Boards	1.00
Diamond-plate aluminum running boards with grip strut	
Hidden front grille door unlock switch	1.00
Hidden front grille door unlock switch	

Drivers Compartment

<i>Name/Description</i>	<i>Quantity</i>
Control center with pictogram labelled switches	1.00
Control center with switches and LED backlit pictograms on console	
Manual adjustment seat	1.00
OEM manually adjustable chassis seats.	
Talk-through with sliding window	1.00
Cab to module talk-through opening with sliding window	
Chassis voltmeter and conversion voltmeter	1.00
OEM chassis voltmeter.Digital conversion voltmeter on driver's console.	
Patient status indicator lights	1.00
Patient status indicator lights (Red/Yellow/Green) on driver's console	
Ram mount console	1.00
Ram mount console	
Door indicator light	1.00
"Door ajar" and "Compartment" indicator light on driver's console	
Two USB charging outlets	1.00
Two USB charging outlets on driver's console	
No floor mount console	1.00
No floor mount console	
Passenger reading light	1.00
Ceiling mount red/white LED reading light centered over passenger seat	
Driver's reading light	1.00
One (1) additional ceiling mount red/white LED reading light centered over driver seat	

Conversion

<i>Name/Description</i>	<i>Quantity</i>
C1 Compartment, ALS Access and Battery Compartment	1.00
C1 Compartment - ALS inside/outside access with a sealed battery storage area	
Battery slide-out tray	1.00
Battery slide-out tray in C1 compartment	
C2 Side Entrance Door	1.00
C2 - Side entrance door with tinted flush mount window	
Dual step entry with step well light	1.00
Two-step interior access with LED step well light	
C3 Compartment, Equipment Storage	1.00
Open storage in C3 Compartment	
C3 - Backboard storage	1.00
Dual backboard storage with straps, two adjustable shelves for equipment bags, and stair chair storage in C3 Compartment.	

S1 Compartment - Main Oxygen Storage	1.00
Main oxygen storage in S1 Compartment	
S2 Compartment - ECC	1.00
Electrical Control Center (ECC) with lower equipment storage in S2 Compartment	
ECC cover	1.00
Aluminum panel in ECC compartment to cover and protect electrical from water and debris	
S3 Compartment, Outside access closed off	1.00
Equipment storage with outside access closed off in S3 compartment	
50/50 Rear doors	1.00
50/50 Split rear entry doors with flush mounted tinted windows	
Black rubber fenderettes	1.00
Flexible black rubber fenderettes over rear wheels	
Rear kick plate with no text	1.00
Rear kick plate with no text	
Aluminum rub-rails on each side	1.00
Aluminum rub-rails on each side of conversion	
Undercoating protection	1.00
Undercoating protection	
Rear mudguard	1.00
Rear mudguard	
Rear bumper underbody	1.00
Rear bumper underbody	
Module front corner stone guard	1.00
Module front corner stone guard aluminum checker-plate protection	
Flush license plate with LED light	1.00
Flush license plate with LED light	

Exterior Lighting

<i>Name/Description</i>	<i>Quantity</i>
Clearance lights	1.00
Clearance lights - Seven amber and seven red LED marker lights	
Two 3/4 inch red LED mid-body side lights at rear	1.00
Two 3/4 inch red LED mid-body side lights at rear to be marker top with turn signal below	
Two red LED brake/tail lights	1.00
Two red LED brake/tail lights	
Two amber LED turn lights	1.00
Two amber LED turn lights	
Two white LED reverse lights	1.00
Two white LED reverse lights	

Emergency Systems

<i>Name/Description</i>	<i>Quantity</i>
Standard Series Emergency Lights	1.00
Standard Series Emergency Lights	
Colored lens	1.00
Emergency lights to have colored lenses	
Chrome bezels	26.00
Standard Series chrome bezels	
Seven Whelen 900-Series emergency lights	1.00
Seven Whelen 900-Series emergency lights (Red / Red / Red / White \ Red \ Red \ Red) on front of conversion	

Two Whelen 700-Series red lights, one each side	1.00
Two Whelen 700-Series red intersection lights, one each side of chassis	
Two Whelen LIN6 Series red lights	1.00
Two Whelen LIN6 Series red lights	
Four Whelen 900-Series red lights (two each side)	1.00
Four Whelen 900-Series red lights (two on each side of conversion)	
Mid Body 700 Series above rear wheel	1.00
Two Whelen 700-Series red lights above rear wheel, one each side	
Four Whelen 900-series halogen scene lights	1.00
Four Whelen 900-series halogen scene lights (two on each side of conversion)	
Two 9x7 and one 7x3 Rear Light (B/A\R)	1.00
Two 9x7 and one 7x3 light (B/A\R) on rear of conversion	
Two Whelen 600-Series Halogen load lights	1.00
Two Whelen 600-Series Halogen load lights on rear of conversion	
Two 9x7 red lights at window height on rear	1.00
Two 9x7 red lights at window height on rear of conversion	
Siren amplifiers (100 watt)	1.00
100 Watt Siren amplifier with 4 tones and public address (P/A) microphone	
Two siren speakers in front bumper	1.00
Two siren speakers in front bumper Type 1	

Interior Curbside Configuration

<i>Name/Description</i>	<i>Quantity</i>
Two (2) position squad bench, 6-point harness	1.00
Two position squad bench with 6-point harness system. Provides ability for second patient transport using backboard. Includes recessed waste and sharps container at head of squad bench.	
Squad safety net	1.00
Safety restraint net installed forward of curbside seating	
Curbside overhead aluminum cabinet	1.00
Overhead aluminum cabinet above curbside seating	
ALS Compartment	1.00
Front ALS compartment with two adjustable shelves	
Lockable drug cabinet	1.00
Lockable drug cabinet above ALS compartment	

Interior Streetside Configuration

<i>Name/Description</i>	<i>Quantity</i>
CPR seat with 6-point harness system	1.00
CPR seat with 6-point harness system	
Fixed frames	1.00
Fixed frames with sliding polycarbonate doors	
Aluminum countertop	1.00
Aluminum countertop - Powder coated	

Attendant Seat

<i>Name/Description</i>	<i>Quantity</i>
Child safety device	1.00
Rear-facing EVS seamless vinyl seat with child safety device and 3-point seatbelt	
Box Base with front/rear slider	1.00
Box Base with front/rear slider	

Cot Configuration

<i>Name/Description</i>	<i>Quantity</i>
-------------------------	-----------------

Stryker universal floor plate only	1.00
Stryker universal floor plate only	
Pre-wire Power-LOAD	1.00
Pre-wire Power-LOAD	
Center mount cot configuration	1.00
Center mount cot configuration	

Oxygen

<i>Name/Description</i>	<i>Quantity</i>
Quick disconnect style outlet	1.00
Quick disconnect style outlet	
Universal vertical holder	1.00
Universal vertical holder for oxygen cylinder	
One oxygen outlet in Action Area	1.00
One oxygen outlet in Action Area	
One additional oxygen outlet in Action Area	1.00
One additional oxygen outlet in Action Area	
One oxygen outlet on curbside wall	1.00
One oxygen outlet on curbside wall	

Electrical

<i>Name/Description</i>	<i>Quantity</i>
Multiplex system	1.00
Multiplex electrical system using toggle switches with LED backlit pictogram.	
Curbside switch panel	1.00
Curbside switch panel	
Rear speaker volume control	1.00
Rear speaker volume control at Action Area	
Temperature control with automatic setting	1.00
Temperature control with automatic setting at Action Area.	
Patient status indicator lights	1.00
Patient status indicator lights (Red/Yellow/Green) at Action Area.	
On/off LED reading light	1.00
On/off LED reading light above Action Area.	
Four antenna ports with pre-wiring	1.00
Four antenna ports with pre-wiring for antenna RG 58 A/U	
Two OEM batteries	1.00
Two OEM batteries	
Additional 3rd battery	1.00
Additional 3rd battery	
Back up alarm	1.00
Back-up alarm (97db)	
High intensity LED compartment rope lights	1.00
High intensity LED compartment rope lights	
Six LED dome lights	1.00
Six LED dome lights with multiple intensity settings	
Xantrex Freedom XC pure sine-wave inverter/charger	1.00
Xantrex Freedom XC pure sine-wave inverter/charger	
Auto Eject - Yellow 20 amps	1.00
Auto-eject shoreline outlet - 120V 20 amp assembly with a yellow waterproof cover	
Shoreline light	1.00
Indicator light above the shoreline plug to show power connection	

1 120V GFCI outlet in Action Area	1.00
One Hospital-grade 120 VAC GFCI dual outlet with indicator light in Action Area	
1 120V outlet in lower ALS area	1.00
One Hospital-grade 120 VAC dual outlet with indicator light in lower ALS area	
1 120V outlet in upper ALS area	1.00
One Hospital-grade 120 VAC dual outlet with indicator light in upper ALS area	
One 12 VDC outlet in lower ALS area	1.00
One 12 VDC outlet in lower ALS area	
One 12 VDC outlet in Action area	1.00
One 12 VDC outlet in Action area	
Camera monitor in cab	1.00
Camera monitor in cab	
Back-up camera	1.00
Back-up camera	
SSCOR Suction System	1.00
SSCOR suction system in Action Area	

HVAC

<i>Name/Description</i>	<i>Quantity</i>
Combo heat and AC	1.00
Combo heat and air conditioning with exhaust fan for contaminated air	

Accessories

<i>Name/Description</i>	<i>Quantity</i>
Three glove box holder above side entry door	1.00
Three glove box holder above side entry door	
Recessed digital clock above rear entry doors	1.00
Digital clock recessed above rear entry doors	
No fire extinguisher in chassis	1.00
No fire extinguisher in chassis cab	
No fire extinguisher in S3 compartment	1.00
No fire extinguisher in S3 compartment	
L-shaped yellow grab bar on side entry door	1.00
L-shaped yellow grab bar on side entry door	
L-shaped yellow grab bars on rear entry doors	1.00
L-shaped yellow grab bars on rear entry doors	
One 61in ceiling mounted grab rail	1.00
One 61in ceiling mounted yellow grab rail	
Four clip style IV hangers with strap	1.00
Four clip style IV hangers with strap (2 curbside wall, 2 streetside wall)	
Spare plastic trash liners	1.00
Twelve spare plastic trash liners	

Finish and Trim

<i>Name/Description</i>	<i>Quantity</i>
Interior powdercoated white	1.00
Cabinets, wall panels and ceiling are white powder-coated aluminum	
Black upholstery	1.00
Black vinyl upholstery with yellow head bolster pads on entry doors	
Floor : Slip resistant, rolled-up 5 in. (127mm)	1.00
Floor : Slip resistant, rolled-up 5 in. (127mm)	
Lonplate II Midnight #443TXM	1.00
Lonplate II Midnight #443TXM flooring	

<p>Clear anti-slip spray Clear anti-slip spray applied to side entry steps</p>	<p>1.00</p>
<p>Paint and Graphics</p>	
<p><i>Name/Description</i></p>	
<p><i>Quantity</i></p>	
<p>Powdercoat module white Powdercoat entire module white to match the chassis</p>	<p>1.00</p>