



QUOTATION

North Eastern Rescue Vehicles, Inc.
Bob Reilly

North Eastern Rescue Vehicles, Inc
10 Dwight Park Drive
Syracuse, NY 13209

Job/Order No: 670256

WO#: 670256

Page 1

DESCRIPTION	QTY		
	1		
PROPOSAL TYPES			
WARRANTY			
WC, Warranty, Conversion, 12 Month	1		
WC, Warranty, Limited Electrical	1		
WC, Warranty, Cabinet Construction	1		
CERTIFICATIONS REQUIRED			
VN, This unit built in accordance with KKK-A-1822F CN 10 Cabinet Requirements	1		
This unit as specified meets all requirements of KKK-A1822-F Change notice 10.			
All cabinets shall be labeled as to their capacity Rating.			
VAN CHASSIS			
S WC, 2026 Ford, AWD Transit 250, Gas 3.5L EcoBoost V6, 148" WB Medium Roof 23-3	1		
(1) OEM Alternator			
Includes dual batteries			
12V OEM outlet in dash			
Engine Hour meter in OEM Gauge Cluster			
includes OEM Back up camera option			
AWD with steel wheels			
HIGH IDLE			
-- VN, High Idle Controls, 2023+ Transit, Relay Plex	1		
-- VN, Tire Pressure Monitoring System, OEM. Light in Dash	1		
BASE CONVERSION			
-- VN, Conversion, Transit Medium Roof, Gas -25-1	1		
CONVERSION			
- Install anti-slip decal on curbside and rear stainless steel thresholds, STD			
INCLUDES THE FOLLOWING			
- (1) Antenna pre-wire located behind Driver's Seat, run to roof antenna plate			
-12V protection Blade style breakers with Manual reset			

DESCRIPTION	QTY		
- Static air intake and Power exhaust			
- Back up alarm without cutoff switch			
- R-11 Reflective insulation Insulation			
- Street side and Curbside Perco I. V. Hooks with Velcro straps			
- 60 square inches of Red/White reflective material on each door.			
SHIP LOOSE (1) 5 lb ABC Fire Extinguisher			
VAN TOPS			
-- VN, Top, Medium Roof Transit OEM- 700 Series.	1		
-- VN, Housings, Cast, Rear Door LH/RH Warning Lts, Medium Roof Transit To Be Installed On Upper Rear Doors- 3x7 lights side by side	1		
Drivers Side - LH37241-1			
Passengers Side - LH37242-1			
-- VN, Light Valance, Rear, Interior, for 500 Series lights, Transit	1		
- will contain (2) red, (1) amber, (2) load lights R-C-A-C-R			
-- VN, Whelen, Light, TIR6, LED, Red, w/flg, Valance Only	2		
- Mounted outboard on ABS Housing inside rear doors			
- Primary/Secondary, when rear doors are opened, flash pattern			
-- VN, Whelen, Light, TIR6, LED, Amber, w/flg, Valance Only	1		
- Mounted on center of ABS Housing inside rear doors			
- Primary/Secondary, flash pattern			
-- VN, Light, Whelen, Perimeter Light, PEL2C (2) mounted on ABS housing inside rear doors	1		
-- VN, Driver's side Light on Rear	1		
-- VN, Light, Whelen 700 LED, Blue, Clear Lens, 70B02SCR	1		
-- VN, Scene Lighting, 7L, #7SC0ENZR, LED, Steady Burn	1		
-- VN, Passengers's side Light on Rear	1		
-- VN, Light, Whelen 700 LED, Red, Clear Lens, 70R02SCR	1		
-- VN, Scene Lighting, 7L, #7SC0ENZR, LED, Steady Burn	1		
-- VN, Whelen, Lights, Pair, Wide Angle ION Amber LED, Chrome Housing	2		
IATS			
(2) on rear doors			
These lights are to be on with drive and if emergency lights are on in park.			
(1) INLINE FROM THE TOP OF THE Rear Driver			

DESCRIPTION	QTY		
<p>side Red 7L light. Left side of the light (1) INLINE FROM THE TOP OF THE Rear Passenger side Red 7L light . Right side of the light</p>			
<p> -- VN, Housings, Cast, (4) Side Warning/Scene Lights, Medium Roof Transit (1) 7x3 Warning Light & (1) 7 Series Scene Light will fit in each housing.</p>	1		
<p>Drivers Side Front - LH37245-1 Drivers Side Rear-LH37247-1 Passengers Side Front-LH37246-1 Passengers Side Rear-LH37248-1</p>			
<p> -- VN, Front Light on Driver's side</p>	1		
<p> -- VN, Light, Whelen 700 LED, Red, Clear Lens, 70R02SCR</p>	1		
<p> -- VN, Scene Lighting, 7L, #7SC0ENZR, LED, Steady Burn</p>	1		
<p> -- VN, Rear Light on Driver's side</p>	1		
<p> -- VN, Light, Whelen 700 LED, Red, Clear Lens, 70R02SCR</p>	1		
<p> -- VN, Scene Lighting, 7L, #7SC0ENZR, LED, Steady Burn</p>	1		
<p> -- VN, Front Light on Passenger's side</p>	1		
<p> -- VN, Light, Whelen 700 LED, Red, Clear Lens, 70R02SCR</p>	1		
<p> -- VN, Scene Lighting, 7L, #7SC0ENZR, LED, Steady Burn</p>	1		
<p> -- VN, Rear Light on Passenger's side</p>	1		
<p> -- VN, Light, Whelen 700 LED, Red, Clear Lens, 70R02SCR</p>	1		
<p> -- VN, Scene Lighting, 7L, #7SC0ENZR, LED, Steady Burn</p>	1		
<p> -- VN, Front Housing, MR, Whelen for (6) 700 size Warning lights- Transit ABS cowl to hold lighting.</p>	1		
<p> -- VN, Front Upper, Driver outboard position #1</p>	1		
<p> -- VN, Light, Whelen 700 LED, Red, Clear Lens, 70R02SCR</p>	1		
<p> -- VN, Front Upper, Driver inboard position #2</p>	1		
<p> -- VN, Light, Whelen 700 LED, Red, Clear Lens, 70R02SCR</p>	1		
<p> -- VN, Front Upper, Driver Center position #3</p>	1		
<p> -- VN, Light, Whelen 700 LED, Clear, 70C02SCR</p>	1		
<p> -- VN, Front Upper, Passenger Center position #4</p>	1		
<p> -- VN, Light, Whelen 700 LED, Clear, 70C02SCR</p>	1		
<p> -- VN, Front Upper, Passenger inboard position #5</p>	1		
<p> -- VN, Light, Whelen 700 LED, Red, Clear Lens, 70R02SCR</p>	1		
<p> -- VN, Front Upper, Passenger outboard position #6</p>	1		
<p> -- VN, Light, Whelen 700 LED, Red, Clear Lens, 70R02SCR</p>	1		
INTERIOR CABINETS			
<p> -- VN, Cabinet Package, Transit, Medium Roof, Aluminum, O2 at CS Rear White Multi-spec Painted Aluminum Cabinets</p>	1		
<p> -- WC ,Painted Aluminum Cabinets, MultiSpec White White, MS-21-370861</p>	1		

DESCRIPTION	QTY		
Aluminum cabinets painted inside and out w/ aluminum trim painted to match			
-- VN, Cabinet, MR Transit, Bulk Head Wall, Pass-thru Only - Front bulk head will be a solid wall with a window (pass through) approximately 17"H x 10.5" wide off center toward driver's side.	1		
-- VN, RF Cabinet, Aluminum, MR Transit, CS Rear O2 Cabinet, No BB, Version "B" L1- Open with one adjustable shelf L2 - Enclosed cabinet- 15.25" H x 23.75" W x 14.50" D With Drop down door facing rear. L3 - to accommodate (2) Portable O2 bottles L4 - 11"H x 22.25" W x 38.5" D Open slot for Stair chair storage	1		
-- VN, Latch, Southco, Lever, Locking, Black, CN 10 Certified 5 Lb. - State Location: Cabinet "M"	1		
-- VN, O2 Cylinder Holder, Single, Cast, Strapless Duramount "D", CN 10 Certified	2		
-- VN, Squad Bench Cabinet, Transit, Aluminum, w/Paddle handles Drop in Bio waste - Sharps and trash under separate lid at head of Bench with access holes - Single squad bench Lid, - with 60# Gas Strut Style Hold Open - Paddle handle for Lid and Bio lid Must use M1 latches on doors and drawers for CN 10 certification	1		
-- VN, Lids, Hinged, Red Engraved Sharps and Trash 5.25" x 8.375"- Waste 4.5" x 4.5" -Sharps	1		
-- VN, Cabinet, Vertical O2, Foot of Squad Bench, MR Transit, Zico Rack , M Cyl. Vertical storage & Zico QRMV O2 cylinder rack at foot of squad bench Hinged solid door with latch.	1		
-- VN, Cabinet, Aluminum Base wall, Transit, Med Roof - Three Glove storage at rear, Rear hinged Lexan access -Backboard storage slot accessed from rear access doors under "D1" and "D2"	1		

DESCRIPTION	QTY		
- Cabinet "A" - 19.75" H x 28.5" W x 9" D. Sliding Poly carbonate Doors. With one (1) adjustable shelf			
- Cabinet "B" - 19.75" H x 28.5" W x 9" D. Sliding Poly carbonate Doors. With one (1) adjustable shelf			
- Cabinet "C" - 19.75" H x 28.5" W x 9" D. Sliding Poly carbonate Doors. With one (1) adjustable shelf			
- Cabinet "D1" - 19.75" H x 28.5" W x 11.5" D. Sliding Poly carbonate Doors. With one (1) adjustable shelf			
- Cabinet "D2" - 19.75" H x 28.5" W x 11.5" D. Sliding Poly carbonate Doors. With one (1) adjustable shelf			
- Cabinet "M" Drug box -10.75" H x 11.5" W x 8" D with hinged Solid Door			
Must label weight limit on doors and drawers for CN 10 certification			
-- VN, Head of Squad Bench, Safety Net, Yellow, MR Transit	1		
-- VN, Poly carbonate, (5) Gray ,MR 1/4" poly carbonate	1		
-- VN, Sliding doors with latching handles 1/4" poly carbonate sliding doors with Spring loaded latching handles	5		
-- VN, Latch, Southco, Lever, Non Locking, Black, CN 10 Certified 5 Lb. - State Location: L2, Inverter Access Panel	2		
VAN HVAC SYSTEMS			
-- VN, Heat/AC System, Transit Gas, Webasto (Alum Cabinets), MR with thermostat on CS Wall Located above cab area/Attendant seat	1		
FRONT END ALIGNMENT			
Front End Alignment, None- QC Check -Standard	1		
VN, Third (3rd) Brake light, Transit OEM on roof	1		
CAB INTERIOR OPTIONS			
VN, Door Panels, Transit Entry Doors, Vacuum Formed-Std	1		
DOOR REFLECTORS & FLASHERS			
VN, Reflective Material, rear patient Doors, Sprinter/Transit - Rear doors to have 60 sq inches of 3M reflective material, 6" red	1		
U Reflective tape to Cover Rear and Side Entry Doors-All holes	1		

DESCRIPTION	QTY		
<p>Item # 2 Install reflective tape to cover Rear door panel holes and install Ford OEM Decal for door opening knob</p>			
<p>- Reflective tape to cover ALL OEM holes in the interior panels of the rear entry doors ILOS</p>			
<p>- 24/7 to Provide (2) "SLIDE TO OPEN" decals to right rear inside release door. Installed by production.</p>			
REAR BUMPER AND REAR STEP CONSTRUCTION			
<p>VN, Rear Bumper, Step, OEM, Transit</p>	1		
<p> -- VN, Rear Bumper, Diamond Plate with Grip strut insert</p>	1		
INSULATION			
<p>VN, Insulation, Walls and Ceiling, Reflectix Foil Lined Bubble Wrap</p>	1		
SPLASH GUARDS AND RUNNING BOARDS			
<p>VN, Running Boards, 1/2 Length Driver, 2/3 Length Passenger, Transit</p>	1		
<p>Running boards cover the stepping area for both cab doors and the sliding door but do not extend to rear wheels on Passenger side.</p>			
<p>VN, Mud Flaps, Front & Rear, Transit, Molded, No Logo</p>	1		
FLOORING			
<p>VN, Flooring, Lonplate II, Midnight #443TX</p>	1		
Ceiling Grab Rail - Center			
<p>VN, Ceiling Grab Rail, 72", Handicap Style, Anti-Microbial Yellow, Footless</p>	1		
<p>- Yellow Powder Coat Finish</p>			
GRAB HANDLES			
<p>U Grabhandles, (1) 12" Yellow Wall Mounted</p>	3		
<p>(1) Curbside Rear wall by rear doors</p>			
<p>(1) Streetside Rear wall by rear doors</p>			
<p>(1) CS wall at head of squad bench</p>			
IV FLUID HANGERS			
<p>VN, IV Hook, Perko, W/Straps Each</p>	2		
<p>(1) CS Wall centered</p>			
<p>(1) SS Wall centered</p>			
SEAT BELTS/ SAFETY NETS			
<p>VN, Squad Bench, Seatbelt, Assy, (4 Point), Per4Max, Yellow, (2) Each</p>	1		
<p>- Two above the squad bench lid mounted seat belts</p>			
ATTENDANT SEAT			
<p>VN, Att's Seat, EVS 1860 Fold up w/child seat on CBPED</p>	1		
<p>(R) Base, BLK w/YEL Belt</p>			
<p>Yellow 3 Point seat belt</p>			
<p>Seat base CBPED (offset Right)</p>			
UPHOLSTERY			
<p>VN, Upholstery, Black Seamless</p>	1		
<p>VN, Strap, Two Inch Seatbelt style</p>	2		
<p>(1) across Backboard slot opening</p>			

DESCRIPTION	QTY		
(1) across Stair chair storage opening			
CAMERAS			
U Camera, Patient Compartment	1		
Hanscom kit HK 7211.			
Mount monitor to the left of the steering wheel.			
In the patient compartment mount the camera on the rear headliner next to the StreetSide cabinets facing the cot.			
Trigger camera display on with Master Switch.			
07 - ELECTRICAL 12 VOLT DC			
VN, 12 Volt Electrical System, Van, RelayPlex System	1		
Transit - Circuit board located in lower section of the base wall toward the front.			
POWER SOURCES			
VN, Power Source, 12VDC, 20A, Battery Switch/Ignition	1		
Radio Power #1-			
-- Power Source Location, Behind Driver's seat	1		
VN, Power Source, 12VDC, 20A, Battery Switch/Ignition	1		
Radio Power #2-			
-- Power Source Location, Behind Driver's seat	1		
VOLTMETER			
VN, Voltmeter, Smart with Low Voltage Alarm, Audio/Visual	1		
Light and Buzzer in cab console.			
BATTERY SYSTEM			
VN, Battery Switch, RelayPlex Electronic w/5 min Timer	1		
- Activated thru OEM ignition switch, timer function upon ignition "off".			
- Momentary rocker switch, on driver's side of cab console, to function as timer shutoff and also reactivate timer.			
- (2) OEM batteries			
- ONLY conversion power is turned on/off.			
- Chassis power is NOT turned off.			
VN, Power Outlet, Power Point Style, (2), in A/A	1		
- (2) in Action Area			
VN, Power Outlet, Power Point Style, Each	1		
- Ignition Hot IATS at head end of Squad Bench			
VN, Power Outlet, Kussmaul, USB Dual Port, 5VDC, 4.8	1		
Amp, switch panel Style			
Location in the Engine cover console switch panel.			
VN, Console, Drivers Switch & Radio, Cab, Transit,	1		
Aluminum, 2020, CN 11			
- With Map box			
- Black Rubber coated Aluminum.			
- Angled Area: Switches			
- Flat Area: Siren and Radio area			

DESCRIPTION	QTY		
-- VN, Drivers Control Panel, Transit, Switches in OEM Console	1		
-- VN, Action Area Switch Panel, Eaton Esport switches, Relocate CS Wall	1		
SIREN ELECTRONIC - CONTROL HEADS / AMPS			
VN, Siren Electronic, Whelen, WS-295-SLSA1, California Title 13 Compliant	1		
SIREN SPEAKERS			
VN, Speakers, Cast, Black Powder coat,SAP3825-20Transit-6BW,SAP3826-20Transit-6B	1		
BACK-UP ALARMS			
VN, Back-up Alarm, Auto Reset, 97 dBa,	1		
VN, Switch, Emergency Master	1		
VN, Automatic Secondary, Park/Neutral, w/Momentary Switch, Auto Reset	1		
When unit is placed into Park, Automatically defaults to cut off all "Primary Only" Defined lighting, the circuit would automatically reset when the gear shift lever is placed back into gear.			
There shall be an override switch to turn back on the "Primary Only" defined lighting.			
This removes the Primary and Secondary Buttons or Switches.			
WARNING LIGHTS -WHELEN MICRON			
VN, Whelen, Micron, Red w/chrome Flange, Internal Flasher	4		
(2) in grille; Mounted in upper section of Grille- set to steady burn - wired thru external flasher, .			
(2) in grille; Internal Flasher -Mounted in lower section of Grille- set to steady burn - wired thru external flasher			
Pri Only			
VN, Whelen, Light, LIN3, LED-Red, RSRO2ZCR	6		
(2) as front intersection lights Pri Only			
Install (2) Whelen LIN3 Red LEDs with clear lenses one each side of chassis forward of OEM rear Brake lights.			
These lights are to be located at the same height as FRONT INTERSECTIONS and 12" from front edge of taillights to center of Whelen LIN3 LED. Wired on w/Emergency lights primary only.			
Install (2) Whelen LIN3 Red LEDs with clear lenses rear of unit mounted one each side just above rear Brake lights (See provided photos for locations). Wired on w/Emergency lights primary only.			
VN, Scene Lighting, CS, Activate on Opening of CS Entry Door	1		
11 - INTERIOR LIGHTING			
VN, Dome Lights, LED, Whelen, White Flange, (6), STD, Sprinter/Transit	1		

DESCRIPTION	QTY		
NOTE: NO VISABLE FASTENERS OR HOLES.			
(3) Street side (3) Curbside - Transit			
VN, Timer, Momentary Switch, 15 Minute, Constant Hot Mount switch on C/S wall at the head of the squad bench in the standard location. Switch to allow activation and also deactivation. Wire to street side dome lights in liner on high.	1		
ATTENDANT LIGHT			
VN, Attendant Light, Action Area, Grote LED Strip	1		
SHORELINE INLET			
VN, Shoreline, Auto Eject, 15A, Yellow	1		
- driver's side, std location -- (2) outlets std, (1) in A/A, (1) upper RF cabinet			
VN, Inverter/Charger, Vanner LifeSine, LSC12-1100	1		
AUXILIARY ENVIRONMENTAL SYSTEMS			
VN, Exhaust Fan, Single 12V Blower with cowl vent on exterior.	1		
VN, Thermostat, Manual, Wabasto	1		
Cot Mounts			
VN, Cot Mount, Stryker Floor Plate Only installed,	1		
-- VN, Power source for Induction Charging, 12V, 10 Amp constant hot	1		
-- Side Mount	1		
OXYGEN AND AIR SYSTEMS			
VN, O2 Wrench, Tether in Oxygen Cabinet	1		
VN, O2 Regulator, Preset 50PSI	1		
VN, O2 System, Storage Rear Vertical Cabinet, Ohio Style, (2) A/A, (1) Liner	1		
- Ohio Style - (2) O2 Outlet in A/A - (1) O2 Outlet in C/S Liner @ Head of S/B			
SUCTION SYSTEM			
VN, Suction Pump, Electric, SSCOR 90206	1		
VN, Suction System, SSCOR Disposable with Canister Clip deletes the Ohio style vacuum outlet - plumb hose from SSCOR canister through hole in AA wall panel Meets SAE J3043 Requirements	1		
PAINT AND FINISH			
Van, Paint, Single Color, OEM White Ford white: FA91:YZ	1		
VN, Fire Extinguisher, (1), 5 lb. ABC, Ship Loose HD Amerex Bracket #861H with Amerex 5LB fire extinguisher.	1		

