

# Specification Summary

20985

**Name**

**CCL166**



**Specifications**

- Aluminum Extruded Body Construction
- CrestCoat Powder Coating Technology
- Aluminum Cabinets
- Multiplex Electrical System
- Flush Mount Windows

## Sales Options by Category

**Base**

<i>Name/Description</i>	<i>Quantity</i>
<b>Jurisdictional labeling package</b> Jurisdictional labelling package (includes safety and maintenance decals)	1.00
<b>TYPE III - CCL166</b> TYPE III - CCL166	1.00
<b>72 inch Interior Headroom</b> 72 inch Interior Headroom	1.00
<b>KKK-A-1822F</b> KKK-A-1822F - USA Government Federal Specification for a Star-of-Life Ambulance	1.00

**Chassis**

<i>Name/Description</i>	<i>Quantity</i>
<b>Ford E450 Cutaway Chassis</b> Ford Gas V8 C/W E450 158 WHT US240 amp Alternator14,500 lbs GVWRAmbulance Prep PackageOEM Power Driver Seat2 OEM Batteries	1.00

<b>Anti-theft</b>	1.00
Anti-theft security system	
<b>High Idle</b>	1.00
High Idle system	
<b>OEM chassis mirrors</b>	1.00
OEM chassis mirrors	
<b>TIRE PRESSURE MONITOR - QuickPressure</b>	1.00
TIRE PRESSURE MONITOR - QuickPressure	
<b>Wheel alignment</b>	1.00
Wheel alignment completed at the factory	
<b>Running Boards</b>	1.00
Diamond-plate aluminum running boards with grip strut	
<b>E-series/G-series chrome wheel simulators</b>	1.00
Chrome wheel simulators	
<b>Chassis door check straps</b>	1.00
Chassis door check straps	
<b>Hidden front grille door unlock switch</b>	1.00
Hidden front grille door unlock switch	
<b>Conversion doors auto-unlock</b>	1.00
Conversion doors auto-unlock	
<b>OEM Suspension</b>	1.00
OEM Suspension - Type 3	

**Drivers Compartment**

<i>Name/Description</i>	<i>Quantity</i>
<b>Control center with pictogram labelled switches</b>	1.00
Control center with switches and LED backlit pictograms on console	
<b>Recessed cab into module</b>	1.00
Recessed cab into module, allowing cab seats to recline	
<b>Manual adjustment seat</b>	1.00
OEM manually adjustable chassis seats.	
<b>Talk-through with sliding window</b>	1.00
Cab to module talk-through opening with sliding window	
<b>Two coat hooks</b>	1.00
Two coat hooks on chassis side of bulkhead	
<b>Handheld LED spotlight</b>	1.00
Handheld LED 2,000 lumens spotlight with trigger type switch	
<b>Large center console</b>	1.00
Large center console that can accommodate a docking station	
<b>Chassis voltmeter and conversion voltmeter</b>	1.00
OEM chassis voltmeter.Digital conversion voltmeter on driver's console.	
<b>Patient status indicator lights</b>	1.00
Patient status indicator lights (Red/Yellow/Green) on driver's console	
<b>Door indicator light</b>	1.00
"Door ajar" and "Compartment" indicator light on driver's console	
<b>Two USB charging outlets</b>	1.00
Two USB charging outlets on driver's console	
<b>Floor mount console with lid</b>	1.00
Floor mount console with lid and two cup holders	

<b>Passenger reading light</b>	1.00
Ceiling mount red/white LED reading light centered over passenger seat	
<b>Driver's reading light</b>	1.00
One (1) additional ceiling mount red/white LED reading light centered over driver seat	

**Conversion**

Name/Description	Quantity
<b>C1 Compartment, ALS Access - Battery Compartment</b>	1.00
C1 Compartment - ALS inside/outside access with a sealed battery storage area below	
<b>Battery slide-out tray</b>	1.00
Battery slide-out tray in C1 compartment	
<b>C2 Side Entrance Door</b>	1.00
C2 - Side entrance door with tinted flush mount window	
<b>Dual step entry with step well light</b>	1.00
Two-step interior access with LED step well light	
<b>C3 Compartment - Equipment Storage</b>	1.00
Open storage within C3 compartment	
<b>C3 - Backboard Storage</b>	1.00
Dual backboard storage with straps, two adjustable shelves for equipment bags, and stair chair storage within C3 Compartment.	
<b>S1 Compartment - Main Oxygen Storage</b>	1.00
Main oxygen storage in S1 Compartment	
<b>S2 - ECC Compartment</b>	1.00
Electrical Control Center (ECC) with lower equipment storage within S2 Compartment	
<b>ECC cover</b>	1.00
Aluminum panel in ECC compartment to cover and protect electrical from water and debris	
<b>One (1) storage shelf</b>	1.00
One (1) storage shelf in the S2 Compartment	
<b>S3 Compartment - Inside/Outside Equipment Storage</b>	1.00
Inside/Outside Equipment Storage for the S3 compartment	
<b>Include Dual Seals</b>	1.00
Include Dual Seals	
<b>S2 ECC Double Door</b>	1.00
S2 ECC Double Door	
<b>Two adjustable shelves</b>	1.00
Two adjustable shelves in S3 Compartment	
<b>Tinted Windows - C2 Door</b>	1.00
Tinted Windows - C2 Door	
<b>Tinted Windows - Rear Doors</b>	1.00
Tinted Windows - Rear Doors	
<b>50/50 Rear doors</b>	1.00
50/50 Split rear entry doors with flush mounted tinted windows	
<b>Emergency Release Knobs</b>	1.00
Emergency release knobs on all entry doors	
<b>Black rubber fenderettes</b>	1.00
Flexible black rubber fenderettes over rear wheels	
<b>Rear tow hooks mounted under the rear bumper</b>	1.00
Rear tow hooks mounted under the rear bumper	
<b>Rear kick plate with no text</b>	1.00
Rear kick plate with no text	

<b>Aluminum rub rails on each side</b>	1.00
Aluminum rub rails on each side of the module	
<b>Undercoating protection</b>	1.00
Undercoating protection	
<b>Rear mudguard</b>	1.00
Rear mudguard	
<b>Rear bumper underbody</b>	1.00
Rear bumper underbody	
<b>Module front corner stone guard</b>	1.00
Module front corner stone guard aluminum checker-plate protection	
<b>Stainless steel fuel fill protector</b>	1.00
Stainless steel protection plate below fuel fill housing	
<b>Flush license plate with LED light</b>	1.00
Flush license plate with LED light	

**Exterior Lighting**

<i>Name/Description</i>	<i>Quantity</i>
<b>Clearance lights</b>	1.00
Clearance lights - Seven amber and seven red LED marker lights	
<b>Two 3/4 inch red LED mid-body side lights at rear</b>	1.00
Two 3/4 inch red LED mid-body side lights at rear to be marker top with turn signal below	
<b>Two red LED brake/tail lights</b>	1.00
Two red LED brake/tail lights	
<b>Two amber LED turn lights</b>	1.00
Two amber LED turn lights	
<b>Two white LED reverse lights</b>	1.00
Two white LED reverse lights	
<b>High center mounted brake light feature</b>	1.00
High center mounted brake light feature	

**Emergency Systems**

<i>Name/Description</i>	<i>Quantity</i>
<b>Standard Series Emergency Lights</b>	1.00
Standard Series Emergency Lights	
<b>Colored lens</b>	1.00
Emergency lights to have colored lenses	
<b>Chrome bezels</b>	24.00
Standard Series chrome bezels	
<b>Four (4) 9x7 and one (1) 7x3</b>	1.00
Four (4) 9x7 and one (1) 7x3 (R/R/W\R\R) on front of conversion	
<b>Two (2) 7x3 red lights, one (1) each side</b>	1.00
Two (2) 7x3 red lights, one (1) each side of chassis	
<b>Two Whelen 500-Series red lights</b>	1.00
Two Whelen 500-Series red lights in grille	
<b>Four (4) 9x7 red lights (two each side)</b>	1.00
Four (4) 9x7 red lights (two each side)	
<b>Four 9x7 LED scene lights</b>	1.00
Four (4) 9x7 LED scene lights (two each side)	
<b>Two 7x3 mid body lights, one each side</b>	1.00
Two (2) 7x3 red mid body lights above rear wheel (one each side)	
<b>Two (2) 4x6 LED load lights</b>	1.00
Two (2) 4x6 LED load lights	

<b>Two 9x7 and one 7x3 Rear Lights (R/A\R)</b>	1.00
Two 9x7 and one 7x3 light (R/A\R) on rear of conversion	
<b>Two 9x7 red lights at window height on rear</b>	1.00
Two 9x7 red lights at window height on rear of conversion	
<b>Siren amplifiers (100 watt)</b>	1.00
100 Watt Siren amplifier with 4 tones and public address (P/A) microphone	
<b>Two siren speakers in front grille</b>	1.00
Two siren speakers in front grille Type 3	

**Interior Curbside Configuration**

<i>Name/Description</i>	<i>Quantity</i>
<b>Two (2) position squad bench, 4-point harness</b>	1.00
Two position squad bench with 4-point harness system.	
<b>Overhead aluminum cabinet above curbside seating</b>	1.00
Overhead aluminum cabinet above curbside seating (Only available with 72in height; not available with High mobility seat)	
<b>Squad bench cabinet, Increased height</b>	1.00
Increased height squad bench cabinet with integrated waste and sharps, storage drawer, and oxygen bracket	
<b>ALS compartment</b>	1.00
ALS compartment with two adjustable shelves	
<b>Overhead aluminum cabinet in talk/walk through</b>	1.00
Overhead aluminum cabinet mounted above talk/walk through opening at the bulkhead	
<b>Lockable drug cabinet</b>	1.00
Lockable drug cabinet above ALS compartment	

**Interior Streetside Configuration**

<i>Name/Description</i>	<i>Quantity</i>
<b>CPR seat with 4-point harness and rear action area</b>	1.00
CPR seat with 4-point harness system with rear action area	
<b>Restocking frames</b>	1.00
Restocking frames with sliding polycarbonate doors	
<b>Aluminum countertop</b>	1.00
Aluminum countertop - Powder coated	

**Attendant Seat**

<i>Name/Description</i>	<i>Quantity</i>
<b>Rear-facing EVS seat with 4pt seatbelt, child seat</b>	1.00
Rear-facing EVS seamless vinyl seat with child safety device and 4-point seatbelt	
<b>Two position swivel seat base</b>	1.00
Two position swivel seat base	
<b>Molded armrests</b>	1.00
Molded plastic armrests	

**Cot Configuration**

<i>Name/Description</i>	<i>Quantity</i>
<b>Stryker universal floor plate only</b>	1.00
Stryker universal floor plate only	
<b>Pre-wire Power-LOAD</b>	1.00
Pre-wire Power-LOAD	
<b>Center mount cot configuration</b>	1.00
Center mount cot configuration	

**Oxygen**

<i>Name/Description</i>	<i>Quantity</i>
<b>Quick disconnect style outlet</b> Quick disconnect style outlet	1.00
<b>Universal vertical holder</b> Universal vertical holder for oxygen cylinder	1.00
<b>Cylinder changing wrench</b> Cylinder changing wrench with footman loop assembly in oxygen compartment	1.00
<b>Oxygen Shut-Off Sys Elec Valve w/ Bypass on MCC</b> Oxygen Shut-Off System Electric Solenoid Valve with bypass switch on MCC	1.00
<b>Electric oxygen gauge (includes regulator)</b> Electric oxygen gauge (includes regulator)	1.00
<b>One oxygen outlet in Action Area</b> One oxygen outlet in Action Area	1.00
<b>One ceiling mounted oxygen outlet</b> One ceiling mounted oxygen outlet	1.00
<b>One oxygen outlet on curbside wall</b> One oxygen outlet on curbside wall	1.00

**Electrical**

<i>Name/Description</i>	<i>Quantity</i>
<b>Multiplex system</b> Multiplex system	1.00
<b>Curbside switch panel</b> Curbside switch panel	1.00
<b>Touch Screen Rear Street Side</b> Touch Screen Rear Street Side	1.00
<b>Rear speaker volume control</b> Rear speaker volume control at Action Area	1.00
<b>Temperature control with automatic setting</b> Temperature control with automatic setting at Action Area.	1.00
<b>Patient status indicator lights</b> Patient status indicator lights (Red/Yellow/Green) at Action Area.	1.00
<b>On/off LED reading light</b> On/off LED reading light above Action Area.	1.00
<b>Four antenna ports with pre-wiring</b> Four antenna ports with pre-wiring for antenna RG 58 A/U	1.00
<b>One radio speaker in ceiling</b> One radio speaker in ceiling	1.00
<b>Two OEM batteries</b> Two OEM batteries	1.00
<b>Additional 3rd battery</b> Additional 3rd battery	1.00
<b>Back up alarm</b> Back-up alarm (97db)	1.00
<b>Back up alarm override switch</b> Back-up alarm override switch	1.00
<b>High intensity LED compartment rope lights</b> High intensity LED compartment rope lights	1.00
<b>Six LED dome lights</b> Six LED dome lights with multiple intensity settings	1.00
<b>15 minute timer switch for ceiling lights</b> 15 minute timer switch for ceiling lights	1.00

<b>Xantrex Freedom XC pure sine-wave inverter/charger</b>	1.00
Xantrex Freedom XC pure sine-wave inverter/charger	
<b>Auto Eject - Yellow 15 amps</b>	1.00
Auto-eject shoreline outlet - 120V 15 amp assembly with a yellow waterproof cover	
<b>Shoreline light</b>	1.00
Indicator light above the shoreline plug to show power connection	
<b>1 120V GFCI outlet in Action Area</b>	1.00
One Hospital-grade 120 VAC GFCI dual outlet with indicator light in Action Area	
<b>1 120V outlet with 2 USB ports in Action Area</b>	1.00
One Hospital-grade 120 VAC dual outlet with indicator light and 2 USB ports in Action Area	
<b>1 120V outlet in lower ALS area</b>	1.00
One Hospital-grade 120 VAC dual outlet with indicator light in lower ALS area	
<b>1 120V outlet on lower curbside wall</b>	1.00
One Hospital-grade 120 VAC dual outlet with indicator light on lower curbside wall	
<b>1 120V outlet in upper ALS area</b>	1.00
One Hospital-grade 120 VAC dual outlet with indicator light in upper ALS area	
<b>Door lock switch on side and rear entry doors.</b>	1.00
Door lock switch on side and rear entry doors.	
<b>1 120V Outlet in drug locker</b>	1.00
One Hospital-grade 120 VAC dual outlet with indicator light in drug cabinet	
<b>One 12 VDC outlet in lower ALS area</b>	1.00
One 12 VDC outlet in lower ALS area	
<b>One 12 VDC outlet in Action area</b>	1.00
One 12 VDC outlet in Action area	
<b>Camera monitor in cab</b>	1.00
Camera monitor in cab	
<b>Back-up camera</b>	1.00
Back-up camera	
<b>One Dual USB Outlets</b>	1.00
One Dual USB Outlets in Action Area	
<b>SSCOR Suction System</b>	1.00
SSCOR suction system in Action Area	

### HVAC

<i>Name/Description</i>	<i>Quantity</i>
<b>Combo heat and AC</b>	1.00
Combo heat and air conditioning with exhaust fan for contaminated air	
<b>Front mounted condenser</b>	1.00
Front mounted condenser	

### Accessories

<i>Name/Description</i>	<i>Quantity</i>
<b>Three glove box holder above side entry door</b>	1.00
Three glove box holder above side entry door	
<b>Recessed digital clock with seconds</b>	1.00
Recessed digital clock with seconds with extended display capability	
<b>Four (4) Glove box holder street side cabinet</b>	1.00
Four (4) Glove box holder recessed into lower street side cabinet	
<b>5lb fire extinguisher with bracket in cab</b>	1.00
5lb fire extinguisher with heavy duty bracket installed in chassis cab	
<b>No fire extinguisher in S3 compartment</b>	1.00
No fire extinguisher in S3 compartment	

<b>L-shaped yellow grab bar on side entry door</b>	1.00
L-shaped yellow grab bar on side entry door	
<b>L-shaped yellow grab bars on rear entry doors</b>	1.00
L-shaped yellow grab bars on rear entry doors	
<b>One 61in ceiling mounted grab rail</b>	1.00
One 61in ceiling mounted yellow grab rail	
<b>Four clip style IV hangers with strap</b>	1.00
Four clip style IV hangers with strap (2 curbside wall, 2 streetside wall)	
<b>One recessed IV hanger in ceiling</b>	1.00
One recessed hanger in streetside of ceiling	
<b>Spare plastic trash liners</b>	1.00
Twelve spare plastic trash liners	

**Finish and Trim**

<i>Name/Description</i>	<i>Quantity</i>
<b>Interior powdercoated white</b>	1.00
Cabinets, wall panels and ceiling are white powder-coated aluminum	
<b>Black upholstery</b>	1.00
Black vinyl upholstery with yellow head bolster pads on entry doors	
<b>Floor : Slip resistant, rolled-up 5 in. (127mm)</b>	1.00
Floor : Slip resistant, rolled-up 5 in. (127mm)	
<b>Lonplate II Midnight #443TXM</b>	1.00
Lonplate II Midnight #443TXM flooring	
<b>Clear anti-slip spray</b>	1.00
Clear anti-slip spray applied to side entry steps	

**Paint and Graphics**

<i>Name/Description</i>	<i>Quantity</i>
<b>Powdercoat module white</b>	1.00
Powdercoat entire module white to match the chassis	