



North Eastern Rescue Vehicles, Inc.
Bob Reilly

North Eastern Rescue Vehicles, Inc.
Bob Reilly

WO#: 684241

Page 1

DESCRIPTION	QTY		
INFORMATION			
Manufacturer Certified ISO 9001	1		
WARRANTY			
WC, Warranty, Conversion, 12 Month	1		
WC, Warranty, Paint, 60 month Prorated, Standard	1		
WC, Warranty, Structural, 20 Years, Std., Mods	1		
WC, Warranty, Limited Electrical	1		
WC, Warranty, Cabinet Construction	1		
CERTIFICATIONS REQUIRED			
This unit built in accordance with KKK-A-1822-F in effect on the date of order with exceptions as noted herein.	1		
WC, This unit built in accordance with KKK-A-1822F CN 10 Cabinet Requirements	1		
This unit as specified meets all requirements of KKK-A1822-F Change notice 10.			
All cabinets shall be labeled as to their capacity Rating.			
01- CHASSIS REQUIREMENTS			
FORD CHASSIS			
CM, 2026 Ford E350, 7.3L, Gasoline,Cutaway, 138"WB	1		
Auto throttle OEM Ford			
(1) OEM Alternator			
Includes 2nd battery OEM			
Cab Headliner Vinyl			
Domestic Chassis	1		
SUSPENSION			
Rear Suspension, OEM Springs	1		
HIGH IDLE			
High Idle Controls, OEM	1		
FRONT END ALIGNMENT			
Front End Alignment, None- QC Check -Standard	1		
OUTSIDE REAR VIEW MIRRORS			
Mirrors, Sail Mount, OEM Mirrors	1		
WHEEL COVERS			
CM, Wheel Covers, Phoenix #NF12, Installed,E-Series	1		
with Air Max Valve Extenders			

DESCRIPTION	QTY		
BASE CONVERSION			
CM, Conversion, Type 3, 148 Module, Ford - 23-1	1		
CAB EXTENSION			
CM, 8" Cab Extension, Ford, CitiMedic E350	1		
MODULE BODIES:			
CM, Interior Headroom, 68 Inches	1		
CM, Module, Type 3, 148" Body Length, 90" wide, Duraseam Doors,	1		
Cutaway			
148" L x 90" W			
CM, Aisle Space, 49", CityMedic Plus	1		
(48-49" actual)			
03 - MODULE EXTERIOR			
EXTERIOR MODULE CONSTRUCTION			
CM, Stone Guard, Front, Diamond Plate, Type 3 Height	1		
FUEL FILLS & SPLASH PLATE			
CM, Housing Fuel Fill, Cast, Type III	1		
REAR KICKPLATE			
CM, Rear Kick plate, Under-Ride Bumper, w/ Tag recess, No lights, CM+	1		
SUB-FLOOR SYSTEM			
CM, Flooring, 3/4" Marine Grade Plywood, Type 3/7/9	1		
MODULE ENTRANCE			
MODULE DOORS, HANDLES & HOLD OPENS			
CM, Duraseam Hinged Doors with Hidden Jambs	1		
- Magnetic door switches			
CM, Hold Open Rear Entry Doors, (2) 6" Door Grabber	1		
- Installed so doors will open as wide as possible			
- Mount at Bottom of doors.			
CM, Hold Open, Gas Strut, Curb Side Entry Door, 35#	1		
CM, Patient Entry Door Handles, Trimark Black/Chrome Pull Handle w/"Push Button"	1		
With Round Push button Emergency release top and bottom of interior door panels.			
CM, Rear Entry Door Trailing Latch, Side release Paddle	1		
CM, Electrical Feed to Required Doors, Spring Protector (Per Door)	7		
POWER DOOR LOCKS			
CM, Power Door Locks, All Module doors (except Batt)	1		
Access Doors and Module Compartment doors (except Battery) for electric locks, wiring to CS wall for Switch.			
CM, Switch, Stealth, for Power Door Locks	1		
In grille on passenger's side			
CM, Relay Control Circuit, Power Door Locks	1		
CM, Circuit, OEM Door Lock to activate Mod Doors (Not Dodge)	1		
ENTRY DOOR INNER PANELS			
CM, Entry Door Panels, Durasafe, S/S, w/ Chevrons & Blue Reflective Logo	1		
- Durasafe Design			

DESCRIPTION	QTY		
- Aluminum Center Panels covered: white/red reflective tape			
- Logo to be cut in the lower entry door panel with a Blue reflective 3M material (to match the chevron on the lock box) attached to an aluminum panel behind the logo.			
SIDE DOOR STEP			
CM, Side Entry Step Well, Type III, Aluminum Diamond Plate	1		
CM, Light, Side Entry Step well, LED, 2", Whelen	1		
WINDOWS			
CM, Window, Upper, CS/Slider ,Rr/Fixed, Privacy Tint, PAN	1		
Curbside window with lower slider section			
Rear windows fixed			
Privacy Tint			
REAR BUMPER AND REAR STEP CONSTRUCTION			
CM, Rear Bumper, Ford Cutaway, w/ holes for 2" LED Lights with Gator Grip on flip up step.	1		
holes in sides of bumper for 2" marker light			
CM, BLACK Polyurethane Coating, Rear Bumper Supports	1		
INSULATION			
CM, Insulation, Fiberglass, Un faced	1		
RUB RAIL AND FENDER RINGS			
CM, Rub Rails, Skirt Line, Extruded "C" channel (E-one Style), 148"	1		
CM, Tape, Reflective, White, For Extruded Skirt rails	1		
CM, Fender Flare, Black Rubber	1		
SPLASH GUARDS AND RUNNING BOARDS			
CM, Mud Flaps, Rear, w/ Wheeled Coach Logo	1		
CM, Running Boards, Ford Cutaway, w/Gator Grip,	1		
CAB TO MODULE ACCESS			
CM, Bulkhead Cabinet, Type 3, walk-thru w/8" Cab extension	1		
- with 8" extended cab area			
- With walk thru door			
CM, Bulkhead, Door, Sliding w/Sliding Window	1		
with sliding Lexan window			
LICENSE PLATE HOLDER			
CM, License Plate Holder, Cast LP0002, for Under ride Bumper	1		
in rear kick plate, centered			
License holder comes with (2) LED lights.			
EXTERIOR COMPARTMENT CONSTRUCTION			
CM, Compartments, Std, Floor Drop Down	3		
Compartment #2 - 2.5" drop			
Compartment #4 - 4" drop			
Compartment #6 (5.5" for spare tire)			
Drop down floors to have drain hole standard.			
CM, Compartments, Sweep out	2		
Compartments #1 & #8.5 are standard sweep out			
CM, Door Sill Protector, Stainless, All Comps	1		
Door Sill Protection - Install Stainless Steel sill protector on lower edge of all door frames to prevent paint damage			
CM, Compartments, Diamond Plate Finish Per Comp	4		
Machine stamped louvers located above the floor line for			

DESCRIPTION	QTY		
venting. Comp #1, 2, 4, and 6			
CM, Exterior Battery Compartment, Diamond Plate Finish	1		
EXTERIOR COMPARTMENT DOORS			
CM, Compartment Comp Handle, Trimark, Oval Pull Handle, Black/Chrome	6		
COMPARTMENT DOOR HOLD OPEN			
CM, Hold Open, Gas Strut, Ext Comp, 30lb. Compartments "#6", "#1", & "#2"	3		
CM, Hold Open, Gas Strut, Comp Door Only, 110 Degree, 30lb, Comp #4 to allow easier access to the Stair chair.	1		
CM, Hold Open, Gas Strut, RF Comp, 30lb #8	1		
COMPARTMENT LIGHTING			
CM, Oxygen Light, 3" Surface mount Whelen LED, Clear Mounted in Oxygen Compartment per eng design	1		
CM, Compartment Light, 4" Optronic,#BUL43-CBK, LED, Each Compartment	6		
1 - Access Panel Wall 1 2 - Wall #1 4 - Ceiling 6 - Wall #3 8- Wall #3 in access panel			
COMPARTMENT #1 - STREETSIDE FWD			
CM, Compartment #1, 3/4 High, CitiMedic.	1		
COMPARTMENT #2 - STREETSIDE FWD WHEELWELL			
CM, Compartment #2, Citimedic , Type 3 Mount the inverter on the ceiling of compartment.	1		
CM, Compartment #2, Shelf, ADP, Fixed for Electrical storage Screw in shelf that extends from wall 1 to the recessed suction and wall 2 to flush with the face of the suction dogleg	1		
COMPARTMENT #4 - STREETSIDE AFT			
CM, Compartment #4, Full Height, Dual Depth, Citimedic - Full height backboard storage on the #4 compartment door. - The upper section is 8" D due to dogleg for interior cabinetry. Bottom section is 15" deep.	1		
Floor drop of 4" for the entire compartment			
CM, Compartment #4, Strap, Seat Belt Style, Each (1) on comp #4 door for Backboards (1) from wall #1 to Wall #3 about 6" from wall 2 for the Stair chair.	2		
CM, Compartment #4, Bracket, Backboard Mount on Door Diamond plate "C-style boxes mounted to the door of Comp #4 one at top and bottom to allow backboards or scoop stretcher to be slid in from the outboard side.	1		

DESCRIPTION	QTY		
COMPARTMENT #6 - CURBSIDE AFT			
CM, Compartment #6, Spare Tire, With special Drop pan for spare tire. Do NOT install spare tire bracket.	1		
CM, Compartment #6, Shelf, Custom, Adjustable, First Shelf wall#1 to wall#3 Mid height	1		
COMPARTMENT #8 - CURBSIDE UPPER FORWARD			
CM, Compartment #8/8.5, Split Doors, 8" Cab Extension, Upper compartment, with inside /outside access Lower compartment for (2) battery	1		
CM, Compartment #8, Shelf, Adjustable, First Shelf RF Comp "8"/cabinet "U8" area - centered top to bottom.	1		
CM, Compartment #8, Shelf, Additional, Adjustable, Each RF Comp "8"/cabinet "L8" area centered top to bottom.	1		
INTERIOR TRIM AND FEATURES			
CM, Interior Cabinets, Duralite Construction, Wood	1		
CM, Cabinet Shelf, Interior, Wood, Adjustable, First shelf Cabinets U4, U6, C6	3		
CM, Cabinet Shelf, Interior, Wood, Additional, Adjustable Cabinet U4 (2 total)	1		
HEADLINER			
CM, Headliner, Flat, PVC, Hinged trough cover, Std	1		
FLOORING			
CM, Flooring, Lonplate II, Gunpowder Gray #424TX	1		
CM, Flooring, Roll up, 3-4" Approx....., No Toe Kick The roll up is not recessed it is installed on the cabinet wall and Squad bench.	1		
CM, Floor, Thresholds, .063 Aluminum, Painted w/Black Poly-urea coating	1		
GRAB RAILS			
Rear Entry Door Grab Handles			
CM, Entry Door Grab Handles (3), Custom "L" Shape, 1", Yellow Yellow Powder Coat Finish	1		
Ceiling Grab Rail - Center			
CM, Ceiling Grab Rail, Overhead, 84", 1" Diameter Handicap Style, Yellow Yellow Powder Coat Finish	1		
IV FLUID HANGERS			
CM, IV Hangers, Perko (1), W/Straps Each (1) CS wall up high centered between seats (1) SS Forward of U3.5	2		
BASEWALL CABINET:			
CM, Cabinet, Base wall, 8" ext, CPR Seat, w/Telemetry Area, Recessed suction Telemetry area to have poured black surface.	1		

DESCRIPTION	QTY		
Cabinet L3.5			
CM, Cabinet, Street side Upper, 148 Module, w/CPR Seat , 68" HR	1		
Cabinet U2, U1 wood door			
CM, Street side rear, with side seat, 68" HR	1		
Cabinet U4 with (2) adjustable shelves			
Cabinet U3.5			
CM, Tray, A/A, Std Aisle No Bio waste, Poured, Black	1		
CABINET DOORS			
CM, Door, U1 Hinged Wood	1		
U1 cabinet will be used as a locking drug cabinet.			
CM, Door, U2 Gray Polycarbonate Slider, CN 10 Compliant	1		
Interior Street side #3 - CPR Seat			
CM, CPR side seat, Fixed Backrest	1		
CM, CPR, Lid, Hinged Flip Up	1		
With Trimark Latch			
CM, Door, U3.5, OHO Top Hinged Gray Polycarbonate (CWTG) CN 10 Complia	1		
CWTG = with gas strut			
CM, Door, L3.5, OHO Bottom Hinged Gray Polycarbonate, (CWBD) CN 10 Comp	1		
CM, Door, U4, OHO Dual Hinged Gray Polycarbonate (CWDX) CN 10 Compliant	1		
CM, CPR Seat, "U" Barrier Bar, Padded, 1.5" SS, Gunmetal	1		
Mounted Approx. 12" from the center of the seat to the side of the barrier bar.			
CM, Telemetry Tray, Poured, Black	1		
SQUAD BENCH AREA			
CM, Cabinet, Squad Bench, CM+, w/ Bio waste	1		
With Bio waste at the head of the squad bench cabinet.			
CM, Lid, Squad Bench, Single W/Bio-Waste	1		
Lift up lid ONLY over storage area			
CM, Squad Bench, Handle, Trimark, STD	1		
CM, Strut, Gas, 30 LB, Installed	2		
CPR Side seat			
Squad Bench			
CM, CPR, Handle, Trimark, STD	1		
CM, Bio-waste Cover, Etched Red Plastic	1		
SEAT BELTS/ SAFETY NETS			
CM, CPR Seat, Seatbelt, Assy, (4 Point), Per4Max, Yellow, (1) Each, CN-8	1		
Above the lid			
CM, Squad Bench, Seatbelt, Assy, (4 Point) Per4Max, Yellow, (2) Each	1		
Above the lid			
On squad bench			
CM, Patient Restraint Belts, Squad Bench (3)	1		
CM, Safety Net, Head of Squad Bench, 2" Straps, Yellow	1		
attached to floor at head of squad bench, CS wall and overhead			

DESCRIPTION	QTY		
liner with removable latches.			
CURBSIDE REAR			
CM, Cabinet, Curbside Rear, In Rear wall, U6,C6 Gray OHO doors, w/two shelves	1		
(1) adjustable shelf in cabinet U6			
(1) adjustable shelf in cabinet C6			
BIOHAZARD-			
CM, Glove Butler-Cabinet, (3),Above C/S door	1		
CURBSIDE RIGHT STACK STORAGE #8			
CM, RF ALS, Split Upper/Lower, HVAC at Top	1		
Upper Cabinet U8			
Lower Cabinet L8			
Cabinet - Upper Right Stack U8			
CM, Doors, RF, U8, Dual Gen III OHO, Polycarbonate Doors, Gray	1		
CM, Doors, RF, L8, Dual Gen III OHO, Polycarbonate Doors, Gray	1		
ATTENDANT SEAT			
CM, Attendant's Seat, EVS 1880,Comfort, Hi-Back Child Safety w/Per4Max	1		
CM, Color, Gunmetal, Per4Max Belt, Yellow	1		
CM, Door, Diamond Plate, EVS Seat Base, M1 Latch	1		
CM, Attendant's Seat Base, EVS CBS Box Style	1		
Box opening to be toward CURBSIDE access door			
INTERIOR COLORS			
CM, Mica, Dove Gray (Matte)	1		
UPHOLSTERY			
CM, Upholstery, Seamless, Gunmetal	1		
CM, Backrest Cushion, EVS, Gunmetal, w/ WC Logo, Each	3		
MISC. INTERIOR OPTIONS			
CM, Marine Hasp, for Padlock Installed	1		
on U-1 cabinet			
CABINET KICK PANELS			
CM, Kick plate, Brushed SS, Face of S/B & Base wall, 148 CM	1		
CABINET LATCHES- INTERIOR			
CM, Latch, M1, 3/4" Material, 2" round, Non Locking, Chrome-CN 10 Certified	5		
(1) Sharps/Waste			
(1) U1 with HASP			
(3) Bulkhead			
CM, Latch, Southco M1, 2" S/S, (1/4" Door) Locking, CN 10-Rated 10lb	1		
(self latching) Flush Mount. Non-Locking			
Attendant seat base door			
CM, Latch, Southco M1, 2" S/S, (3/8" Door) Non-Locking, CN 10-Rated 10lb	1		
(self latching) Flush Mount. Non-Locking			
Glove Caddy			

DESCRIPTION	QTY		
06 - ELECTRICAL GENERAL CM, 12V Electrical system, RelayPlex system Flash Pattern- Quad Flash 75 - Per KKK	1		
CAMERAS U Camera, Patient Compartment and Back Up Camera, Patient Compartment SAP#10495001Hanscom kit HK 7211. Mount monitor to the left of the steering wheel. Bracket Part #10130864 In the module mount the camera on the headliner next to the StreetSide cabinets. Trigger camera display on with Master Switch. #HC IR250 rear back up camera with #HC20M video cable, Mount camera exterior on rear of module, off center toward driver's side. Triggered when units placed in reverse gear.	1		
COMMUNICATION CM, Coax Cable, RG58/U, Each, Terminate: CS Dome #2 to behind pass seat with 6' pigtails S/Side From Dome #4 to behind the drivers seat with 6' pigtails S/Side From Dome #5 to behind the pass seat with 6' pigtails CM, Light, in Circuit Board Area, for Electrical Troubleshooting - with integral switch; wired constant hot.	3		
POWER SOURCES CM, Power Source, 12VDC, 20A, Ignition/Shoreline Hot (1) pre-wire coil and tagged in action area (1) pre-wire coil and tagged behind driver's seat.	1		
CM, Power Source, 12 VDC, 20 Amp (+-), Constant Hot Termination: (1) in Action Area (1) in cab console	2		
CM, Power Source, 12 VDC, 30 Amp (+-), Ignition Hot (2) Behind Passenger seat with 6 ft coiled wire	2		
CM, Power Source, 12VDC, 40A, Constant Hot (1) Install a 40Amp Power and ground wired CONSTANT hot to a Buss bar inside the center console (1) Install a 40Amp Power and ground wired IGNITION hot to a Buss bar inside the center console	2		
CM, Buss Bar Assembly (+/-), 5 Position, (1) Power and (1) Ground Location: Front chassis cab console	2		

DESCRIPTION	QTY		
VOLTMETER			
CM, Alarm, Low Voltage, Audio/Visual	1		
Light in cab console and Buzzer in cab.			
BATTERY SYSTEM			
CM, Battery Switch, RelayPlex Electronic w/5 min Timer, Ford T3, Gasoline	1		
- Activated thru OEM ignition switch, timer function upon ignition "off".			
- Momentary rocker switch, on driver's side of cab console, to function as timer shutoff and also reactivate timer.			
- ONLY Module power is turned on/off.			
- Chassis power is NOT turned off.			
12VDC OUTLETS			
CM, Power Outlet, Power Point Style, (2), (1) Action Area (1) RF ALS Cabinet	1		
on standard 20-amp ignition hot circuit.			
- (1) outlet in action area			
- (1) in RF Cabinet "U8", wall #2, upper right			
CM, Power Outlet, Power Point Style, Each	3		
Ignition Hot			
(1) At foot of squad bench just above 110v outlet. Approx 3" over from the edge cabinet C6.			
(1) in RF Cabinet L8, wall #2, upper right			
(1) Constant power: Located on the aisle side bottom of circuit board cabinet in crawl-thru area.			
CM, Power Outlet, Kussmaul, USB Dual Port, 5VDC, 4.8 Amp, switch panel	3		
Ignition Hot			
(1) Located in the cab switch panel passenger side.			
(1) located top left of console face.			
(1) located top right of console face.			
CM, Power Outlet, Kussmaul, USB Dual Port, 5VDC, 4.8 Amp, switch panel, Addition	1		
Location in the Action area outlet panel.-Ign Hot			
FRONT CONSOLE			
CM, Console, Drivers Switch & Radio, Center, Aluminum, Black, Ford cutaway	1		
Black polyurethane coated .090 Aluminum			
CM, Single Blank Panel	1		
CM, 9" deep Glove Box Panel	1		
CM, Cup Holder Panel (No Handle Notch)	1		
WC, Flat Switch Panel	1		
ATTENDANT CONTROL PANEL			
CM, Action Area Switch Panel, Eaton Esport switches, Relocate CS Wall	1		
POWER DISTRIBUTION			
CM, Switch, Additional, 12VDC, Rocker, (1)	1		
(1) Right rear entry door, interior lower panel, in top left corner. For power door locks.			

DESCRIPTION	QTY		
SIREN ELECTRONIC - CONTROL HEADS / AMPS			
CM, Siren Electronic, Whelen, WS-295-SLSA1, California Title 13 Compliant	1		
SIREN SPEAKERS			
CM, Speakers, (2), Cast, SAD4319/SAP4319, In Bumper, Ford Cutaway	1		
CM, Switch, Siren/Horn Thru Horn Ring	1		
BACK-UP ALARMS			
CM, Back-Up Alarm, No Cutoff Switch	1		
CM, Switch, Emergency Master	1		
One Emergency Master Switch to turn all warning lights on.			
CM, Beacon Prewire, Ignition Hot to Rearmost Streetside dome	1		
No switch			
Module roof, centered 16" inboard from rear of module, Beacon will be on anytime Ignition is on and unit is in gear.			
WARNING LIGHT FLASHERS			
CM, Automatic Secondary, Park/Neutral, w/Momentary Switch, Auto Reset	1		
When unit is placed into Park, Automatically defaults to cut off all "Primary Only" Defined lighting, the circuit would automatically reset when the gear shift lever is placed back into gear.			
There shall be an override switch to turn back on the "Primary Only" defined lighting.			
This removes the Primary and Secondary Buttons or Switches.			
CM, Circuit, Lights Alternating Pattern	1		
Alternating pattern.			
for a (7) light grouping across the front			
Passenger corner light will be Phase 1			
Outboard light on Passenger side will be Phase 2P			
Inboard light on Passenger side will be Phase 1P			
Center light will be phase 2P			
Inboard light on Drivers side will be Phase 1P			
Outboard light on Drivers side will be Phase 2P			
Drivers side corner light will be phase 1			
Passenger upper grille light will be Phase 2P			
Drivers upper grille light will be Phase 1P			
Passenger lower grille light will be Phase 1P			
Drivers lower grille light will be Phase 2P			
Curbside			
Front intersection will be phase 2P			
Front upper corner will be Phase 1			
Rear intersection will be Phase 1			
Rear upper corner will be Phase 2			
Street side			
Front intersection will be phase 1P			
Front upper corner will be Phase 2			
Rear intersection will be Phase 2			
Rear upper corner will be Phase 1			

DESCRIPTION	QTY		
Rear			
Street side upper corner will be Phase 1			
Center upper light shall be Phase 2			
Curbside upper corner will be Phase 1			
Street side below upper outer corner will be Phase 2			
Curbside below upper outer corner will be Phase 2			
NOTE: Hundred series lights must be set to steady burn and flashed thru RelayPlex			
CM, Brake Override Circuit	1		
For rear lights below upper outer corner			
WARNING LIGHTS			
LED Series - 900 (Flange Separate)			
CM, Light, Whelen 900 LED, Red, Clear Lens, 90RR5SCR, External Flasher	12		
MODULE SIDES LIGHTING			
Street side Body - Upper Forward			
Street side Body - Upper Rear			
Curbside Body - Upper Forward			
Curbside Body - Upper Rear			
Pri/Sec flashed thru relayplex quad flash 75			
MODULE REAR LIGHTING			
Rear Body - Upper Street side Corner			
Rear Body - Upper Curbside Corner			
Pri/Sec flashed thru relayplex quad flash 75			
FRONT UPPER BODY LIGHTING			
Front Body - Upper Curbside Outer Angled portion of Coolbar			
Front Body - Upper Curbside Inner on Coolbar			
Front Body - Upper Street side Inner on Coolbar			
Front Body - Upper Street side Outer Angled portion of Coolbar			
Pri only flashed thru relayplex quad flash 75			
MODULE REAR LIGHTING			
(2) Rear just below upper outer lights.			
Pri/Sec flashed thru relayplex quad flash 75			
W/Brake override			
CM, Light, Whelen 900 LED, Amber, Clear Lens, 90AA5SCR, External Flasher	1		
MODULE REAR LIGHTING			
Rear Body - Upper Center			
Pri/Sec flashed thru relayplex quad flash 75			
CM, Light, Whelen 900 LED, Clear, 90CC5SCR, External Flasher	1		
FRONT UPPER BODY LIGHTING			
Front Body - Upper Center on Coolbar			
Pri Only flashed thru relayplex quad flash 75			
CM, Flange, Super 900 LED, #90FLANGC	14		
LED Series - 700 (Flange Separate)			
CM, Light, Whelen 700 LED, Red, Clear Lens, 70R02SCR	8		
FRONT UPPER BODY LIGHTING			

DESCRIPTION	QTY		
(2) Front Body - Upper Curbside Corner stacked			
(2) Front Body - Upper Street side Corner stacked			
Pri/Sec flashed thru relayplex quad flash 75			
FRONT FENDER INTERSECTION LIGHTING			
Front Fender Warning - Intersectors - LH Side			
Front Fender Warning - Intersectors - RH Side			
Pri only flashed thru relayplex quad flash 75			
REAR WHEEL WELL INTERSECTION LIGHTING			
Rear wheel well Warning - Intersectors - LH Side			
Rear wheel well Warning - Intersectors - RH Side			
Pri/Sec flashed thru relayplex quad flash 75			
WHELEN FLANGES 7 SERIES LIGHTS (Flange Separat			
CM, Flange, Whelen, Chrome, 700 Series Light (1)	8		
For 7 Series Lights			
WARNING LIGHTS -WHELEN LIN3 (Flange Separate)			
CM, Light, Whelen, LIN3, LED-Red, RSRO2ZCR w/Flg	4		
FRONT GRILL LIGHTING			
Grille - LH Upper Corner			
Grille - RH Upper Corner			
Grille - LH Lower Corner			
Grille - RH LowerCorner			
Pri only flashed thru relayplex quad flash 75 X-pattern Flash			
CM, Flange, Whelen, Chrome, For LIN3, Each	4		
EXTERIOR AUTOMOTIVE LIGHTING			
CM, Taillight Pkg, Whelen, LED Stop/Tail, Turn & LED	1		
Backup, w/WC logo			
- Brake- Steady Burn			
- Turn Arrow – sequential arrow			
- 700 LED Backup			
Clear lens over all three lights			
ICC/MARKER LIGHTS			
CM, Light, Red, 2", Marker, LED, Each	2		
in bumper			
CM, Clearance Lights, Red, LED	3		
(3) On rear as clearance lights.			
CM, Light, Clearance, Amber LED	3		
(3) On Front of module as clearance lights.			
CM, Corner Cap Lts, Multi, LED, (2) Amber (2) Red	1		
w/Flashers			
- High intensity flashers;Primary/Secondary- As marker lights with			
headlights			
FLOOD AND LOAD SYSTEMS			
CM, Light, LED, Whelen, Clear, #9SC0ENZR, 24 LED, (1) w/	6		
Chrome Flange			
(2) each side as scene lights			
(2) on rear as load lights			
CM, Scene Lights, C/S, Activated with C/S Door	1		
Master Hot.			

DESCRIPTION	QTY		
11 - INTERIOR LIGHTING			
CM, Dome Lights, LED, Whelen, White Flange, (3)S/S, (3)C/S, CM+	1		
Three (3) street side in liner and three (3) curbside in liner equally spaced			
Each side controlled by separate switch in action area standard. High/Off/Low			
NOTE: NO VISABLE FASTENERS OR HOLES.			
CM, Timer, Momentary Switch, 15 Minute, Constant Hot	1		
Mount switch on C/S wall at the head of the squad bench in the standard location. Switch to allow activation and also deactivation. Wire to street side dome lights in liner on high.			
WC, No Lighting Recessed into Trough Cover	1		
SPOTLIGHTS / HANDHELD LIGHTS			
CM, Handheld Spotlight, Novatech, Nighthawk 2000, 100,000 CP	1		
ATTENDANT LIGHT			
CM, Light, Intertek ZY-PIR38 12v, 15" LED, In A/A	1		
SHORELINE INLET			
CM, Super Auto Eject, 20A, White Cover above comp "#2"	1		
OUTLETS - 125VAC			
CM, Outlets, 125 VAC, Duplex, (1) Action Wall, (1) Right Front Cabinet	1		
- (1) outlet in action area - (1) outlet in the RF Cabinet "U8", wall #2, upper right.			
CM, Outlet, 125 VAC, Duplex, Additional, Each	3		
(1) Interior CS above foot end of squad bench mounted approx. 14" up and over 3" from cabinet C6.			
(1) telemetry area, wall 2 near wall 1, mid height			
(1) Located on the aisle side bottom of circuit board cabinet in walk-thru area.			
BLOCKHEATERS			
Block Heater - With OEM Plug This option does not include a switch.	1		
INVERTER - 125VAC			
CM, Inverter/Charger, Vanner LifeSine Mounted on ceiling of comp#2	1		
AUXILIARY ENVIRONMENTAL SYSTEMS			
CM, Exhaust Fan, Single 12V Blower with "clamshell" vent on exterior forward of #4	1		
CM, Generation I, Steel Cool Bar cover	1		
CITIMEDIC BRUSHLESS HVAC SYSTEM			
CM, Heat/AC, F3, Combo, Brushless, w/Coolbar with thermostat in action area.	1		

DESCRIPTION	QTY		
12vdc External Condenser, in Coolbar mounted on front of module. Ford White: PPG Code - FBCH978045			
CM, Thermostat, Master Control Digital CM5000, Brushless	1		
Cover, Cool Bar, (5) 900 series lights, LED Lights	1		
CM, Air Conditioning Face Plate, Brushed Stainless Steel with WC Logo	1		
WC, Heat/AC Located RF corner, over ALS cabinet.	1		
COT MOUNTING PROVISIONS			
Safety Hooks			
CM, Cot Mount, Stryker, Rear Safety Hook Installed	1		
Ship Loose			
Cot Mounts			
CM, Stryker Performance/Power Load, Add Floor Structure Plates & Wiring for Futu	1		
Additional floor structure for future installation of a Stryker Performance Load w/ inductive charging System.			
CM, Cut Floor and Install Stryker Floor Plate, 6390-700-001A, for Performance	1		
For Performance Load Cot mounts.			
Note: Stryker Deutsch connection to be coiled up on the interior of the module under attendant seat base			
CM, Power source for Induction Charging, 12V, 10 Amp constant hot	1		
Center Mount	1		
OXYGEN AND AIR SYSTEMS			
CM, O2 Cylinder Wrench, Tethered	1		
in oxygen compartment.			
CM, Rack, Multiversal, Zico #QR-MV, W/ Straps	1		
Set up for M cylinder size			
CM, Track, Unistrut for Oxygen Rack	1		
CM, Manual, O2 System	1		
CM, O2 Regulator, Preset 50PSI	1		
Ship Loose			
CM, O2 System, Ohio Style, (2 AA, 1 Vac Diss, 1 Liner, 1 C/S)	1		
Ohio style outlets			
(2) oxygen outlets in action area			
(1) vacuum Diss Outlet in action area			
(1) oxygen outlet in liner at the chest of cot			
(1) oxygen outlet curbside wall at head of squad bench			
CM, Lexan Flap, w/Hinge	1		
SUCTION SYSTEM			
CM, Suction Pump, SSCOR 90206	1		
mounted in compartment "2"			
CM, Suction Holder, SSCOR 23002 with w/Canister Clip & Regulator	1		
See oxygen system for type of fitting used for container			
WC, Suction Outlet and Container located in Action area recess	1		

DESCRIPTION	QTY		
Suction container in recess in cabinet recess in wall below action area countertop.			
MISC MEDICAL			
CM, Fire Extinguisher, Additional, 5 LB. ABC, Ship Loose, Each	1		
HD Amerex Bracket #861H with Amerex 5LB fire extinguisher.			
PAINT AND FINISH			
WC, Wheeled Coach Paint Process	1		
RM & CM, Module Paint, Single Color, OEM White	1		
Ford White: PPG Code - FBCH978045			
RM & CM, Cab Paint - Single Color, OEM White	1		
Ford White: PPG Code - FBCH978045			
PAINT STRIPING DESIGN			
Paint Belt, None	1		
GRAPHICS AND LETTERING DECALS AND NOMENCLATURE			
	1		
SHIP LOOSE ITEMS			
CM, Bracket, Spare Tire Mounting, Ship Loose	1		