



CHASSIS

Description

- 1 ○ Ford Transit Van T250 All-Wheel Drive with Mid Height Roof
 - 3,5L ECOBOOST V6 Gas Engine 10 speed Automatic Transmission
 - Wheelbase 148" (3760 mm)
 - GVWR (Gross vehicle weight rating) 9,070 Lbs / 4,114 Kg

LIGHTING

Description

- **Type of lights**
 - Whelen standard series
- **Brake lights**
 - Rear configuration
 - OEM Ford brake light

EMERGENCY AND WORKING LIGHTS

Description

- **Type of lights**
 - Whelen standard series
- **Flash pattern**
 - Light Package with triple flash light pattern
- **Grille lights**
 - Two (2) red LED in grille
 - LINZ6 series 4 x 2
 - 1 Two (2) additional clear LED with WIG WAG flash pattern in grille
 - LINZ6 series 4 x 2
- **Front lights**
 - Whelen pod with 5 lights with 2 red / 1 white / 2 red
 - 700 series 7 X 3
- **Intersection lights**
 - Two (2) red LED intersection lights
 - LINZ6 series 4 x 2



- **Curb and street side upper configuration**
 - Four (4) red LED lateral emergency lights (two (2) on each side)
 - LINZ6 series 4 x 2
 - Four (4) lateral LED scene lights (two (2) on each side)
 - PEL series
- **Curb and street side lower configuration**
 - 1 Two (2) red LED lights at mid height
 - LINZ6 series 4 x 2
- **Rear lights**
 - Four (4) red LED lateral emergency lights (two (2) on each side)
 - LINZ6 series 4 x 2
 - Two (2) lateral LED scene lights (one (1) on each side)
 - PEL series
 - 1 Two (2) red LED lights at mid height
 - LINZ6 series 4 x 2

AUDIBLE WARNING SYSTEM

Description

- **Siren**
 - Siren amplifiers (100 watt) with 4 tones and Public address (P/A) microphone
- **Speakers**
 - Two (2) bumper integrated speakers
- **Back-up alarm**
 - Back up alarm (97db) with override switch

VEHICLE FEATURES

Description

- **Steps**
 - Rear anti-skid steps
 - 1 Anti-skid lateral steps (running boards)
- **Mirrors**
 - OEM exterior mirrors
- **Chassis protection**
 - Undercoating protection
 - Front and rear mud guards



CONVENIENCE

Description

- Fast-idle
- OEM back-up camera integrated in dashboard

PAINT AND GRAPHICS

Description

- Oxford white exterior paint

INTERIOR CONFIGURATION

DRIVER'S COMPARTMENT

Description

- **Front console**
 - Console with switches and LED backlit pictograms incorporated in lower dash board
 - OEM Electronic radio AM/FM/CD with digital clock (includes 4 speakers)
 - 12 V. DC Outlet (2)
 - "Door ajar" & "Compartment" indicator lights
 - Intercoodes patient indicator lights (Red/Yellow/Green)
 - Rear air conditioning/heating speed and temperature control with automatic mode
 - Digital chassis voltmeter and conversion ampeter
 - Cab headliner with OEM reading lights

CURB SIDE CONFIGURATION

Description



- **Squad bench**

- *Seating for two (2) passenger, 4-point safety belts*
- Trash container with flip-down door
- Single full length molded backrest
- Single full length molded seat cushion
- Auxiliary patient safety straps (3)

- **Accessories**

- 1 Safety net
- 1 Mount for cardiac monitor at forward end of squad bench

STREET SIDE CONFIGURATION

Description

- **Full medical cabinet**

- Horizontal backboard storage, slide in compartment at rear entry door
- Aluminum extrusion structure
- ABS storage cavities (8)
- Clear LED reading lamp (1)
- Clear Lexan sliding windows (8)

FORWARD BULKHEAD

Description

- **Cab to module configuration**

- Pass-through sliding window

- **Front cabinet configuration - Curb side**

- Stair chair compartment
- One (1) fixed shelf

- **Upper section**

- One (1) adjustable shelf

1 Two (2) aluminum extruded doors with see through windows and stainless steel lockable handle

- **Lower section**

- One (1) adjustable shelf

1 Retaining straps

ATTENDANT SEAT



Description

- EVS 1760 flip-up certified thermoformed seat equipped with 3-point safety belt
- 1 EVS 1860 flip-up certified thermoformed seat equipped with child safety device and 3-point safety belt

COT CONFIGURATION

Description

- Floor
 - Flooring: 3/4 in. (19 mm) exterior grade plywood
 - Universal floor configuration (universal anchoring plates for standard positions included, no floor cutouts & no cot fastener included)
 - Stryker systems
 - 1 **Stryker Universal Floor Plate** (no cot fastener included)
 - Pre-wiring for inductive charging feature

ACTION AREA CONTROL PANEL

Description

- **Action area console (ECC)**
 - Switches with LED backlit pictogram
 - Temperature control with automatic setting
 - Power inverter control panel (with power inverter option only)

OXYGEN SYSTEM

Description

- **Main oxygen tank storage**
 - Universal vertical holder for main oxygen cylinder type "M" next to rear right entry door



- **Oxygen outlets**

- OHIO Quick-connect style oxygen outlet

1 Two (2) oxygen outlets

- Two (2) in left wall, ECC

- **Portable oxygen tank storage**

1 "D" Portable oxygen cylinder storage (2) located in squad bench

SUCTION SYSTEM

Description

- **Main suction pump and canister**

- Thomas suction pump
- Vacuum outlet
- Vacuum regulator with disposable canister

ELECTRICAL SYSTEM

Description

- Alternator with 220 amp rating
- Demers Electronic Management System (DEMS) - Multiplex system
- Prewiring for 1000W power inverter
- **Batteries (2) :**
 - Two (2) OEM
- **Four (4) 12V DC electrical outlets**
 - One (1) in ECC
 - One (1) in the front cabinet
 - One (1) in cardiac monitor location
 - One (1) on curb side wall
- **Four (4) 120V AC hospital grade electrical outlets with indicator**
 - One (1) GFCI in ECC
 - One (1) in the front cabinet
 - One (1) in cardiac monitor location
 - One (1) on curb side wall
- **Shoreline :**

1 Yellow 15-amp Kusmaull Super Auto Eject outlet with indicator



- Inverter

- 1 Power inverter (Xantrex Freedom HW 1000)

COMMUNICATION SYSTEM

Description

- Radio communication compartment with universal board, blade type fuse panels and harness to power the radio communication devices (12V battery feed, ground, ignition).

CLIMATE CONTROL SYSTEM (HVAC)

Description

- Combo air conditioning / heating unit on curbside
- Tie-in to OEM heating system in combo unit
- 1 Tie-in to OEM air conditioning system in combo unit
- Exhaust fan for contaminated air (1)

INTERIOR LIGHTING

Description

- Seven (7) LED dome lights with four intensity settings

GRAB HANDLES AND GRAB RAILS

Description

- Chrome grab bars
 - 1 One (1) rear entry grab bar, 12"
 - 1 One (1) curb side entry door grab bar, 12"
 - One (1) ceiling mounted grab rail, 60"
 - Two (2) rear door mounted black soft grab bar, 7"

FINISH AND TRIM

Description



FUNCTIONALITIES

- Floor : Slip resistant, covering material; .098 in. (2.5mm) thickness rolled-up 3 in. (75mm)
- Insulation (1/8 in. ethafoam) between chassis and floor boards
 - Altro
 - 1 *Altro, Designer, Midnight*
- Ceiling : Light grey
- Walls : Light grey
- Furnitures: Light grey
- Upholstery:
 - Lower & rear Black
 - Upper Ambassasor Grey
 - Entry doors Sun Yellow (Entrance head protectors)
- Lower section: Dark grey
- Rear door trims

FUNCTIONALITIES

Description

• **Street side accessories**

- 1 Two (2) perko IV clips in medical cabinet
- Two (2) recessed/flexible IV hooks in ceiling

SPECIAL CONFIGURATION

COMMENTS OR SPECIAL NOTES

Description

- 1 *make the top rear left corner light Blue/Clear*
- 1 *move the outlet in the action area to the cabinet below it*