

Specification Summary

Name

CCL150



Specifications

- Aluminum Extruded Body Construction
- CrestCoat Powder Coating Technology
- Aluminum Cabinets
- Multiplex Electrical System
- Flush Mount Windows

Sales Options by Category

Base

Item Number	Name/Description	Quantity
	TYPE I - CCLP150	1.00
	TYPE I - CCLP150	
	72in Interior Headroom	1.00
	72in Interior Headroom	

Chassis

Item Number	Name/Description	Quantity
	Ford F350 chassis cab 4x4 diesel	1.00
	Ford F350XL Super Duty Diesel Chassis Cab 4X4 169", 6.7L POWER STROKE V8 Diesel, Wheelbase 169" (4293 mm), GVWR (Gross vehicle weight rating) 13,300 Lbs / 6,033 Kg	
	Anti-theft	1.00
	Anti-theft security system	

High Idle	1.00
High Idle system	
OEM chassis mirrors	1.00
OEM chassis mirrors	
TIRE PRESSURE MONITOR - QuickPressure	1.00
TIRE PRESSURE MONITOR - QuickPressure	
Wheel alignment	1.00
Wheel alignment completed at the factory	
Running Boards	1.00
Diamond-plate aluminum running boards with grip strut	
Hidden front grille door unlock switch	1.00
Hidden front grille door unlock switch	
LiquidSpring Suspension Type I	1.00
LiquidSpring Suspension System - Type I	

Drivers Compartment

Item Number	Name/Description	Quantity
	Control center with pictogram labelled switches	1.00
	Control center with switches and LED backlit pictograms on console	
	Manual adjustment seat	1.00
	OEM manually adjustable chassis seats.	
	Talk-through with sliding window	1.00
	Cab to module talk-through opening with sliding window	
	Chassis voltmeter and conversion voltmeter	1.00
	OEM chassis voltmeter.Digital conversion voltmeter on driver's console.	
	Patient status indicator lights	1.00
	Patient status indicator lights (Red/Yellow/Green) on driver's console	
	Ram mount console	1.00
	Ram mount console	
	Door indicator light	1.00
	"Door ajar" and "Compartment" indicator light on driver's console	
	Two USB charging outlets	1.00
	Two USB charging outlets on driver's console	
	No floor mount console	1.00
	No floor mount console	
	Passenger reading light	1.00
	Ceiling mount red/white LED reading light centered over passenger seat	
	Driver's reading light	1.00
	One (1) additional ceiling mount red/white LED reading light centered over driver seat	

Conversion

Item Number	Name/Description	Quantity
	C1 Compartment, ALS Access and Battery Compartment	1.00
	C1 Compartment - ALS inside/outside access with a sealed battery storage area	
	Battery slide-out tray	1.00
	Battery slide-out tray in C1 compartment	
	C2 Side Entrance Door	1.00
	C2 - Side entrance door with tinted flush mount window	
	Dual step entry with step well light	1.00
	Two-step interior access with LED step well light	
	C3 Compartment, Equipment Storage	1.00
	Open storage in C3 Compartment	
	C3 - Backboard storage	1.00

Dual backboard storage with straps, two adjustable shelves for equipment bags, and stair chair storage in C3 Compartment.	
S1 Compartment - Main Oxygen Storage	1.00
Main oxygen storage in S1 Compartment	
S2 Compartment - ECC	1.00
Electrical Control Center (ECC) with lower equipment storage in S2 Compartment	
ECC cover	1.00
Aluminum panel in ECC compartment to cover and protect electrical from water and debris	
S3 Compartment, Outside access closed off	1.00
Equipment storage with outside access closed off in S3 compartment	
50/50 Rear doors	1.00
50/50 Split rear entry doors with flush mounted tinted windows	
Black rubber fenderettes	1.00
Flexible black rubber fenderettes over rear wheels	
Rear kick plate with no text	1.00
Rear kick plate with no text	
Aluminum rub-rails on each side	1.00
Aluminum rub-rails on each side of conversion	
Undercoating protection	1.00
Undercoating protection	
Rear mudguard	1.00
Rear mudguard	
Rear bumper underbody	1.00
Rear bumper underbody	
Module front corner stone guard	1.00
Module front corner stone guard aluminum checker-plate protection	
Flush license plate with LED light	1.00
Flush license plate with LED light	

Exterior Lighting

<i>Item Number</i>	<i>Name/Description</i>	<i>Quantity</i>
	Clearance lights	1.00
	Clearance lights - Seven amber and seven red LED marker lights	
	Two 3/4 inch red LED mid-body side lights at rear	1.00
	Two 3/4 inch red LED mid-body side lights at rear to be marker top with turn signal below	
	Two red LED brake/tail lights	1.00
	Two red LED brake/tail lights	
	Two amber LED turn lights	1.00
	Two amber LED turn lights	
	Two white LED reverse lights	1.00
	Two white LED reverse lights	

Emergency Systems

<i>Item Number</i>	<i>Name/Description</i>	<i>Quantity</i>
	Standard Series Emergency Lights	1.00
	Standard Series Emergency Lights	
	Colored lens	1.00
	Emergency lights to have colored lenses	
	Chrome bezels	26.00
	Standard Series chrome bezels	

Seven 9x7 Front Lights	1.00
Seven 9x7 lights (R/R/R/W\R\R\R) on front of the conversion	
Two (2) 7x3 red lights, one (1) each side	1.00
Two (2) 7x3 red lights, one (1) each side of chassis	
Two Whelen LIN6 Series red lights	1.00
Two Whelen LIN6 Series red lights	
Four (4) 9x7 red lights (two each side)	1.00
Four (4) 9x7 red lights (two each side)	
Four 9x7 LED scene lights	1.00
Four (4) 9x7 LED scene lights (two each side)	
Two 7x3 mid body lights, one each side	1.00
Two (2) 7x3 red mid body lights above rear wheel (one each side)	
Two (2) 4x6 LED load lights	1.00
Two (2) 4x6 LED load lights	
Two 9x7 and one 7x3 Rear Lligh (B/A\R)	1.00
Two 9x7 and one 7x3 light (B/A\R) on rear of conversion	
Two 9x7 red lights at window height on rear	1.00
Two 9x7 red lights at window height on rear of conversion	
Siren amplifiers (100 watt)	1.00
100 Watt Siren amplifier with 4 tones and public address (P/A) microphone	
Two siren speakers in front bumper	1.00
Two siren speakers in front bumper	

Interior Curbside Configuration

Item Number	Name/Description	Quantity
	Two (2) position squad bench, 4-point harness	1.00
	Two position squad bench with 4-point harness system.	
	Squad safety net	1.00
	Safety restraint net installed forward of curbside seating	
	Curbside overhead aluminum cabinet	1.00
	Overhead aluminum cabinet above curbside seating	
	Squad bench with integrated waste and sharps	1.00
	Squad bench with integrated waste and sharps	
	ALS Compartment	1.00
	Front ALS compartment with two adjustable shelves	
	Storage cabinet above pass-through	1.00
	Storage cabinet with shelf and single hinge door, located above pass-through	
	Lockable drug cabinet	1.00
	Lockable drug cabinet above ALS compartment	

Interior Streetside Configuration

Item Number	Name/Description	Quantity
	CPR seat with 4-point harness system	1.00
	CPR seat with 4-point harness system	
	Fixed frames	1.00
	Fixed frames with sliding polycarbonate doors	
	Aluminum countertop	1.00
	Aluminum countertop - Powder coated	

Attendant Seat

Item Number	Name/Description	Quantity
	Rear-facing EVS seat with 4pt seatbelt, child seat	1.00
	Rear-facing EVS seamless vinyl seat with child safety device and 4-point seatbelt	

	Two position swivel seat base	1.00
	Two position swivel seat base	
Cot Configuration		
Item Number	Name/Description	Quantity
	Stryker universal floor plate only	1.00
	Stryker universal floor plate only	
	Pre-wire Performance-LOAD	1.00
	Pre-wire Performance-LOAD	
	Center mount cot configuration	1.00
	Center mount cot configuration	
Oxygen		
Item Number	Name/Description	Quantity
	Quick disconnect style outlet	1.00
	Quick disconnect style outlet	
	Universal vertical holder	1.00
	Universal vertical holder for oxygen cylinder	
	One oxygen outlet in Action Area	1.00
	One oxygen outlet in Action Area	
	One additional oxygen outlet in Action Area	1.00
	One additional oxygen outlet in Action Area	
	One oxygen outlet on curbside wall	1.00
	One oxygen outlet on curbside wall	
Electrical		
Item Number	Name/Description	Quantity
	Multiplex system	1.00
	Multiplex electrical system using toggle switches with LED backlit pictogram.	
	Curbside switch panel	1.00
	Curbside switch panel	
	Rear speaker volume control	1.00
	Rear speaker volume control at Action Area	
	Temperature control with automatic setting	1.00
	Temperature control with automatic setting at Action Area.	
	Patient status indicator lights	1.00
	Patient status indicator lights (Red/Yellow/Green) at Action Area.	
	On/off LED reading light	1.00
	On/off LED reading light above Action Area.	
	Four antenna ports with pre-wiring	1.00
	Four antenna ports with pre-wiring for antenna RG 58 A/U	
	Two OEM batteries	1.00
	Two OEM batteries	
	Additional 3rd battery	1.00
	Additional 3rd battery	
	Back up alarm	1.00
	Back-up alarm (97db)	
	Back up alarm override switch	1.00
	Back-up alarm override switch	
	High intensity LED compartment rope lights	1.00
	High intensity LED compartment rope lights	
	Six LED dome lights	1.00
	Six LED dome lights with multiple intensity settings	

Xantrex Freedom XC pure sine-wave inverter/charger	1.00
Xantrex Freedom XC pure sine-wave inverter/charger	
Auto Eject - Yellow 20 amps	1.00
Auto-eject shoreline outlet - 120V 20 amp assembly with a yellow waterproof cover	
Shoreline light	1.00
Indicator light above the shoreline plug to show power connection	
1 120V GFCI outlet in Action Area	1.00
One Hospital-grade 120 VAC GFCI dual outlet with indicator light in Action Area	
1 120V outlet in lower ALS area	1.00
One Hospital-grade 120 VAC dual outlet with indicator light in lower ALS area	
1 120V outlet in upper ALS area	1.00
One Hospital-grade 120 VAC dual outlet with indicator light in upper ALS area	
One 12 VDC outlet in lower ALS area	1.00
One 12 VDC outlet in lower ALS area	
One 12 VDC outlet in Action area	1.00
One 12 VDC outlet in Action area	
Camera monitor in cab	1.00
Camera monitor in cab	
Back-up camera	1.00
Back-up camera	
SSCOR Suction System	1.00
SSCOR suction system in Action Area	

HVAC

<i>Item Number</i>	<i>Name/Description</i>	<i>Quantity</i>
	Combo heat and AC	1.00
	Combo heat and air conditioning with exhaust fan for contaminated air	

Accessories

<i>Item Number</i>	<i>Name/Description</i>	<i>Quantity</i>
	Three glove box holder above side entry door	1.00
	Three glove box holder above side entry door	
	No fire extinguisher in chassis	1.00
	No fire extinguisher in chassis cab	
	No fire extinguisher in S3 compartment	1.00
	No fire extinguisher in S3 compartment	
	L-shaped yellow grab bar on side entry door	1.00
	L-shaped yellow grab bar on side entry door	
	L-shaped yellow grab bars on rear entry doors	1.00
	L-shaped yellow grab bars on rear entry doors	
	One 61in ceiling mounted grab rail	1.00
	One 61in ceiling mounted yellow grab rail	
	Four clip style IV hangers with strap	1.00
	Four clip style IV hangers with strap (2 curbside wall, 2 streetside wall)	
	Spare plastic trash liners	1.00
	Twelve spare plastic trash liners	

Finish and Trim

<i>Item Number</i>	<i>Name/Description</i>	<i>Quantity</i>
	Interior powdercoated white	1.00
	Cabinets, wall panels and ceiling are white powder-coated aluminum	
	Black upholstery	1.00
	Black vinyl upholstery with yellow head bolster pads on entry doors	

	Floor : Slip resistant, rolled-up 5 in. (127mm)	1.00
	Floor : Slip resistant, rolled-up 5 in. (127mm)	
	Lonplate II Midnight #443TXM	1.00
	Lonplate II Midnight #443TXM flooring	
	Clear anti-slip spray	1.00
	Clear anti-slip spray applied to side entry steps	
Paint and Graphics		
<i>Item Number</i>	<i>Name/Description</i>	<i>Quantity</i>
	Powdercoat module white	1.00
	Powdercoat entire module white to match the chassis	