

Unit #:
24-TWGH097-
24-TWGH111

Chassis Model Yr		2026
MEDIX Model		SRH-148, Type II - TWGH
CHASSIS		Ford 350 HR, AWD Van, 3.5L ECOBOOST V6 Gas, 148"WB, 9500 GVWR, 10 Spd Trans
BODY		OEM Van Body w/High-Roof
QTY		Description
1		Chassis & Conversion
	01-	Flooring & Interior Colors
1		Cabinets: Laminated Wood Laminate Color: Titanium
1		Upholstery: (Specify Color)
1		Color: Black Brand: EVS
1		Flooring: Altro - Transfloor Meta Black
	02-	Body & Chassis
1		This chassis is equipped with a Gasoline Exhaust System to meet the EPA standards for Gasoline exhaust emissions
1		Anti-Theft Device: IdleLock Ignition Security System, for Ford Transit Chassis Only. NOTE: 2026 Chassis to have the IdleLock integrated into the Ford VIS touch screen settings.
1		Pass-Thru w/Sliding, latching window that slides behind driver's seat. Window to have full length extruded handle for access.
1		Bumper: Transit rear step to have aluminum diamond plate with "Star Punch" surface installed on rear OEM step.
2		IV Hangers: (2) Cast black rubber fold-down over chest area of stretcher and Squad Bench.
3		Mirrors, OEM: (1) each cab door, (1) on interior windshield
1		Wheel Covers, OEM.
1		OEM fuel fill behind panel by driver's door.
1		Undercoating: Per OEM Guidelines
	03-	Brake, Turn & Back-Up Lights

1		OEM Standard Stop, Tail and Turn Lights.□
	04-	Electrical, Power Distribution, Control Center & Interior Lighting
1		Battery Switch, Automatic: TST CDR-400 with mounting plate.
1		Front Console: CNC Cut, Formed, Welded and Powder Coated Black housing between OEM seats. Console to include Whelen 295SLSA1 Siren and one removable blank radio plate. Switch panel mounted on OEM engine cowl for visibility.
2		Antenna, Radio Coax Cables: Terminated behind driver's seat w/Power & Ground for each
8		Lights: Dome, Whelen LED, 18-diodes w/chrome flange MX80EHZA , switched separately with Hi/Lo functions.
1		Action Area Light: 12 VDC LED light, with On/Off switch on rear control panel
1		USB Port: Vanner VSS-USB dual port 2Amp mounted on A/A wall
1		Shoreline: 125 VAC, 20-amp, 60 HZ, straight blade inlet w/hinged, weatherproof cover. Located on SS behind driver's door.
1		Timer: 5-minute check-out, wired to CS High mode dome lights
1		Inverter: Vanner LSC12-1100- 1100watt with 3-Stage 55Amp battery charger, 20Amp power supply and built in GFI. Remote controlled with switch in the rear switch panel. (This option deletes the GFI in the A/A wall). ILOS Location: Standard Transit Location behind lower main wall
1		Electrical: Battery Charger, DELETE STANDARD (when adding Inverter with integral charger)
1		Breaker Box: 125 VAC w/20-Amp Breaker located behind the lower main access panel. GFI receptacle located on the Action Area wall.
3		12 VDC Outlets: (2) located in Action Area and (1) located on bulkhead wall above ALS cabinet.
3		125 VAC Outlet- (1) on Action Area wall, (1) Curbside wall at the head of the squad bench and (1) located on bulkhead wall above ALS cabinet.
1		Electrical Cabinet: Located in upper streetside wall with vented, hinged door powder coated black with (2) flip latches.
	05-	Warning Lights & Sirens
1		EMERGENCY/SCENE LIGHTS: (4) Combination Emergency and Scene Light housing with Marker light- (1) mounted at each upper corner of the OEM chassis. Each CPI chrome mounting bezel to include one Whelen 900 seriesRed Flashing LED with clear lens and one Whelen 700 series LED Scene.

1		EMERGENCY/LOAD LIGHTS ON REAR DOORS: (2) Combination Emergency and Load Light housing- (1) mounted on each upper rear door corner on OEM chassis. Each CPI chrome mounting bezel to include one 900 series Red Flashing LED with clear lens, one Whelen 700 series Amber Flashing LED with clear lens and one Whelen series LED Load light.
1		EMERGENCY/LOAD LIGHTS INSIDE REAR DOORS: (2) Whelen Micron MCRNSK Red/Amber LEDs mounted above the rear entry doors and (2) Whelen PELCC LED Load Lights mounted on the upper rear corners of the interior door jamb. Both sets to be visible only when the rear doors are open.
1		Lights Warning: (2) ION Mini-T series Red LED mounted (1) each side on the OEM front fenders w/chrome bezels.
2		Lights, Warning, Grille: ION Mini-T series Red LED w/clear lenses & chrome flanges on center grille bar
2		Siren Speakers: Dual 100 watt Speakers mounted behind the OEM front bumper.
1		Siren: Whelen 295SLSA1, 200 Watt
	06-	Oxygen, Vacuum & Miscellaneous Items
3		Oxygen Outlets: Quick-connect style, (2) in Action Area, (1) over Squad Bench
1		Suction Aspirator System: Rico disposable container mounted in Action Area w/gauge and quick-connect; SSCOR vacuum pump mounted in rear air return.
1		Oxygen Cylinder Retention: For "M" cylinder, black steel w/3-spring buckle straps and top collar on slide-out, tilt-down tray w/lift strap; Located transverse at bulkhead. Side entry door access. Head of O2 cylinder accessible through sliding window under tech seat
1		O2 Regulator: Amvex, 50psi, pre-set
	07-	AC / Heat
1		HVAC System: High capacity free blow combination Heat-AC system with digital thermostat control on the action area wall. HVAC unit mounted in front bulkhead above the tech seat.
	08-	Cabinets, Hardware & Miscellaneous Items
1		Main Streetside Cabinet Wall: Stair chair storage Vertical Slide-in w/single seat belt style restraint strap at left rear entry door, w/(4) cabinets, HVAC access, inverter access, Electrical access designed into forward middle section under action area and (3) upper wall cabinet storage Cabinets are CNC cut and assembled.
1		ALS Cabinet: Non-locking lower tip-out waste storage and Defender locking upper storage for 747. Open upper shelf.
1		SO/TD O2 Bracket w/latch and pull strap, accessible through curb side entry door, hinged access door. Head of O2 cylinder accessible through sliding window below tech seat.
1		Glove Box Holder: Three-sized cabinet w/hinged, acrylic door recessed into upper curbside wall above sliding entry door.
1		Cargo Net @ head of squad bench.

