



QUOTATION

Nerv Demo

North Eastern Rescue Vehicles, Inc
 Bob Reilly
 10 Dwight Park Drive
 Syracuse, NY 13209

Job/Order No: 643436

WO#: 643436

Page 1

DESCRIPTION	QTY		
INFORMATION			
Manufacturer Certified ISO 9001	1		
WARRANTY			
WC, Warranty, Conversion, 12 Month	1		
WC, Warranty, Paint, 60 month Prorated, Standard	1		
WC, Warranty, Structural, 20 Years, Std., Mods	1		
WC, Warranty, Limited Electrical	1		
WC, Warranty, Cabinet Construction	1		
WC-Type 1 170 Module			
CERTIFICATIONS REQUIRED			
This unit built in accordance with KKK-A-1822-F in effect on the date of order with exceptions as noted herein.	1		
WC, This unit built in accordance with KKK-A-1822F CN 10 Cabinet Requirements This unit as specified meets all requirements of KKK-A1822-F Change notice 10.	1		
All cabinets shall be labeled as to their capacity Rating.			
01- CHASSIS REQUIREMENTS			
FORD CHASSIS			
WC, 2026 Ford F450, XLT 4X4, 108"C/A, 193"W/B, 7/3L GAS, 16,500 GVWR Estimated	1		
Auto throttle OEM Ford			
410 Alternator OEM Ford			
Mirrors, OEM, Heated/Remote			
Cab seats OEM 40/20/40 split bench (Center removed)			
Sync 4			
8" LCD Capacitive Touchscreen with Swipe Capability			
Wireless Phone connection			
AppLink w/app catalog			
911 assist			
Apple carPlay and Android Auto Compatibility			
Digital Owners manual			
Smart-charging USB-C Ports (2)			

DESCRIPTION	QTY
Domestic Chassis	1
ALTERNATORS	
Alternator(s) - Standard OEM	1
SUSPENSION	
WC, Rear Suspension, Liquid Spring- 2017+ F450, 4x4	1
Dump Feature activated by the Left rear access door.	
Override switch to be on rear entry door	
Ignition switch Hot	
Per KKK, the rear suspension shall only lower the module when the vehicle is in park and the parking brake is set.	
HIGH IDLE	
WC, Intermotive Module controllers, F series, GAS ,2023+ High Idle Controls, OEM	1
FRONT END ALIGNMENT	
Front End Alignment, None- QC Check -Standard	1
WC, Wheeled Coach Stainless Grille Logo, with Red Reflective backing	1
Red reflective behind cut out.	
OUTSIDE REAR VIEW MIRRORS	
Mirrors, OEM-STD	1
WC, Cab Flooring, Black Rubber, F350/450, OEM	1
WHEEL COVERS	
WC, Wheel Covers, Phoenix, F450/550, Installed with Air Max Valve Extenders	1
BASE CONVERSION	
WC, Conversion, Type 1, 170 Module, F450 4x4 - 23-1	1
MODULE BODIES:	
WC, Interior Headroom, 72 Inches	1
WC, Module, Type 1, 170" Body Length, Duraseam Doors, 170" L x 95" W	1
WC, Body Width 95" Standard	1
WC, Aisle Space, 50", Type 1 (49-50" actual)	1
Requires stainless steel wheel well covers attached to squad bench and base wall cabinets that will protrude up to 1.5" into aisle way on each side.	
STRUCTURAL FRAMING - RFP	
WC, Type 1, General Body Construction Spec	1
WC, Type 1, Vehicle Body Structure Spec	1
EXTERIOR MODULE CONSTRUCTION	
WC, Stone Guard, Front, Diamond Plate, Type 1, Standard Height	1
DROP SKIRTS	
FUEL FILLS & SPLASH PLATE	
WC, Housing Fuel Fill, Cast Aluminum, Type 1	1
REAR KICKPLATE	
WC, Rear Kick plate, Under-Ride Bumper, w/ Tag recess, No lights	1

DESCRIPTION	QTY		
SUB-FLOOR SYSTEM			
WC, Flooring, 3/4" Marine Grade Plywood, Type 1	1		
MODULE ENTRANCE			
WC, Module Access, CS Door standard location	1		
MODULE DOORS, HANDLES & HOLD OPENS			
WC, Duraseam Hinged Doors with Hidden Jambs, Type 1 - Magnetic door switches	1		
WC, Hold Open Rear Entry Doors, (2) 6" Door Grabber - Installed so doors will open as wide as possible - Mount at Bottom of doors.	1		
WC, Hold Open - Gas Strut, Curb Side Entry Door, 35#	1		
WC, Patient Entry Door Handles, Trimark Black/Chrome Pull Handle w/"SafePass" With Round Push button Emergency release top and bottom of interior door panels.	1		
WC, Rear Entry Door Trailing Latch, Side release Paddle	1		
WC, Electrical Feed to Required Doors, Spring Protector (per Door)	8		
POWER DOOR LOCKS			
WC, Power Door Lock, Trimark, Each Entry Door Module entry doors.	2		
WC, Power Door Lock, Trimark, Each Compartment Door All module compartments	6		
WC, Switch, Momentary Rocker, Activate Power Door Locks Installed on C/S wall at head of S/B.	1		
WC, Switch, Remote Stealth, Cab/Mod Doors In grille on passenger's side.	1		
WC, Relay Control Circuit, Power Door Locks	1		
WC, Circuit, OEM Door Lock to activate Mod Doors	1		
WC, Intermotive Door Lock Module for 2023+ Ford F-series	1		
ENTRY DOOR INNER PANELS			
WC, Entry Door Panels, Durasafe, Stainless Steel Durasafe Design	1		
WC, Blue and White Center Chevron w/Wheeled Coach Logo	1		
SIDE DOOR STEP			
WC, Side Entry Step Well, Type I, Aluminum Diamond Plate Recess for D cylinder	1		
	1		
WC, Light, Side Entry Step well, LED, Whelen #TOCACCCR, 2"	1		
WC, Electric Slide-Out Step, Zico #VS-24-11, Retractable, Below Side Entry Door Locate Zico electric step under step well at curbside entry door	1		
Constant hot. No cutoff switch.			

DESCRIPTION	QTY		
WINDOWS			
WC, Window, Upper, CS/Slider, Rr/Fixed, Privacy Tint, PAN	1		
MODULE TO CHASSIS MOUNTING SYSTEM			
WC, Module to chassis mounting system, Type 1 Ford Long WB	1		
CAB TO MODULE			
WC, Bellows, Pass thru, Unigrip, F1 2008+, With Aluminum cab insert.	1		
REAR BUMPER AND REAR STEP CONSTRUCTION			
WC, Rear Bumper w/ Skids & Flip Up, F1/C1, w/ holes for 2" LED Lights w/ Gator Grip on flip up step. holes in sides of bumper for 2" marker light	1		
WC, Coating, Polyurethane, Rear Bumper Supports Black	1		
INSULATION			
WC, Insulation, Walls and Ceiling, R11 Fiberglass Batt Type 1, 9 & 3 160 & over There shall be double bubble insulation in the entry and compartment doors.	1		
RUB RAIL AND FENDER RINGS			
WC, Rub Rails, Skirt Line, Extruded "C" channel (E-one Style)	1		
WC, Tape, Reflective, White, For Extruded Skirt rails	1		
WC, Fender Flare, Bright Finish Aluminum	1		
SPLASH GUARDS AND RUNNING BOARDS			
WC, Mud Flaps, Rear, w/ Wheeled Coach Logo	1		
WC, Running Boards, F450/550 w/Gator Grip	1		
DRIP RAILS			
WC, Drip Rail Trim Moldings Over Door Openings	1		
CAB TO PATIENT AREA ACCESS			
WC, Bulkhead, Unigrip, Type 1F/D, Pass Thru, w/ Sliding Lexan Window	1		
LICENSE PLATE HOLDER			
WC, License Plate Holder, Cast LP0002-1 for Under ride Bumper in rear kick plate, centered License holder comes with (2) LED lights.	1		
EXTERIOR COMPARTMENT CONSTRUCTION			
WC, Exterior Compartment, Std, Floor 2.5" Drop Down from Door Opening, Each	4		
WC, Exterior Compartment, Sweep out, Each - Compartments #1 and #8.5 are sweep out	2		
WC, Door Sill Protector, Stainless, All Comps Door Sill Protection - Install Stainless Steel sill protector on lower edge of all door frames to prevent paint damage	1		
WC, Polyurethane Coating per compartment light gray	6		
EXTERIOR COMPARTMENT DOORS			

DESCRIPTION	QTY
WC, Compartment Comp Handle, Trimark, Oval Pull Handle, Black/Chrome	6
WC, Compartment Door Latch, Edge Paddle, Trimark, Trailing Door Interior edge style handle comp "#2"	1
COMPARTMENT DOOR HOLD OPEN	
WC, Hold Open, Gas Strut, Ext Comp, 60lb for comp. #4 hold open	1
WC, Hold Open Gas Strut, Ext Comp, 30lb (2) Compartment 2, (1) Compartment 1, 6, 6.5	5
WC, Hold Open, Gas Strut, RF Comp, 30lb	1
COMPARTMENT LIGHTING	
WC, Compartment Lighting, LED Solico Reel lights, Wall 1 & 3 both vertical edges near door jambs on All compartments, Except the battery compartment. Oxygen compartment lights shall be activated also as the O2 light.	1
COMPARTMENT #1 - STREETSIDE FWD	
WC, Compartment #1, Full Height	1
WC, No Dogleg for Stair chair in Compartment #1	1
WC, Compartment #1, Shelf, Adjustable, W/Alum Track, First shelf -(2) SHELVES FORWARD OF FIXED DIVIDER EVENLY SPACED TOP TO BOTTOM	1
WC, Compartment #1, Shelf, Adjustable, Additional, Each	1
WC, Compartment #1, Shelf, Fixed, Exterior, Each MOUNTED ABOVE O2 CYLINDER FOR "M" SIZED TANK.	1
WC, Compartment #1, Fixed Divider, Vertical, O2 Height -FIXED DIVIDER TALL ENOUGH FOR "M" SIZE CYLINDER	1
COMPARTMENT #2 - STREETSIDE FWD WHEELWEL	
WC, Compartment #2, 50" Aisle, Standard Configuration With Double Doors	1
WC, Compartment #2, Shelf, Fixed, Electrical storage, w/ Divider Area to right of divider will be used for additional customer storage.	1
Add Dogleg in Comp #2 for Recessed Suction in Face of A/A	1
WC, Compartment #3, NONE	1
COMPARTMENT #4 - STREETSIDE AFT	
WC, Compartment #4, 3/4 Height. With SINGLE DOOR	1
WC, Compartment #4, Shelf, Adjustable, w/Aluminum Track, First Shelf at bottom of cabt "C4" inside/outside access opening.	1

DESCRIPTION	QTY		
WC, Compartment #4, Strap, Seat Belt Style, Each (1) Mounted on door to hold stair chair in place	1		
WC, Compartment #4, Bracket, Stair chair Mount, on Door Diamond plate box mounted to the door of Comp: 4	1		
COMPARTMENT #6 - CURBSIDE AFT			
WC, Compartment #6, Full Height	1		
WC, Compartment #6, First Divider, Vertical, 3/16" Thick, Recessed Adj Track centered.	1		
WC, Compartment #6, Equipment Strap, Seat Belt Style, Each	1		
Nylon web strap w/ seat belt buckle and two (2) footman loops			
(1) from wall #1 to divider mid height			
COMPARTMENT #6.5 - CURBSIDE AFT WHEELWELI			
WC, Compartment #6.5, Below Squad Bench Floor Level	1		
COMPARTMENT #8 - CURBSIDE UPPER FORWARD			
WC, Compartment #8/8.5, Single Door	1		
WC, Compartment #8, Shelf, Adjustable, RF Cabinet, First shelf w/Aluminum Track	1		
(1) RF Comp "8"/cabinet "U8" area, centered.			
WC, Compartment #8, Shelf, Adjustable, Additional, for Aluminum Track, Each	1		
RF Comp "8"/cabinet "L8" area, centered.			
INTERIOR TRIM AND FEATURES			
WC, Interior Cabinets, Duralite Construction, Wood, CN10 compliant	1		
All cabinets shall be labeled with their Rated Weight Capacity.			
INTERIOR ADJUSTABLE SHELVES			
WC, Shelf, Interior, Wood, (1) adjustable, in Cabinet U4, U3.5 U2 L3.5	4		
HEADLINER			
WC, Headliner, Flat, PVC, Hinged trough cover, 160"+	1		
FLOORING			
WC, Flooring, Lon Seal "Lonplate II " With approximately 3" roll up both street side and curbside.	1		
WC, Color, Gunpowder Gray #424TX	1		
WC, Floor, Thresholds, .063 Aluminum , Painted w/Black Poly-urea coating	1		
Entry Door Grab Handles			
WC, Entry Door Grab Handles (3), Custom "L" Shape, 1", Yellow	1		
- Yellow Powder Coat Finish Stainless Steel Grab Handles			
Ceiling Grab Rail - Center			
WC, Ceiling Grab Rail, Overhead, 112", 1" Diameter Handicap Style, Yellow	1		
Yellow Powder Coat Finish			
IV FLUID HANGERS			

DESCRIPTION	QTY		
WC, IV Hook, Perko Snap Hook w/Velcro Strap, Each CS and SS standard locations	2		
ACTION WALL AREA #2			
WC, Cabinet, A/A, 50" Aisle, No Bio waste, w/Recessed Suction, Rounded Corners Recessed suction in aisle facing cabinet face under action area tray.	1		
WC, Tray, A/A, Std. Aisle, No Bio waste, Poured, Black	1		
WC, AA Upper Cabinets, U2.5 Angled, U2, Full Ht Comp #1	1		
CABINET DOORS			
WC, Door, U2 Gray Polycarbonate Slider, CN 10 Compliant	1		
WC, Door, U2.5, OHO Right Hinged Gray Polycarbonate (CWRX) CN 10 Compli Hinged on right	1		
Interior Street side #3 - CPR Seat			
WC, CPR side seat, Fixed Backrest, 25" wide Std.	1		
WC, CPR, Lid, Hinged Flip Up With Trimark Latch	1		
WC, Cabinet U3.5, Angled 45 degrees Door hinged on LEFT.	1		
WC, Cabinet U3, w/ CPR seat (ONLY Available in 72" HR) Note: TO meet 43" minimum KKK requirement for space between cushion on Side seat and bottom of splint cabinet.	1		
WC, Cabinet C3.5, deleted For Telemetry Area	1		
WC, Cabinet L3.5, full height, std	1		
WC, "U" Barrier Bar, Padded, 1.5" SS, CPR Seat, Gunmetal Mounted approximately 12" from the center of the seat to the side of the barrier bar .	1		
WC, Telemetry Tray, Poured, Black	1		
CABINET DOORS			
WC, Doors, U3.5 Gray Polycarbonate OHO Hinged door, CN 10 Compliant Hinged Left Side NOTE: See Lock, Gen III for left hinged door,	1		
WC, Door, U3 Gray Lexan Flap Glass, CN 10 Compliant Friction Hinge hold opens	1		
WC, Doors, L3.5, Gray Polycarbonate Slider, CN 10 Compliant	1		
STREETSIDE REAR AREA #4			
WC, Cabinet U4	1		
WC, Cabinet C4, Inside/Outside Access	1		
WC, Cabinet L4, Deleted	1		
CABINET DOORS			
WC, Doors, U4 Gray Polycarbonate Slider - CN 10 Compliant	1		
WC, Doors, C4, Gray Polycarbonate Slider - CN 10 Compliant	1		

DESCRIPTION	QTY		
SQUAD BENCH AREA			
WC, Squad bench, (2) D Cyl Storage, Sharps/Waste Bio-waste storage at head of bench.Trash Inboard ,Sharps Outboard of waste. (2) "D" cylinders at head of S/B at head facing RF cabinet.	1		
WC, Lid, Squad Bench, Single W/Bio-Waste	1		
WC, Handle, Trimark, CPR Seat, Std.	1		
WC, Handle, Trimark, Squad Bench	1		
WC, Strut, Gas, 30 LB, Installed (1) CPR side seat (1) Squad Bench	2		
WC, Seatbelt, Assy, (4 Point), Per4Max, Yellow, Vert. Mount, (1) Each, CN-8 Above bench Lid mounting (1) for CPR side seat (2) for squad Bench	3		
WC, Patient Restraint Belts, Squad Bench (3)	1		
WC, Safety Net, Head of Squad Bench, 2" Straps, Yellow attached to floor at head of squad bench, CS wall and overhead liner with removable latches.	1		
CABINET OVER SQUAD BENCH			
WC, CS Splint, U7 & U7.5, 7in Deep, 2 Sect,Gray Lexan Flap glass Note: TO meet KKK requirement for space between cushion on squad bench and bottom of splint cabinet. Gray Lexan Flap glass with Friction Hinge hold opens	1		
KKK Compliancy Regarding Overhead Cabinetry The inclusion of a cabinet over the squad bench or CPR seat on a unit with less than 72" headroom will result in the unit not meeting KKK specification requirements.	1		
CURBSIDE REAR			
WC, Cabinet, Curbside Rear	1		
WC, Cabinet, Glove Box Holder, (3), Above C/S door,	1		
CURBSIDE RIGHT STACK STORAGE #8			
WC, RF ALS, Split Upper/Lower, HVAC at Top	1		
WC, Doors, RF, U8, Dual gen III OHO, Polycarbonate Doors, Gray	1		
WC, Doors, RF, L8, Dual Gen III OHO, Polycarbonate Doors, Gray	1		
ATTENDANT SEAT			
S WC, Attendant's Seat, EVS 1880,Comfort, Hi-Back Child Safety w/Per4Max cabinet base, opening to face CS entry door Attendant seat base should be mounted approx 16.4638 from the bulkhead cabinet	1		
WC, Color, Gunmetal, Per4Max Belt, Yellow	1		
WC, Attendant's Seat Base, EVS CBS Box Style Box opening to CS entry door	1		

DESCRIPTION	QTY		
INTERIOR COLORS			
WC, Mica, Dove Gray D92-60 (Matte)	1		
UPHOLSTERY			
WC, Upholstery Color, Gunmetal	1		
WC, Backrest Cushion, EVS, Gunmetal, w/ WC Logo, Each	3		
CABINET SPECIAL LOCKS			
WC, Marine Hasp, for Padlock Installed	1		
Mounted on locking drug box cabinet in bulkhead cabinet above pass thru window next to RF cabinet			
CABINET KICK PANELS			
WC, Kick plate, 8" Brushed S/S, Face Of Squad Bench	1		
WC, Kick plate, 8" Brushed S/S, On Face of Base wall	1		
WC, Locking Drug Box Cabinet IATS	1		
10"x10"			
Mounted on bulkhead cabinet above pass thru window next to RF cabinet			
CABINET LATCHES- INTERIOR			
WC, Latch, Southco M1, 2" S/S, (3/4" door) Non-Locking, CN 10-Rated 10lb	5		
(self latching) Flush Mount. Non-Locking			
Sharps/waste			
(3) bulkhead			
(1) drug box cabinet			
WC, Latch, Southco M1, 2" S/S, (3/8" Door) Non-Locking, CN 10-Rated 10lb	4		
(self latching) Flush Mount. Non-Locking			
U3			
U7			
U7.5			
Glove box			
WC, Lock, Gen III for left hinged door, CW-LOCKKIT-LR, Key code AH01	1		
For U3.5			
GENERAL WIRING			
WC, Electrical System: Relay Plex System	1		
WC, "E" Spec, Relayplex Harness Set, No Lightbar	1		
CAMERAS			
U Camera, Patient Compartment and Back Up	1		
Item#4			
Camera, Patient Compartment Hanscom kit HK 7211.			
Mount monitor on the cab dash.			
Bracket Part #10130864			
In the module mount the camera on the headliner next to the streetside cabinets.			
Trigger camera display on with Master Switch.			
#HC IR250 rear back up camera with #HC20M video cable,			
Mount camera exterior on rear of module, off center toward driver's side. Triggered when units placed in reverse gear.			
COMMUNICATION			

DESCRIPTION	QTY		
WC, Coax Cable, RG58/U, Each, Terminate: From Dome #1 to behind the passenger seat Standard - with 6' pigtails From Dome #3 to behind passenger seat standard - with 6' pigtails From Dome #2 to behind drivers seat with 6' pigtails	3		
WC, Light, in Circuit Board Area, for Electrical Troubleshooting - with integral switch; wired constant hot.	1		
POWER SOURCES			
WC, Buss Bar Assembly (+/-), 5 Position, for ground and hot-front chassis cab console to 40AMP	1		
WC, Power Source, 12VDC, 20A, Ignition/Shoreline Hot 20amp 12 volt DC circuit ran to two locations, (1) pre-wire coil and tagged in action area and (1) pre-wire coil and tagged behind driver's seat.	1		
WC, Power Source, 12 VDC, 15 Amp (+-), Ignition Hot - Ignition hot, terminating in cab console - with 6 foot tails (hot and ground).	1		
WC, Power Source, 12 VDC, 30 Amp (+-), Constant Hot - Constant Hot, to terminate behind the passenger seat - with 6 foot tails (hot and ground).	1		
WC, Power Source, 12 VDC, 40 Amp (+-), State Source -Install a 40Amp Power and ground wired constant hot to a Terminal block inside cab console to accommodate multiple electronics/Radio installation.	1		
VOLTMETER			
WC, Alarm, Low Voltage, Audio/Visual Light in cab console and Buzzer in cab.	1		
WC, Voltmeter, Glowshift, Digital	1		
BATTERY SYSTEM			
WC, Battery Sw, 5 min Timer, F1, Fig 5B, Batt under Hood Activated thru OEM ignition switch timer function upon ignition "off". Momentary rocker switch, on driver's side of cab console, to function as timer shutoff and also reactivate timer.	1		
(2) OEM batteries under hood			
ONLY Module power is turned on/off. Chassis power is NOT turned off.			
12VDC OUTLETS			
WC, Outlet, Power Point Style, (2), A/A - on standard 20-amp ignition hot circuit. ("elect battery switch")	1		
WC, Outlet, Power Point Style, Each (1) Above squad bench, 20" up from the top deck of the squad	4		

DESCRIPTION	QTY		
bench, 3" over from the edge of the foot of squad bench wall			
(2) On front console, driver side, below siren			
(1) Front bulkhead wall area for Engel Cooler			
all constant hot			
WC, Power Outlet, Kussmaul, USB Dual Port, 5VDC, 4.8	5		
Amp, switch panel			
(1) Located on the passenger side of the center console, per			
Electrical Engineering- ignition hot			
(4) face of console (2) located top left of console and (2)			
located top right of console face - ignition hot			
WC, Power Outlet, Kussmaul, USB Dual Port, 5VDC, 4.8	1		
Amp, switch panel, Each			
Location in the Action area outlet panel.- ignition hot			
FRONT CONSOLE			
WC, Console, Drivers Switch & Radio, Center, Aluminum,	1		
Black, Type1 Ford			
Black polyurethane coated .090 Aluminum			
Double Blank Panel	1		
Cup Holder Panel (No Handle Notch)	1		
WC, Flat Switch Panel	1		
WC, Module Electrical Panels, Brushed Stainless Steel	1		
brushed stainless steel panels for the Outlet panels, switch			
panels and other faceplates in the MODULE only.			
ATTENDANT CONTROL PANEL			
WC, Console, A/A, Wood, Angled	1		
SIREN ELECTRONIC - CONTROL HEADS / AMPS			
WC, Siren, Whelen, WS-295-SLSA1, California Title 13	1		
Compliant			
SIREN SPEAKERS			
WC, Siren Speakers, Cast SAD3833/SAP3834-23FSD-1,	1		
2023 F-Series w/fog Lts.			
Thru Front Bumper			
WC, Switch, Siren/Horn Thru Horn Ring	1		
BACK-UP ALARMS			
WC, Back-up Alarm, No Cutoff Switch	1		
U WC, Beacon Prewire, Ignition Hot to Rearmost Streetside	1		
dome			
No switch			
Module roof, centered 16" inboard from rear of module,			
Beacon will be on anytime Ignition is on and unit is in gear.			
WARNING LIGHT FLASHING			
WC, Brake Override Circuit	2		
Rear of module red 900 Red LED's rear lights under, upper			

DESCRIPTION	QTY		
outer warning lights.			
WARNING LIGHTS			
LED Series - 900 (Flange Separate)			
WC, Light, Whelen 900 LED, Red, Clear Lens, 90RR5FCR, Internal Flasher	14		
MODULE SIDES LIGHTING			
Street side Body - Upper Forward			
Street side Body - Upper Rear			
Curbside Body - Upper Forward			
Curbside Body - Upper Rear			
Pri/Sec internal comet flash			
MODULE REAR LIGHTING			
Rear Body - Upper Street side Corner			
Rear Body - Upper Curbside Corner			
Pri/Sec internal comet flash			
FRONT UPPER BODY LIGHTING			
Front Body - Upper Curbside Corner			
Front Body - Upper Street side Corner			
Pri/Sec internal comet flash			
MODULE REAR LIGHTING			
(2) Rear Directly under upper outer red warning lights			
Pri/Sec flashed via Relayplex comet flash or comperable with			
Brake Override			
FRONT UPPER BODY LIGHTING			
Front Body - Upper Curbside Inner on coolbar			
Front Body - Upper Street side Inner on coolbar			
Pri only internal comet flash			
FRONT UPPER BODY LIGHTING			
Front Body - Upper Curbside Outer angled end of cool bar			
Front Body - Upper Street side Outer angled end of cool bar			
WC, Light, Whelen 900 LED, Amber, Clear Lens, 90AA5FCR, Internal Flasher	1		
MODULE REAR LIGHTING			
Rear Body - Upper Center			
Pri/Sec internal comet flash			
WC, Light, Whelen 900 LED, Clear, 90CC5FCR, Internal Flasher	1		
FRONT UPPER BODY LIGHTING			
Front Body - Upper Center on Cool bar			
Pri only internal comet flash			
WC, Flange, Super 900 LED, #90FLANGC	16		
LED Series - 700 (Flange Separate)			
WC, Light, Whelen 700 LED, Red, Clear Lens, 70R02FCR	2		
REAR WHEEL WELL INTERSECTION LIGHTING			
Rear wheel well Warning - Intersectors - LH Side			
Rear wheel well Warning - Intersectors - RH Side			
Pri/Sec internal comet flash			

DESCRIPTION	QTY
WC, Light, Whelen 700 LED, R/C, Clear Lens, 70RC6FCR FRONT FENDER INTERSECTION LIGHTING Front Fender Warning - Intersectors - LH Side Front Fender Warning - Intersectors - RH Side Pri only internal comet flash	2
WC, Flange, Whelen, Chrome, 700 Series Light (1), Mods - For 7 Series Lights	2
WC, Housings, Intersections, Whelen, Angled 15 Degree, 7 Series, 18+Ford 450 only On the (2) 700 front intersection lights	1
WHELEN LINZ6	
WC, Light, Whelen, LINZ6R, LED-Red w/Chrome Flange with chrome flanges (4) As Grille Lights Pri Only internal comet flash	4
EXTERIOR AUTOMOTIVE LIGHTING	
WC, Taillight Pkg, Whelen, LED Stop/Tail, Turn & LED Backup, w/WC logo - Brake- Steady Burn - Turn Arrow – sequential arrow - 700 LED Backup Clear lens over all three lights	1
ICC/MARKER LIGHTS	
WC, Light, Clearance, Amber LED, Each On front as clearance lights.	3
WC, Light, Clearance, Red LED, Each On rear as clearance lights.	3
WC, Lights, Red, 2", Marker, LED, Pair In bumper	1
WC, Corner Cap Lts, Multi, LED, (2) Amber (2) Red w/Flashers - High intensity flashers; Primary/Secondary- As marker lights with headlights	1
FLOOD AND LOAD SYSTEMS	
WC, Light, LED, Whelen, Clear, #9SC0ENZR, 24 LED, w/Chrome Flange, Steady Burn - (2) each side as "Scene lights" - (2) on rear over rear doors as "Load Lights"	6
11 - INTERIOR LIGHTING	
WC, Lights, Dome, LED, Whelen, White Flange, (4) S/S, (3) C/S NOTE: NO VISABLE FASTENERS OR HOLES.	1
WC, No Lighting Recessed into Trough Cover	1
WC, Timer, Momentary Switch, 15 Minute, Constant Hot Mount switch on C/S wall at the head of the squad bench in the standard location. Switch to allow activation and also deactivation. Wire to Streetside Domes in liner on High.	1

DESCRIPTION	QTY		
SPOTLIGHTS / HANDHELD LIGHTS			
WC, Handheld Spotlight - Sho-Me 200,000 CP, Mod Pwr	1		
ATTENDANT LIGHT			
WC, Light, Kinequip #621224W, LED, 12 Inch Each	1		
12 - ELECTRICAL 125 VOLT AC SHORELINE INLET			
WC, Shoreline, 20A, Super Auto Eject, White - with white cover; mounted above compartment "#2"	1		
OUTLETS - 125VAC			
WC, Outlets, 125 VAC, Duplex, (1) Action Wall, (1) Right Front Cabinet - (1) outlet in action area - (1) outlet in the RF Cabinet "U8", wall #2, upper right.	1		
WC, Outlet, 125 VAC, Duplex, Each, State Location: (1) CS wall foot end of squad bench mounted approx. 15" up and over 3" from CSR cabt rear wall. (1) telemetry area, wall 2 near wall 1, down low (1) RF cabt U8, wall 2, to the right, down low	3		
BLOCKHEATERS			
Block Heater - With OEM Plug This option does not include a switch.	1		
INVERTER - 125VAC			
WC, Inverter/Charger, Vanner LifeSine, Mod/Shore Pwr - Mounted on ceiling of compartment "2" upper left hand corner with expanded metal cage. Make sure inverter cage is tight and space in compartment is maximized. LifeSine inverter will be ignition switch activated, No Inverter switch.	1		
AUXILIARY ENVIRONMENTAL SYSTEMS			
WC, Exhaust Fan, Single 12V, in Line Blower	1		
WHEELED COACH HVAC UNITS			
WC, Hoses, Heater, No Max, to Rear	1		
Cover, Cool Bar, (5) 900 series lights, LED Lights	1		
WC, Air Conditioning Face Plate, Brushed Stainless Steel with WC Logo	1		
WC, Heat/AC Located RF corner, over ALS cabinet.	1		
WC, Generation I, Steel Cool Bar cover	1		
WC, Heat/AC, F1, Combo, w/Coolbar, Brushless Motor, Mod Pwr 12vdc External Condenser, in Coolbar mounted on front of module. Painted to match front of module.Ford White: PPG Code - FBCH978045	1		
WC, Thermostat, Hoseline Digital CM5000 (1) in Street side/s action area panel Minimum temperature to be 62°F	1		
COT MOUNTING PROVISIONS			

DESCRIPTION	QTY		
Cot Mounts			
WC, Stryker Performance/Power Load, Add Floor Structure Plates & Wiring for Futu Additional floor structure for future installation of a Stryker Power Load or Performance Load w/ inductive charging System.	1		
WC, Cut Floor and Install Cot Mount Floor plate, 6390-700-001A, for Powerload For Powerload Load Cot mounts. Note: Stryker Deutsch connection to be coiled up on the exterior of the module	1		
Center Mount	1		
OXYGEN AND AIR SYSTEMS			
WC, O2 Cylinder Wrench ,Tethered in oxygen comp.	1		
WC, O2 Cylinder Bracket, Multiversal, #QR-MV, W/ Straps	1		
Specify O2 bottle size."M"			
WC, Track, Unistrut for Oxygen Rack	1		
WC, Manual, O2 System	1		
WC, O2 Regulator, Preset 50 PSI Ship Loose	1		
WC, O2 System, Ohio Style (2 Action Area, 1 Liner, 1 CS Wall)	1		
Ohio style (2) oxygen outlets in action area (1) oxygen outlet in liner at head of cot (1) oxygen outlet CS wall at head of squad bench			
WC, Lexan Flap, w/Hinge	1		
PORTABLE O2 HOLDERS			
WC, O2 Cylinder Holder, Single, Zico QR-D-2 Strapless, CN 10 Certified (2)-Installed inside side entry door step well head end of squad bench recessed.	2		
SUCTION SYSTEM			
WC, Suction Outlet and Container located in Action area recess Suction container in recess in cabinet recess in wall below action area countertop.	1		
WC, Suction Pump, SSCOR 90206 Mounted on Comp. #2 fixed shelf	1		
WC, Suction Port, Hole Only, No Outlet Plate	1		
WC, Suction System, SSCOR 23002 Disposable w/Canister Clip & Regulator NO Ohio style vacuum outlet - plumb hose from SSCOR canister through hole in AA recess Meets SAE J3043 Requirements	1		

DESCRIPTION	QTY		
PAINT AND FINISH			
WC, Wheeled Coach Paint Process	1		
Module Paint, Single Color, OEM White	1		
Cab Paint - Single Color, OEM White	1		
PAINT STRIPING DESIGN			
Paint Belt, None	1		
DECALS AND NOMENCLATURE			
WC, Ship Loose, W.C. Standard Items	1		
WC, Fire Extinguisher, (1), 5 lb. ABC, Ship Loose	2		
HD Amerex Bracket #861H with Amerex 5LB fire extinguisher.			